



U S ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St, S W  
Washington, D C 20460

EPA Reg. Number  
2382-138

Date of Issuance.

16 JUN 1996

Term of Issuance. Unconditional

Name of Pesticide Product. Flea  
Ovisterilant Collar  
For Cats #3

NOTICE OF PESTICIDE:  
  X   Registration  
       Reregistration

(under FIFRA as amended)

Name and Address of Registrant (include ZIP Code)

Virbac Inc.  
P.O. Box 162059  
Fort Worth, Texas 76161

Note Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency In order to protect health and the environment, the Administrator on his motion may at any time suspend or cancel the registration of a pesticide in accordance with the Act The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

This product is unconditionally registered in accordance with FIFRA sec. 3(c) (5).

Make the following label changes before releasing the product for shipping:

- Revise the EPA Registration Number to read, "EPA Reg. No. 2382-138".
- Under directions for use, add the statement, "To prevent harm to you or your pet, read entire label before use.".
- Under directions for use, add the statement, "Consult your veterinarian before using this product on pregnant or lactating females, old, sick or debilitated animals or on animals undergoing drug or other pesticide treatment.".

Signature of Approving Official

RPK

Date

16 JUN 1996

- 2/5
- d. Split the precautionary statements into two sections: Hazards To Humans and Hazards To Animals. Under Hazards To Humans, add the statement, "Wash with soap and water after handling." Under Hazards To Animals, add the statements, "Do not apply to nursing kittens. Some animals may be sensitive to ingredients in this product. Observe pet for possible signs of adverse reactions. If animal has adverse effects, remove collar and immediately seek veterinary advise."
  - e. Have your supplier of Bayferrox 180M and Flash Black 19976 submit their chemical compositions including chemical names, Cas numbers, and percentages of each component. Manufacturing Safety Data Sheets should also be submitted.

Submit two (2) copies of the revised final printed label before you release the product for shipment.


If the final printed labeling is not received prior to shipment of this product, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these requirements.

A stamped copy of the label is enclosed for your records.

Sincerely,

RPK

— Richard P. Keigwin, Jr.  
Product Manager 10  
Insecticide & Rodenticide Branch  
Registration Division (7505C)



Generic pouch label

**Flea Ovisterilant Collar For Cats #3**

**Sterilizes fleas for up to 4 months**

For neck size up to 14"

**ACTIVE INGREDIENT:**

Pyriproxyfen: 2-[1-methyl-2-(phenoxy-phenoxy)

ethoxy] pyridine..... 0.1%

INERT INGREDIENTS..... 99.9%

TOTAL..... 100.0%

**CAUTION**


**KEEP OUT OF REACH OF CHILDREN**

See carton for additional precautionary  
statements and directions.

**virbac, Inc.**

EPA Reg. No. 2382-xxx EPA Est. 15577-FR-1  
 Contains One Flea Ovisterilant Collar Net Wt. 0.83 oz. (23.4 g)  
 Made in France

95/12



4/5

Carton, front

**Flea Ovisterilant Collar For Cats #3**

**Sterilizes fleas for up to 4 months**

**For neck size up to 14"**

**ACTIVE INGREDIENT:**

Pyriproxyfen: 2-[1-methyl-2-(phenoxy-phenoxy)  
ethoxy] pyridine..... 0.1%  
INERT INGREDIENTS..... 99.9%  
TOTAL..... 100.0%

**CAUTION**


**KEEP OUT OF REACH OF CHILDREN**

See back panel for additional precautionary  
statements and directions.

**virbac, Inc.**

Contains One Flea Ovisterilant Collar Net Wt. 0.83 oz. (23.4 g)  
Made in France

95/12



5/5

Carton, back

**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** This collar is intended for use only on pet animals. Do not allow children to handle or play with this collar.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this collar in a manner inconsistent with its labelling.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this collar in a manner inconsistent with its labelling. Place OVISTERILANT COLLAR #3 collar around the cat's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn tightly enough to contact skin. If collar is worn too tightly, it may produce neck irritation.

This collar is designed to control flea problems by preventing the build up of flea populations through its flea sterilizing action. Ideally, as a preventive measure and for maximum effect, this collar should be applied to the cat before the flea season starts. Its ovicidal activity, that sterilizes fleas already on the cat, starts within a few days, reaches maximum effectiveness within 2 weeks and continues as long as the collar is worn (up to 4 months). Fleas present in the cat's environment that may reappear on the cat will be sterilized before egg laying commences. The potential for development of new fleas in the cat's environment that would reinfest the cat will thus be prevented.

not kill fleas or ticks. Therefore, if the cat or its environment is heavily infested with fleas when the collar is first applied, the collar's ovisterilant benefit will not be apparent for several weeks until all pre-existing environmental flea life cycle stages have developed and either found a host or died. In these circumstances it is necessary to use other means (e.g., insecticide treatments, applied to both the pet and its environment) to kill existing flea stages on the pet and in its environment. Tick infestation must always be controlled by products labelled for ticks. The collar and its active ingredient in the cat's haircoat are not affected by normal wetting or by bathing. Replace collar as needed.

**DISPOSAL**

Do not reuse empty pouch or box. . Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 2382-XXX

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.  
P.O. Box 162059, Fort Worth, Texas 76161  
Made in France

95/12

