



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
2382-139

Date of Issuance:
JUN 12 1996

NOTICE OF PESTICIDE:
 X Registration
 Reregistration

Term of Issuance: **Until Reregistration**

Name of Pesticide Product:
Amitraz Tick Collar for Dogs

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

**Virbac, Inc.
P.O. Box 162059
Forth Worth, Texas 76161**

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label change before you release the product for shipment:

Revise the EPA Registration Number to read, "EPA Reg. No. 2382-139."

Signature of Approving Official:

DHE

Dennis H. Edwards, Jr.
Product Manager 19
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

JUN 12 1996

Submit one (1) copy of the final printed labeling for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

3/4

front of carton

AMITRAZ TICK COLLAR FOR DOGS

Neck Size up to 25'

Kills Ticks for 2 Months

ACTIVE INGREDIENT:

Amitraz: N'-(2,4-dimethylphenyl)-N-[[2,4-dimethyl-phenyl]imino]meth]-N-methylmethanimidamide	6.0%
INERT INGREDIENTS	94.0%
TOTAL	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See back panel for additional precautionary statements and directions.

virbac, Inc.

CONTENTS: ONE COLLAR NET.WT.0.97 OZ (27.5g)

APPROVED
with COMMENTS
by EPA Review Board

JUN 12 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
is deemed for the pesticide
registered under EPA Reg. No.

2382-139

back of carton

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an acaricide generator and is not to be taken internally by man or animal. Not intended for use on humans. Do not allow children to handle or play with this collar. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Some humans may develop skin irritation through contact with collared pet. Remove collar, shampoo pet and consult physician if irritation persists. Wash thoroughly with soap and water after handling.

Some dogs may be sensitive to this collar. Remove at first sign of irritation or adverse reaction and shampoo dog thoroughly to remove residue. Do not use on sick or convalescing dogs. **DO NOT APPLY TO CATS.** There is a risk of collar breakage and ingestion if collar is worn by unattended dogs that play by mouthing each other in the neck area. If collar is missing from a dog, search for, retrieve and recover the entire collar. Immediately consult a veterinarian if dog is depressed.

Note to Veterinarian: If a dog ingests a Preventic collar and exhibits intoxication (primary sign is severe depression), induce vomiting, administer non-oily laxative, activated charcoal and enema. Provide supportive therapy until collar fragments are voided. If dog cannot be roused, Yohimbine, 0.1 mg/kg by intravenous injection is antidotal. Repeat as needed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this collar in a manner inconsistent with its labeling.

Place the Preventic® collar around the dog's neck, buckle and adjust for proper fit. Cut off and dispose of excess length. Do not allow dog to play with cut-off excess. The collar must be worn tightly enough to contact skin and so that dog cannot remove it. Activity against ticks starts within 1-2 days and continues as long as the collar is worn (up to 60 days). Ticks present in the dog's environment that may reappear on the dog will not attach and will be killed in less than 1-2 days. Replace collar when effectiveness diminishes. The effectiveness of the collar is not diminished by normal wetting such as rainfall, however, it is suggested that the collar be removed before bathing. The active ingredient is not an insecticide. Therefore, use other means for control of fleas.

DISPOSAL

Do not reuse empty pouch, box or collar. Wrap in newspaper and put in trash collection.

EPA Reg. No. 2382 ~~xxx~~ *RG0* EPA Est. 15577-FR-1
Manufactured for Virbac®, Inc.
P. O. Box 162059, Fort Worth, Texas 76161
Made in France

LOT:

95/12

