Poge 13-5



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

2382-149

MOV 17 1997

Term of Issuance:

Unconditional

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

(under FIFRA, as amended)

Name of Pesticide Product: Flea Ovisterilant Collar For Dogs #1

Name and Address of Registrant (include ZIP Code):

Virbac Inc.

P.O. Box 162059

Fort Worth, TX 76161

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5).

- Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Req. No. 2382-149".
 - b. Add the statement, "Do not use on puppies under 3 months of age.", to the label.
 - c. Delete the phrase," is not an insecticide or acaricide, is not toxic", from the statement, "The active ingredient in this collar xxx parasites.".

Signature of Approving Official:

See Page 2

November 17, 1997

page 2 EPA Reg. No.

2. Submit two (2) copies of the revised final printed label for the record.

If the final printed labeling is not received prior to shipping, the the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these requirements.

A stamped copy of the label is enclosed for your records.

Sincerely,

Marion J. Johnson, Jr.

Product Manager 10 Insecticide Branch

Registration Division (7505C)

ph M. Variono

Flea Ovisterilant Collar For Dogs #1 IGR Flea Collar for Dogs and Puppies

[Sterilizes fleas for 13 months] [Sterilizes (and kills) flea eggs for 13 months]

ACTIVE INGREDIENT:	•
Pyriproxyfen: 2-[1-methyl-2-(phenoxy-phenoxy) ethyoxy]	
pyridine	0.5%
INERT INGREDIENTS	99.5%

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements and directions.

virbac®

Contains One Flea Ovisterilant Collar Net Wt. 1.4oz (42g)

97/03

ACCEPTED
with COMMENTS
in EPA Lener Dated

NOV 17 1997

Under the Pederal Inescription, Function, and Education Act as associated, for the pesticide registered under EFA Reg. No. 2382-149

Carton, back

READ ENTIRE LABEL BEFORE USING USE ONLY ON DOGS PRECAUTIONARY STATEMENTS CAUTION

STATEMENTS CAUTION
HAZARDS TO HUMANS: This collar is intended for use only on pet animals. Do not allow children to handle or play with this collar. Wash hands with soap and water after handling. HAZARDS TO ANIMALS: Do not use on nursing pupples. Consult a veterinarian before using on debilitated, aged, medicated, pregnant or nursing animals. Sensitivities may occur after using any pesticide product on pets. If signs of sensitivity occur, remove collar and bathe your pet with mild soap or a non-pesticidal shampon and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.
DIRECTIONS FOR USE it is a violation of Federal Law to use this collar in a manner inconsistent with its labelling. Place collar around the dog's neck adjust for proper fit and buckle inplace. Cut offand dispose of excess length. The collar must be worn tightly enough to contact skin. If collar is worn too tightly, it may produce neck critation.

This collar is designed for long term prevention and control of flea problems by preventing the build up of flea populations through its adult flea and flea egg sterilizing actions. Ideally, as a

build up of flea populations through its adult flea and flea egg sterilizing actions. Ideatly, as a preventive measure and for maximum effect, this collar should be applied to the dog before the prevenue measure and for instantum eract, this collar should be applied to the dog before the flea season starts. Its flea sterilizing activity, that sterilizes fleas already on the dog, starts immediately, reaches 100% effectiveness within 2 days and continues at 100% effectiveness as long as the collar is worn (at least for 370 days). Fleas already present in the dog's environment, that may reappear on the dog, will be immediately sterilized before they start to lay eggs so that only sterile dead eggs will be laid. The potential for development of new fleas in the dog's environment, that would normally reinfest the dog, will thus be prevented for a full year. It is recommended therefore that this collar should be replaced once a year, perhaps on a significant date such as the pet's birthday or on the first of January.

The active ingredient in this collar, Nylars, is not an insecticide or acaricide, is not toxic and will not kill adult parasites. Therefore, if the dog crits environment is heavily infested with fleas when the collar is first applied, the collar's flea and flea egg sterilizing benefit will not be apparent for several weeks until all pre-existing environmental flea life cycle stages have developed and either found a host or died. In these circumstances it is necessary to use other means (e.g., insecticide treatments, applied to both the pet and its environment) to kill existing flea stages on the pet and in its environment. Tick infestation must always be controlled by products labelled for ticks. The collar and its active ingredient in the dog's haircoat are not affected by normal wetting or by bathing. Replace collar as needed.

DISPOSAL Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding cut-off excess collar or used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 2382-RUO Virbac, Inc. EPA Est. 2382-TX-1

UO Virbac, Inc. P.O. Box 162059 Fort Worth, Texas 76161 Telephone 817-831-5030

Nylar* is a registered trademark of McLaughlin Gormley King Company.

97/03

595

Generic pouch label, pyriproxyfen collar #1

Flea Ovisterilant Collar For Dogs #1 IGR Flea Collar for Dogs and Puppies

[Sterilizes fleas for 13 months] [Sterilizes (and kills) flea eggs for 13 months]

ACTIVE INGREDIENT:	
Pyriproxyfen: 2-[1-methyl-2-(phenoxy-chenoxy) ethyoxy]	
pyridine	0.5%
INERT INGREDIENTS	.99 5%

KEEP OUT OF REACH OF CHILDREN CAUTION

See carton for additional precautionary statements and directions.

> Contains One Flea Ovisterilant Collar Net Wt. 1.4oz (42g)

> > Made in France

97/03