

FRONT PANELPERMETHRIN-PYRIPROXYFEN RESIDUAL<sup>1</sup> SHAMPOO FOR DOGS #2

- ◆ PERMETHRIN IMMEDIATELY KILLS FLEAS AND TICKS, INCLUDING TICKS THAT TRANSMIT THE ORGANISM THAT CAUSES LYME DISEASE
- ◆ PERMETHRIN CONTINUES TO REPEL AND KILL FLEAS FOR 9 DAYS AND TICKS FOR 20 DAYS
- ◆ PYRIPROXYFEN IGR, NYLAR<sup>®3</sup>, STERILIZES ALL NEW FLEAS AND KILLS THEIR EGGS FOR 8 WEEKS
- ◆ ONE SHAMPOO KILLS FLEAS, TICKS, EGGS!

## ACTIVE INGREDIENT:

<sup>2</sup> Permethrin: CAS #52645-53-1 .....	1.00%
Pyriproxyfen: CAS #95737-68-1 (Nylar <sup>®3</sup> ) .....	0.05%
OTHER INGREDIENTS: .....	98.95%
TOTAL .....	100.00%

<sup>1</sup> Patent Pending<sup>2</sup> Cis/trans isomer ratio: Max. 55% (+/-) cis and Min. 45% (+/-) trans<sup>3</sup> NYLAR<sup>®</sup> a registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE/BACK PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED

OCT 29 2004

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 2382-156NET CONTENTS: 8 fl. oz. (237 mL)  
13 fl. oz. (383 mL)

2 2 3

**SIDE/BACK PANEL**

**READ ENTIRE LABEL BEFORE EACH USE  
USE ONLY ON DOGS**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

**HAZARDS TO HUMANS:** Do not get in eyes, on skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse. Avoid contamination of feed or foodstuffs.

**HAZARDS TO ANIMALS: DO NOT USE ON CATS. DO NOT USE ON PUPPIES UNDER 12 WEEKS OF AGE.**

Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant, or nursing animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap or a non-pesticidal shampoo and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

=====

**FIRST AID**

=====

**If In Eyes**      ° Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
                         ° Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.  
                         ° Call a poison control center or doctor for treatment advice.

-----

**If On Skin or Clothing**      ° Take off contaminated clothing.  
                         ° Rinse skin immediately with plenty of water for 15-20 minutes.  
                         ° Call a poison control center or doctor for treatment advice.

=====

**HOT LINE NUMBER**

=====

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-345-4735 for emergency medical treatment information.

=====

SIDE/BACK PANEL**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Pyriproxyfen and permethrin in this special formulation\*, are absorbed onto, and stick tightly to hair and skin, even after complete rinsing, to provide long term residual efficacy against fleas and ticks. New fleas are repelled and killed for 9 days and ticks for 20 days after bathing. Lyme disease ticks are also repelled and killed before they can feed and transmit disease. The insect growth regulator (a synthetic flea hormone), pyriproxyfen, sterilizes all fleas that jump onto the dog (even new fleas before they start laying eggs) and therefore kills all flea eggs. This action persists for 8 weeks and breaks the flea's life cycle by preventing the development of new fleas in the dog's environment and the build-up of reinfestation pressure.

Because of the residual activity of the ingredients, it is not necessary to use an insecticidal dip or other topical or systemic pesticides or drugs to obtain extended control of fleas and ticks. The use of this shampoo on a regular basis, alone or in conjunction with initial environmental flea control measures (if needed), should suffice to provide complete and continuous effective flea and tick control on dogs.

**APPLICATION: SHAKE WELL BEFORE USING.** Wet the dog thoroughly with warm water. Apply product onto its back at the rate of approximately 1 tablespoonful for each 5 lb. body weight (7.5g/kg.). Massage well into the skin to obtain good lathering over the entire body. Allow lather to remain in contact for at least 10 minutes then rinse off. Allow dog to air dry or blow dry. Under flea and tick reinfestation pressure from the dog's environment, the dog may be retreated when new parasites are seen to persist on the dog, but not more often than once every 14 days.

=====

**STORAGE AND DISPOSAL**

=====

**Storage:** Store in original container in a cool, dry place inaccessible to children and pets.

**Disposal:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

=====

EPA Reg. No.: 2382-156

EPA Est. No.: 67517-MO-1

Manufactured By  
Virbac AH, Inc.  
Consumer Brands Division  
Fort Worth, TX 76161  
800-338-3659

(lot number statements as needed)

Mfg. & Printed in U.S.A. (label revision number) (product number)