

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OCT 23 2003

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Michelle Foster Virbac AH, Inc. P.O. Box 162059 Fort Worth, Texas 76161

Subject: Amended Label For:

Permethrin-Pyriproxyfen Residual Ovisterilant SHAMPOO #1

EPA Registration No. 2382-164 Application dated June 19, 2003

Dear Ms. Foster:

The proposed amendment to the registration of the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended revising the label in accordance with PR Notice 2001-1 is acceptable subject to the comment listed below. A stamped copy of the revised label is enclosed for your records.

Add the following statements to the First Aid for IF SWALLOWED:

"Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person."

Submit two copies of the finished label before the product is released for shipment under this revised label.

If you have any questions please contact Joseph Tavano at (703) 305-6411.

Sincerely,

Linda Arrington

Acting Product Manager 10

Insecticide Branch

Registration Division (7505C)

Front panel

Pyrethrin-Pyriproxyfen Residual* Ovisterllant Shampoo

[Dual synergised Pyrethrins kill fleas and ticks]
[Flea and tick shampoo with residual ovisterilant properties for use on dogs, cats, pupples and kittens]

[Nylar® IGR sterilizes all new fleas and kills their eggs for 4 weeks]

[Fast action immediately kills adult fleas and ticks] [Residual action kills flea eggs for one month] [Baby powder scent]

[Faster Action * Breaks Flea Life Cycle * Longer Lasting] (Circular bullet)

ACTIVE INGREDIENTS:

Pyriproxifen	0.01%
Pyrethrins	
Piperonyl butoxide technical*	
n-Octyl bicycloheptene dicarboximide	
OTHER INGREDIENTS	
TOTAL	100.00%

*Equivalent to 1.2% (butylcarbityl) (6-propylpiperonyl) ether and 0.3% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements.

EPA Reg. No. 2382-164 EPA Est. No. 11715-TN-1

Net Wt. 8 oz. (237mL)

Fort Worth, TX 76-161 800-338-3559 ACCEPTED
with COMMENTS
in EPA Letter Duted:

OCT 23 2003

Under the Federal Insectivide, Fungicide, and Rodesshitta Act, as amended, for the penticide registered under EPA Reg. No. 2 382 - 164

patent pending

Nylar® is a registered trademark of McLaughlin Gormley King Company Side/Back panel

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS AND CATS PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Do not treat nursing puppies or kittens. Do not use on puppies under 11 weeks of age and on kittens under 6 months of age. Consult a veterinarian before treating pregnant, nursing, sick, aged, debilitated, or medicated dogs [or cats]. Sensitivities may occur after using any pesticide product on pets. If signs of sensitivity occur, bathe pet with mild soap or a non-pesticidal shampoo and rinse with large quantities of water. If signs continue consult a veterinarian immediately. Wash hands with soap and water after using.

IFIRST AID

If on skin or clothing

Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed

Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-345-4735 for emergency medical treatment information.] (Information in brackets is optional)

Side/Back panel continued

Pyrethrin-Pyriproxyfen Residual* Ovisterilant Shampoo #1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

The dual synergistic pyrethrins provide immediate killing of fleas and ticks on the pet. Pyriproxyfen, in this special formulation*, is absorbed onto, and sticks tightly to hair and skin, even after complete rinsing. This insect growth regulator (a synthetic flea hormone) sterilizes all fleas that jump onto the pet (even new fleas before they start laying eggs) and therefore kills all flea eggs. This action persists for 1 month and breaks the flea's life cycle by preventing the development of new fleas in the pet's environment and the build-up of reinfestation pressure. Shake well before using. Wet the pet thoroughly with warm water. Apply product onto its back at the rate of approximately 1 tablespoonful for each 5lb. bodyweight (7.5g per kg) for dogs and puppies and 11/4 tablespoonful (8.5g per kg) for cats and kittens. Massage well into the skin to obtain good lathering over the entire body. Allow lather to remain in contact for at least 10 minutes then rinse off. Allow pet to air dry or blow dry. To maintain effective flea life cycle control (through IGR flea egg killing) repeat treatment at least once every month. Under enditions of Ilea reinfestation pressure from the environment, repeat treatment when new parasites are seen on the pet, but not more frequently than once weekly on doas and twice monthly on cats.

STORAGE AND DISPOSAL DIRECTIONS

STORAGE: Store in closed container in a cool dry area. DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call you local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Lot No. on bottom of container