

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

2382-168

JAN 20 2000

NOTICE OF PESTICIDE:

____ Reregistration

under FIFFA, as amended

Term of Issuance:
Conditional

Name of Pesticide Product:

Diazion-Pyriproxyfen Collar For Dogs and puppies #1

Name and Affress of Registrant (include ZIP Code):

Virbac, Inc

3200 Meacham Blvd.

Fort Worth, TX 76137

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label changes:

THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

- a. Revise the EPA Registration Number to read, "EPA Reg. No.2382-168".
- b. The statement, "Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be immediately replaced.", must appear on the label.

phature of Approving Official:

See page 2

January 20, 2000

3. Submit two (2) copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Marion J. Johnson, Jr.

Product Manager 10 Insecticide Branch

Registration Division (7505C)

Carton, front

Diazinon - Pyriproxyfen Collar For Dogs and Puppies #1

Kills fleas and ticks on dogs and puppies for 10 months

Nylar® IGR sterilizes fleas and (kills) flea eggs on dogs and pupples for 13 months

ACTIVE INGREDIENTS	
Pyriproxyfen	0.5%
Diazinon	15.0%
OTHER INGREDIENTS	84.5%

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements and directions

EPA Reg. No. 2382 - RAT EPA Est. 2382 - TX -1

Contains One Diazinon-Pyriproxyfen Collar Net Wt. 1.5 oz. (42 g)

> virbac, inc. Made in France

> > 98/03

ACCEPTED
with COMMUNITY
In EPA Letter Date:
JAN 2 0 2000

Under the Robertal Insecticide, Fungicide, and Indenticide Act, as amonaed, for the posticide registered under EPA Reg. No. 2382-168

Carton, back

READ ENTIRE LABEL BEFORE USING USE ONLY ON DOGS PRECAUTIONARY STATEMENTS CAUTION

HAZARDS TO HUMANS: This collar is intended for use as an insecticide generator only on pet animals. Do not allow children to handle or play with this coltar. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result, contact a physician. Wash hands with soap and water

AMAZAROS TO ANIMALS: Do not apply to pupples under 11-weeks-old. Do not use other cholinesterase inhibiting pesticides, drugs or chemicals on pet while collar is worn. Consult a veterinarian before using on debilitated, aged, medicated, pregnant or rursing animals. Sensitivities may occur after using any pesticide product on pets. If signs of sensitivity occur, bathe pet with mild scap or a non-pesticidal shampoo and rinse with large quantities of water. If signs continue consult a veterinarian immediately.

Note to Physician AMAZEROS AM

If signs continue consult a veterinarian immediately.

Nota to Physiciana/ Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

DIRECTIONS FOR USE. It is a violation of Federal Law to use this collar in a manner inconsistent with its tabelling. The two active ingredients in this collar have different and complementary functions. The IGR (syntheticfles hormone), pyriproxyfen (hyjare), sterilizes all fleas that jump onto the pet (even new fleas before they start laying eggs) and kills all flea eggs. Pyriproxyfen is continuously released from the collar, spreads over the pet In the natural oils of the haircoat and skin and adheres tightly to hair and skin to provide more than 13 months of continuous flea ovisterilant efficacy. This breaks the flea's life cycle by preventing the development of new fleas in the environment that twould normally reinfest the next. This ovicidal activity of provincory fen starts. in the environment that would normally reinfest the pet. This ovicidal activity of pyriproxyfen starts immediately, reaches 100% effectiveness within within 3-4 days and continues at 100% effectiveness. as long as the collar is worn (up to 400 days). The second active, diazinon, also spreads over the pet in the oil of its skin and haircost where it kills any existing fleas and ticks on the pet within 2 days Diazinon continues to kill any new fleas and ticks that may climb onto the pet for up to 300 days. The collar and its active ingredients in the pet's haircost are not affected by normal wetting or by bathing. It is recommended that this collar should be replaced once a year, preferably before the beginning of the flea season.

APPLICATION: Place collar around the pet's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn tightly enough to contact skin, yet one finger can be placed between collar and pet's neck, if the collar is worn too tightly, it may produce neck imitation

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place.

DISPOSAL. Do not reuse empty pouch or box. Wrap pouch and put in trash collection. When discarding cut off end and used collar, wrap in newspaper and place in trash collection.

Virbac, inc. P.O. Box 162059, Fort Worth, Texas 76161. Telephone 817-831-5030 Made in France

Nylar* is a registered trademark of McLaughlin Gormley King Company.

Generic pouch label

Diazinon - Pyriproxyfen Collar For Dogs and Puppies #1

Kills fleas and ticks on dogs and puppies for 10 months

Nylar® IGR sterilizes fleas and (kills) flea eggs on dogs and puppies for 13 months

ACTIVE INGREDIENTS	
Pyriproxyfen	0.5%
Diazinon	15.0%
OTHER INGREDIENTS	84.5%

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements and directions

EPA Reg. No. 2382 - RAT EPA Est. 2382 - FRA -1

Contains One Diazinon-Pyriproxyfen Collar Net Wt. 1.4 oz. (42 g)

Made in France

98/03