



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg.
Number:
2382-172

Date of Issuance:

JAN 20 2000

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional -

Name of Pesticide Product:

Diazion-Pyriproxyfen
Collar For Dogs and
puppies #2

Name and Address of Registrant (include ZIP Code):

Virbac, Inc
3200 Meacham Blvd.
Fort Worth, TX 76137

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No.2382-172".
- b. The statement, "Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be immediately replaced.", must appear on the label.

Signature of Approving Official:

See page 2

Date:


January 20, 2000

3. Submit two (2) copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Marion J. Johnson, Jr.
Product Manager 10
Insecticide Branch
Registration Division (7505C)

Generic pouch label

**Diazinon - Pyriproxyfen Collar For Dogs
and Puppies #2**

**Kills fleas and ticks on dogs and puppies for
5 months**

**Nylar® IGR sterilizes fleas and (kills) flea eggs
on dogs and puppies for 10 months**

ACTIVE INGREDIENTS

Pyriproxyfen.....	0.25%
Diazinon.....	15.00%
INERT INGREDIENTS.....	84.75%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**See back panel for additional precautionary
statements and directions**

EPA Reg. No. 2382 - EPA Est. 2382 - FRA -1

Contains One Diazinon-Pyriproxyfen Collar
Net Wt. 1.4 oz. (42 g)

Made in France

97/09

ACCEPTED
with COMMENTS
In EPA Region 4
JAN 20 2000

Under Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the purpose of
registered under EPA Reg. No.

2382-172

Caron, front

**Diazinon - Pyriproxyfen Collar For Dogs
and Puppies #2**

**Kills fleas and ticks on dogs and puppies for
5 months**

**Nylar® IGR sterilizes fleas and (kills) flea eggs
on dogs and puppies for 10 months**

ACTIVE INGREDIENTS	
Pyriproxyfen.....	0.25%
Diazinon	15.00%
INERT INGREDIENTS..... 84.75%	

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**See back panel for additional precautionary
statements and directions**

EPA Reg. No. 2382 - EPA Est. 2382 - TX -1

Contains One Diazinon-Pyriproxyfen Collar
Net Wt. 1.5 oz. (42 g)

virbac, Inc.
Made in France

97/09

Carton, back

READ ENTIRE LABEL BEFORE USING USE ONLY ON DOGS PRECAUTIONARY STATEMENTS CAUTION

HAZARDS TO HUMANS: This collar is intended for use as an insecticide generator only on pet animals. Do not allow children to handle or play with this collar. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result, contact a physician. Wash hands with soap and water after handling.

HAZARDS TO ANIMALS: Do not apply to puppies under 10-weeks-old. Do not use other cholinesterase inhibiting pesticides, drugs or chemicals on dog while collar is worn. Consult a veterinarian before using on debilitated, aged, medicated, pregnant or nursing animals.

Some pets may be sensitive to ingredients in this product. If pet shows adverse effects, remove collar, bathe pet with a non-pesticidal shampoo and consult a veterinarian if reaction persists or becomes more severe.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

DIRECTIONS FOR USE It is a violation of Federal Law to use this collar in a manner inconsistent with its labelling. The two active ingredients in this collar have different and complementary functions. The IGR (synthetic flea hormone), pyriproxyfen (Nylar®), sterilizes all fleas that jump onto the pet (even new fleas before they start laying eggs) and kills all flea eggs. Pyriproxyfen is continuously released from the collar, spreads over the pet in the natural oils of the haircoat and skin and adheres tightly to hair and skin to provide 10 months of continuous flea ovicidal efficacy. This breaks the flea's life cycle by preventing the development of new fleas in the pet's environment that would normally reinfest the pet. This ovicidal activity of pyriproxyfen starts immediately, reaches 100% effectiveness within 3-4 days and continues at 100% effectiveness as long as the collar is worn (up to 300 days). The second active, diazinon, also spreads over the pet in the oil of its skin and haircoat where it kills any existing fleas and ticks on the pet within 2 days. Diazinon continues to kill any new fleas and ticks that may climb onto the pet for 150 days. The collar and its active ingredients in the pet's haircoat are not affected by normal wetting or by bathing. It is recommended that this collar should be replaced once a year, preferably before the beginning of the flea season.

APPLICATION: Place collar around the pet's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn tightly enough to contact skin, yet one finger can be placed between collar and pet's neck. If the collar is worn too tightly, it may produce neck irritation.

STORAGE AND DISPOSAL STORAGE: Store in a cool dry place.

DISPOSAL Do not reuse empty pouch or box. Wrap pouch and put in trash collection. When discarding cut off end and used collar, wrap in newspaper and place in trash collection.

Manufactured for Virbac, inc. P.O. Box 162059,
Fort Worth, Texas 76161. Telephone 800-338-3659
Made in France

Nylar® is a registered trademark of McLaughlin Gormley King Company.

97/09