

2382-180

05/18/2004

1/4

DRAFT LABEL  
Front Panel

**ZEMA PYRETHRINS POWDER**

- ◆ QUICK KILL ACTION AND LONG LASTING CONTROL
- ◆ CONTROLS FLEAS AND TICKS THAT LIVE AND BREED IN CARPETS
- ◆ KILLS FLEAS TICKS AND LICE ON DOGS
- ◆ KILLS FLEAS TICKS AND LICE ON CATS
- ◆ CONTROLS FLEAS TICKS AND LICE ON DOGS & CATS

**ACTIVE INGREDIENTS**

Pyrethrins: CAS #8003-34-7.....	0.10%
<sup>1</sup> Piperonyl Butoxide Technical: CAS #51-03-6.....	1.00%
<b>OTHER INGREDIENTS.....</b>	<u>98.90%</u>
<b>TOTAL.....</b>	<b>100.00%</b>

<sup>1</sup>Equivalent to 0.8% (Butylcarbityl) (6-Propylpiperonyl) ether and 0.2% related compounds.

**KEEP OUT OF THE REACH OF CHILDREN  
CAUTION  
SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS**

Net Contents: 20 OZ. (567g)  
16 OZ. (454g)  
4 OZ. (113g)

**ACCEPTED**  
 MAY 18 2004  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 2382-180

READ ENTIRE LABEL BEFORE EACH USE

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

**HAZARDS TO HUMANS:** Harmful if inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Avoid contamination of food or foodstuffs.

**HAZARDS TO DOMESTIC ANIMALS: FOR USE ON DOGS AND PUPPIES, CATS & KITTENS.**

Do not use on puppies or kittens under 12 weeks of age. Do not reapply more often than once every 3 days. Take care not to get the powder in the animal's eyes, nose or mouth.

Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

=====  
**FIRST AID**  
=====

-----  
**If Inhaled**      ° Move person to fresh air.  
                     ° If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.  
                     ° Call a poison control center or doctor for further treatment advice.

-----  
**If On Skin or Clothing**   ° Take off contaminated clothing.  
                             ° Rinse Skin immediately with plenty of water for 15-20 minutes.  
                             ° Call a poison control center or doctor for treatment advice.

-----  
**If In Eyes**           ° Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
                             ° Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.  
                             ° Call a poison control center or doctor for treatment advice.

=====  
**HOT LINE NUMBER**  
=====

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-XXX-XXXX for emergency medical treatment information.

**DIRECTION FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL BEFORE USE**

**SHAKE WELL BEFORE USE**

**AVOID CONTAMINATION OF FOOD OR FOODSTUFFS**

**FOR USE ON DOGS, PUPPIES, CATS, KITTENS AND PREMISES FOR CONTROL OF FLEAS TICKS AND LICE:**

Dust powder liberally over the entire body of the animal. Rub dust into hair and around the feet, pads, and between the toes so that they are well treated. Take care not to get the powder in the animal's eyes, nose or mouth. Do not reapply product for 3 days. Do not apply to puppies or kittens under 12 weeks of age. Do not apply to dogs or cats nursing puppies or kittens. Repeat treatment as necessary.

**FOR USE ON CARPETS & PREMISES TO CONTROL FLEAS AND TICKS:**

**SPRINKLE - WAIT 60 MINUTES - VACUUM**

For use on carpets, hold upside down and shake powder evenly across surface. Brush lightly with a broom to allow powder to penetrate carpet fibers. Wait 60 minutes and then vacuum. For severe problems or where ticks are known to be hiding, wait 2 to 3 hours before vacuuming. If powder adheres to a spot, brush it out and vacuum immediately. Apply to dry surfaces only. Do not allow powder to become wet. For use on upholstery remove all loose cushions. Sprinkle along creases and in corners. Brush gently, wait 60 minutes, vacuum. Sprinkle along underside of furniture. Do not use on exposed fabric: may cause staining. Remove bag from vacuum cleaner. Wrap securely in several layers of newspaper and discard in trash. Test hidden surface of upholstery before cleaning. If texture or color is affected, do not use. Clean carpet AFTER using this product. Treat pets with a registered flea and tick control powder prior to re-entry into treated area.

Do not use on surfaces that come into direct contact with food. For severe infestations apply this product behind cabinets and walls, in crawl spaces, and in attics at a rate of 16 ounces per 1000 square feet of surface area. In animal quarters dust bedding, kennel and sleeping area regularly. In animal quarters distribute this product at the rate of 3 ounces per 100 square feet of surface area. Repeat treatment as necessary.

=====

**STORAGE AND DISPOSAL**

=====

**STORAGE:** Store in original container in a cool, dry place (preferably locked) inaccessible to children and pets.

**DISPOSAL:** If **Empty:** Do not reuse this container. Place in trash or offer for recycling if available. If **Partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

=====

EPA Reg. No.: 2382-180

EPA Est. No.: 67517-MO-1

Manufactured By  
Virbac AH, Inc.  
Consumer Brands Division  
Fort Worth, TX 76161  
800-338-3659

(lot number statements as needed)

Mfg. & Printed in U.S.A. (label revision number) (product number)