

2382-185

07-20-2011

1/36



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 20, 2011

Jim Barron, Ph. D.
Managing Regulatory Consultant
Virbac AH Inc.
c/o Exponent, Inc.
1000 Centre Green Way Suite 200
Cary, NC 27513

Subject: Effipro Topical Solution for Dogs, EPA Reg. No. 2382-185
Application Dated February 1, 2011
Decision: 446153

Dear Mr. Barron:

The labeling referred to above, submitted in connection with registration under the Federal insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, subject to the comments below:

1. All of the data and reporting requirements listed in the original Notice of Registration dated 14 January 2011 must be met.
2. The registration expiration date remains unchanged (i.e., two years from the date that the product is released for shipment).
3. The basic CSF on file for this product is the only formulation that may be associated with this product registration. Modifications to the basic CSF and alternate CSFs are not permitted.

A copy of the Agency's Child Resistant Packaging Data review is enclosed. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records. If you have any questions, you may contact Clayton Myers at (703) 347-8874 or at myers.clayton@epa.gov.

2
36

Sincerely,

Richard Gebken for

Richard Gebken
Product Manager
Insecticide Branch
Registration Division (7505P)

Enclosure: Copy of Label Stamped "Accepted with comments"
Agency Child-Resistant Packaging Review

3/36

ACCEPTED
With COMMENTS
In EPA Letter Dated:
JUL 20 2011

Under the Federal Insecticide, Fungicide
and Rodenticide Act, As amended, for the
pesticide Registered under EPA Reg. No:

2382-185

{Master Label}

Virbac

EFFIPRO[®] TOPICAL SOLUTION FOR DOGS

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER (WEIGHING)(UP TO 22.9 LBS,
[WEIGHING] 23 TO 44.9 LBS, [WEIGHING] 45 TO 88.9 LBS, [WEIGHING] 89 TO 132 lbs).

ACTIVE INGREDIENT:

Fipronil 9.6%

OTHER INGREDIENTS: 90.4%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Possible temporary irritation may occur at the site where EFFIPRO[®] Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using or medicated, debilitated or aged dogs.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Have product container or label with you when calling a poison control center or doctor, or going for treatment.</p> <p>You may also contact the Hotline number 1-800-338-3659 for human and veterinary health concerns, emergency medical treatment information or pesticide incidents.</p>	


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

For killing fleas, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (that may [which may] transmit [carry] Lyme disease), mosquitoes and chewing lice; apply to **DOGS or PUPPIES** (8 weeks old or older) as follows:

APPLICATION DIRECTIONS

1. Remove one applicator from packaging.
Hold applicator upright and remove cap.
2. Invert cap and place other end back onto applicator tip.
Push cap down to break seal.
Remove cap prior to treatment application.
3. Part dog's hair between shoulder blades until skin is visible.
Place applicator tip directly against exposed skin.
Deposit entire contents by squeezing the applicator at a single site on dog's skin.
Ensure that EFFIPRO® Topical Solution for Dogs is not applied superficially on dog's hair.



FREQUENCY OF APPLICATION

Research has shown that flea, tick and chewing lice infestations can be completely controlled with monthly applications of EFFIPRO® Topical Solution for Dogs.

Fleas: EFFIPRO® Topical Solution for Dogs can kill adult fleas for up to three months. Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis (FAD), or if reinfestation is likely.

Ticks: EFFIPRO® Topical Solution for Dogs can kill ticks for a month or longer. Apply monthly where tick control is consistently needed.

Chewing Lice: EFFIPRO® Topical Solution for Dogs can kill chewing lice for a month or longer. Apply monthly where chewing lice control is consistently needed.

Mosquitoes: When applied monthly, EFFIPRO® Topical Solution for Dogs can kill mosquitoes within 24 hours (for up to 7 days) and within 48 hours (for up to 28 days).

Notes: Wait at least 30 days before re-application of EFFIPRO® Topical Solution for Dogs. Avoid contact with treated area until dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store unused product in original container only, out of reach of children and animals.

PESTICIDE/CONTAINER DISPOSAL: **If empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partially filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND DISCLAIMER

To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this product not in accordance with directions. Buyer and user assume all risks of use and handling of this material when such use and handling are contrary to label instructions. To the extent consistent with applicable law, any damage arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

How supplied: For easy and convenient application, EFFIPRO® Topical Solution for Dogs is available in sizes for small dogs and puppies 8 weeks old or older and up to 22.9 lbs (0.023 fl oz)/(0.67 mL), medium dogs 23-44.9 lbs (0.045 fl oz)/(1.34 mL), large dogs 45-88.9 lbs (0.091 fl oz)/(2.68 mL), and extra large dogs 89-132 lbs (0.136 fl oz)/(4.02 mL).

Net Contents:

1, 3, 6 or 36 single-dose applicator(s) per package. Each applicator contains 0.023 fl oz (0.67 mL), 0.045 fl oz (1.34 mL), 0.091 fl oz (2.68 mL), or 0.136 fl oz (4.02 mL) (of solution).

(Detachable) calendar (monthly application) reminder stickers (with illustration of dog or puppy)

EPA Reg. No. 2382-185
EPA Est. No. 2382-FRA-1

5
36

VIRBAC AH, INC.
PO BOX 162059
FORT WORTH, TX 76161
1-800-338-3659

Made in France
EFFIPRO® is a registered trademark of Virbac S.A.
Questions or comments?
Call: 1-800-338-3659

{Text for Front Panel, Back Panel and Side Panel}


See package insert(s) for directions for use and frequency of application
Open resealable label for directions for use
Open resealable label for directions for use and storage and disposal
See back panel for additional precautionary statements
See package insert(s) for frequency of application
See enclosed insert(s) for directions for use and storage and disposal
See enclosed insert(s) for directions for use

Photograph of dog or puppy

Lift here to open (LIFT HERE TO OPEN)
For Use on Dogs only
Use only on dogs

{Text for Foil of Blister package}

Virbac
EFFIPRO® Topical Solution for Dogs
Only for use (on dogs up to 22.9 lbs, on dogs 23-44.9 lbs, on dogs 45-88.9 lbs, on dogs 89-132 lbs) / (0.023 fl oz [0.67 mL], 0.045 fl oz [1.34 mL], 0.091 fl oz [2.68 mL], 0.136 fl oz [4.02 mL])
Contains fipronil (9.6%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
See full label for additional directions
EPA Reg. No. 2382-185



{Text for Applicator Tube}

Virbac
EFFIPRO®
Topical Solution for Dogs
Only for use on dogs
up to 22.9 lbs (23-44.9 lbs, 45-88.9 lbs, 89-132 lbs)
0.023 fl oz [0.67 mL] (0.045 fl oz [1.34 mL], 0.091 fl oz [2.68 mL], 0.136 fl oz [4.02 mL])
Contains fipronil (9.6%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
See full label for additional directions
EPA Reg. No. 2382-185

MARKETING CLAIMS

[Multiple infestations]

- For convenient, quick-acting, long-lasting, effective control of fleas, ticks, mosquitoes and chewing lice.
- EFFIPRO® Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by fleas, ticks, mosquitoes and chewing lice (on dogs) (DOGS or PUPPIES) (8 weeks old or older) (weighing up to 22.9 lbs, weighing 23 to 44.9 lbs, weighing 45 to 88.9 lbs, weighing 89 to 132 lbs).
- For easy and convenient application, EFFIPRO® Topical Solution for Dogs is available in sizes for small dogs and puppies 8 weeks old or older and up to 22.9 lbs (0.023 fl oz) (0.67 mL), medium dogs 23-44.9 lbs (0.045 fl oz) (1.34 mL), large dogs 45-88.9 lbs (0.091 fl oz) (2.68 mL), and extra large dogs 89-132 lbs (0.136 fl oz) (4.02 mL).
- EFFIPRO® Topical Solution for Dogs is also approved for control of flea, tick, mosquito and chewing lice infestations in breeding, pregnant and lactating bitches.
- For killing fleas, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** (that [which] may transmit [carry] Lyme disease), mosquitoes and chewing lice; apply to DOGS or PUPPIES (8 weeks old or older) as follows: (followed by application directions).
- Persistent flea and tick efficacy for up to one month (4 weeks)
- Prevents flea and tick (re-)infestation for up to one month (4 weeks)
- Kills fleas and ticks for up to one month (4 weeks)
- Apply monthly for control and prevention of fleas and ticks
- Kills fleas and ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis, bartonellosis and hepatooonosis.
- Kills fleas and ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis, and bartonellosis.
- Kills fleas, ticks, mosquitoes and chewing lice
- Effective monthly control of fleas and ticks
- Effective monthly application for fleas and ticks
- Effective monthly application for dogs against fleas and ticks
- Single application kills fleas and ticks
- Single application lasts 4 weeks (one month)
- Research has shown that flea, tick and chewing lice infestations can be completely controlled with monthly applications of EFFIPRO® Topical Solution for Dogs.
- **Fleas:** EFFIPRO® Topical Solution for Dogs can kill adult fleas for up to three months. Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis (FAD), or if reinfestation is likely.
- **Ticks:** EFFIPRO® Topical Solution for Dogs can kill ticks for a month or longer. Apply monthly where tick control is consistently needed.
- **Chewing Lice:** EFFIPRO® Topical Solution for Dogs can kill chewing lice for a month or longer. Apply monthly where chewing lice control is consistently needed.
- **Mosquitoes:** When applied monthly, EFFIPRO® Topical Solution for Dogs can kill mosquitoes within 24 hours (for up to 7 days) and within 48 hours (for up to 28 days).

[Fleas]

- Kills newly emerged adult fleas prior to egg laying
- Kills fleas that may transmit bartonellosis
- Kills fleas that may transmit bartonellosis, tularemia and tapeworm
- Kills fleas that may transmit diseases, including bartonellosis, tularemia and tapeworm infestations.
- Kills fleas that may transmit diseases, including bartonellosis and tularemia
- Kills fleas that may cause Flea Allergy Dermatitis (FAD) or flea-bite anemia
- Effective monthly application against fleas
- Effective monthly control of fleas
- Kills adult fleas for up to one month (4 weeks)
- Kills fleas
- Easy to apply, control of (for) fleas that lasts 1 month (4 weeks)
- Easy to apply, flea control that lasts up to 1 (one) month (4 weeks)
- EFFIPRO® Topical Solution for Dogs kills fleas on your dog
- Kills adult fleas which may cause Flea Allergy Dermatitis (FAD)
- Kills fleas which (that) may cause flea-bite anemia
- Fleas do not have to bite to die
- EFFIPRO® Topical Solution for Dogs rapidly kills fleas that may cause FAD (Flea Allergy Dermatitis)
- The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as Flea Allergy Dermatitis (FAD)

[Ticks]

- Kills all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks (that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis and anaplasmosis)
- Kills ticks including Deer ticks (that may transmit Lyme disease), American dog ticks (that may transmit Rocky Mountain Spotted Fever), Brown dog ticks (that may transmit ehrlichiosis), and Lone Star ticks (that may transmit hepatooonosis) for up to one month (4 weeks).
- Kills ticks including Deer ticks (that may transmit Lyme disease), American dog ticks (that may transmit Rocky Mountain Spotted Fever), and Brown dog ticks (that may transmit ehrlichiosis) for up to one month (4 weeks).
- Kills Brown dog ticks (*Rhipicephalus* spp), American dog ticks (*Dermacentor variabilis*), Deer ticks (*Ixodes* spp) and Lone Star ticks (*Amblyomma americanum*) for up to one month (4 weeks).
- Kills *Amblyomma americanum* (Lone Star ticks) for 4 weeks (for up to one month).


- Effective monthly application against ticks

[Mosquitoes]

- Kills mosquitoes
- Kills mosquitoes for up to 28 days

[All others]

- EFFIPRO[®] Topical Solution for Dogs aids in (the) control of sarcoptic mange mite infestations.
- Aids in (the) control of sarcoptic mange mite infestations
- Elimination of mites may require multiple monthly applications.
- Chewing lice infestations are rapidly eliminated
- Can be used on breeding, pregnant and lactating bitches
- May be used on puppies from 8 weeks of age
- Only for dogs and puppies 8 weeks old or older (weighing up to 22.9 lbs, 23 to 44.9 lbs, weighing 45 to 88.9 lbs, weighing 89 to 132 lbs)
- Easy, spot on (topical) application
- Convenient topical application for dogs
- Easy to apply spot-on (topical) application
- Quick drying, non-greasy
- Convenient, easy to apply
- Easy and convenient application (applications)
- Convenient to use (easy to apply)
- Once monthly application
- Single application lasts 4 weeks (1 month) (one month)
- 1 (3, 6 or 36) applicator(s) [tube(s)] 0.023 fl oz (0.67 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] 0.045 fl oz (1.34 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] 0.091 fl oz (2.68 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] 0.136 fl oz (4.02 mL)
- 1 (3, 6, 36) month(ly) dose(s) (applications)
- 1 (3, 6 or 36) applicator(s) [tube(s)] (each) containing 0.023 fl oz (0.67 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] (each) containing 0.045 fl oz (1.34 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] (each) containing 0.091 fl oz (2.68 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] (each) containing 0.136 fl oz (4.02 mL)
- 1 applicator (tube) 1 month(ly) dose
- 3 applicators (tubes) 3 monthly doses (applications)
- 6 applicators (tubes) 6 monthly doses (applications)
- 36 applicators (tubes) 36 monthly doses (applications)
- 1 (3, 6, 36) applicator(s) containing 0.023 fl oz [0.67 mL], (0.045 fl oz [1.34 mL], 0.091 fl oz [2.68 mL], 0.136 fl oz [4.02 mL]).
- Available from licensed veterinarians
- Remains effective after exposure to sunlight
- Remains effective after bathing and swimming
- Remains effective even after bathing, water immersion or exposure to rain or sunlight
- Remains effective even after bathing
- Remains effective after exposure to rain and sunlight
- Still works after bathing, swimming or exposure to sunlight
- Still works after exposure to sunlight
- Maintains residual efficacy after bathing and swimming
- EFFIPRO[®] Topical Solution for Dogs is effective after bathing, shampooing, water immersion, or sunlight exposure.
- Waterproof (remains effective after bathing and swimming)



Dog Final master label as submitted on March 4, 2011

8
36



EFFIPRO®

Topical Solution for Dogs

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER

For convenient, quick-acting, long-lasting, effective control of fleas, ticks, mosquitoes and chewing lice.

- Easy and convenient application.
- Waterproof (remains effective after bathing and swimming).
- Kills newly emerged adult fleas prior to egg-laying.
- Kills fleas that may transmit bartonellosis.
- Kills fleas that may cause Flea Allergy Dermatitis (FAD) or flea-bite anemia.
- Kills all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks (that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis and anaplasmosis).
- Kills mosquitoes.
- Chewing lice infestations are rapidly eliminated.
- Can be used on breeding, pregnant and lactating bitches.

EFFIPRO® Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by fleas, ticks, mosquitoes and chewing lice. For easy and convenient application, EFFIPRO® Topical Solution for Dogs is available in sizes for small dogs and puppies 8 weeks old or older and up to 22.9 lbs (0.023 fl oz / 0.67 mL), medium dogs 23-44.9 lbs (0.045 fl oz / 1.34 mL), large dogs 45-88.9 lbs (0.091 fl oz / 2.68 mL), and extra large dogs 89-132 lbs (0.136 fl oz / 4.02 mL).

ACTIVE INGREDIENT:

Fipronil9.6%

OTHER INGREDIENTS:90.4%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS


HAZARDS TO HUMANS AND DOMESTIC ANIMALS

■ **HAZARDS TO HUMANS**

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

■ **HAZARDS TO DOMESTIC ANIMALS**

For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Possible temporary irritation may occur at the site where EFFIPRO® Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs.



FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Have product container or label with you when calling a poison control center or doctor, or going for treatment.</p> <p>You may also contact the Hotline number 1-800-338-3659 for human and veterinary health concerns, emergency medical treatment information or pesticide incidents.</p>	

9
36


■ DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.

For killing fleas, all stages of **Brown dog ticks**, **American dog ticks**, **Lone Star ticks**, and **Deer ticks** (that may transmit Lyme disease), mosquitoes and chewing lice; apply to DOGS or PUPPIES (8 weeks old or older) as follows:

■ APPLICATION DIRECTIONS

1. Remove one applicator from packaging. Hold applicator upright and remove cap.
2. Invert cap and place other end back onto applicator tip. Push cap down to break seal. Remove cap prior to treatment application.
3. Part dog's hair between shoulder blades until skin is visible. Place applicator tip directly against exposed skin. Deposit entire contents by squeezing the applicator at a single site on dog's skin. Ensure that EFFIPRO® Topical Solution for Dogs is not applied superficially on dog's hair.



EFFIPRO® Topical Solution for Dogs is also approved for control of flea, tick, mosquito and chewing lice infestations in breeding, pregnant and lactating bitches. Aids in the control of sarcoptic mange mite infestations. Elimination of mites may require multiple monthly applications.

■ FREQUENCY OF APPLICATION

Research has shown that flea, tick and chewing lice infestations can be completely controlled with monthly applications of EFFIPRO® Topical Solution for Dogs.

Fleas: EFFIPRO® Topical Solution for Dogs can kill adult fleas for up to three months. Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis (FAD), or if reinfestation is likely.

Ticks: EFFIPRO® Topical Solution for Dogs can kill ticks for a month or longer. Apply monthly where tick control is consistently needed.

Chewing Lice: EFFIPRO® Topical Solution for Dogs can kill chewing lice for a month or longer. Apply monthly where chewing lice control is consistently needed.

Mosquitoes: When applied monthly, EFFIPRO® Topical Solution for Dogs can kill mosquitoes within 24 hours (for up to 7 days) and within 48 hours (for up to 28 days).

Notes: Wait at least 30 days before re-application of EFFIPRO® Topical Solution for Dogs. Avoid contact with treated area until dry.

EFFIPRO® Topical Solution for Dogs is effective after bathing, shampooing, water immersion, or sunlight exposure.

■ STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

■ **STORAGE:** Store unused product in original container only, out of reach of children and animals.

■ **PESTICIDE/CONTAINER DISPOSAL:** If **empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If **partially filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

■ LIMITED WARRANTY AND DISCLAIMER

To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this product not in accordance with directions. Buyer and user assume all risks of use and handling of this material when such use and handling are contrary to label instructions. To the extent consistent with applicable law, any damage arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

How supplied: For easy and convenient application, EFFIPRO® Topical Solution for Dogs is available in sizes for small dogs and puppies 8 weeks old or older and up to 22.9 lbs (0.023 fl oz / 0.67 mL), medium dogs 23-44.9 lbs (0.045 fl oz / 1.34 mL), large dogs 45-88.9 lbs (0.091 fl oz / 2.68 mL), and extra large dogs 89-132 lbs (0.136 fl oz / 4.02 mL).

Net Contents: 1, 3, 6 or 36 single-dose applicator(s) per package. Each applicator contains 0.023 fl oz (0.67 mL), 0.045 fl oz (1.34 mL), 0.091 fl oz (2.68 mL) or 0.136 fl oz (4.02 mL) of solution.

EPA Reg. No. 2382-185

EPA Est. No. 2382-FRA-1

VIRBAC AH, INC.


PO BOX 162059

FORT WORTH, TX 76161


1-800-338-3659

Made in France

EFFIPRO® is a registered trademark of Virbac S.A.



XXXXXXXXXX-Vignette Chiens-EFFIPROV2.indd 1



20/12/10 16:51:41

Topical Solution for Dogs



1 applicator 0.023 fl oz (0.67 mL)

Use only on dogs



Topical Solution for Dogs

**Only for dogs and puppies
8 weeks old or older weighing
up to 22.9 lbs**



Virbac AH, Inc., PO Box 162059
Fort Worth, TX 76161, 1-800-338-3659

Made in France

EPA Reg. No. 2382-185
EPA Est. No. 2382-FRA-1

1 applicator 0.023 fl oz (0.67 mL)



Virbac



Topical Solution for Dogs

*Kills fleas, ticks,
mosquitoes and chewing lice*

ACTIVE INGREDIENT
Fipronil 9.6%
OTHER INGREDIENTS 90.4%
TOTAL 100.0%

**Only for dogs
and puppies
8 weeks old or
older weighing
up to 22.9 lbs**

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for additional precautionary statements.



Topical Solution for Dogs

**Only for dogs and puppies
8 weeks old or older weighing
up to 22.9 lbs**

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER

EFFIPRO® Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by fleas, ticks, mosquitoes and chewing lice on dogs 8 weeks old or older.

See enclosed insert for directions for use and storage and disposal.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the Hotline number 1-800-338-3659 for human and veterinary health concerns, emergency medical treatment information or pesticide incidents.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**



READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS: For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Possible temporary irritation may occur at the site where EFFIPRO® Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs.

Lot No.:

112
36




EFFIPRO® Topical Solution for Dogs
Only for use on dogs up to 22.9 lbs / 0.023 fl oz
Contains fipronil (9.6%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
See full label for additional directions
EPA Reg. No. 2382-185



EFFIPRO® Topical Solution for Dogs
Only for use on dogs up to 22.9 lbs / 0.023 fl oz
Contains fipronil (9.6%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
See full label for additional directions
EPA Reg. No. 2382-185



EFFIPRO® Topical Solution for Dogs
Only for use on dogs up to 22.9 lbs / 0.023 fl oz
Contains fipronil (9.6%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
See full label for additional directions
EPA Reg. No. 2382-185



16
36



Virbac

EFFIPRO

Topical Solution for Dogs

EFFIPRO
Topical Solution for Dogs

Kills fleas, ticks,
mosquitoes and
chewing lice

For mosquitoes,
quick-acting, long-lasting,
effective control of flea, tick,
mosquitoes and Chewing Lice
Waterproof!

Only for dogs and puppies 8 weeks old or older weighing
up to 22.9 lbs.

Virbac Animal Health, Inc. • 10011111 • 01/08/2008

Virbac



Only for dogs and puppies
8 weeks old or older weighing
up to 22.9 lbs

EFFIPRO

Topical Solution for Dogs 36 applicators 0.023 fl oz (0.67 ml)

Only for dogs
and puppies
8 weeks old or
older weighing
up to 22.9 lbs

EFFIPRO

Topical Solution for Dogs 36 applicators 0.023 fl oz (0.67 ml)



Only for dogs and puppies
8 weeks old or older weighing
up to 22.9 lbs

EFFIPRO

Topical Solution for Dogs 36 applicators 0.023 fl oz (0.67 ml)

Virbac

EFFIPRO
Topical Solution for Dogs

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER

EFFIPRO is a prescription drug. It is intended for use only on dogs and puppies 8 weeks old or older weighing up to 22.9 lbs.

CAUTION
Keep out of reach of children. Do not use on cats, horses, or other animals.

PRECAUTIONS
Do not use on dogs with known hypersensitivity to any of the ingredients.

HOW TO USE
Apply topically to the back of the neck, between the shoulder blades.

HOW TO CONTACT VIRBAC
Virbac Animal Health, Inc., 10011111, 01/08/2008

IF YOU SEE ANY OTHER INFORMATION
Please contact your veterinarian for more information.

FOR MORE INFORMATION
Visit our website at www.virbac.com

Virbac
10011111 • 01/08/2008

ACTIVE INGREDIENTS
1.1% (0.023 fl oz) of 0.023 fl oz (0.67 ml)

OTHER INGREDIENTS
0.9% (0.021 fl oz) of 0.021 fl oz (0.61 ml)

NET CONTENTS
36 applicators 0.023 fl oz (0.67 ml)

KEEP OUT OF REACH OF CHILDREN
CAUTION - Additional precautionary statements.

CAUTION
Keep out of reach of children. Do not use on cats, horses, or other animals.

PRECAUTIONS
Do not use on dogs with known hypersensitivity to any of the ingredients.

HOW TO USE
Apply topically to the back of the neck, between the shoulder blades.

HOW TO CONTACT VIRBAC
Virbac Animal Health, Inc., 10011111, 01/08/2008

IF YOU SEE ANY OTHER INFORMATION
Please contact your veterinarian for more information.


FOR MORE INFORMATION
Visit our website at www.virbac.com

Virbac
10011111 • 01/08/2008

Made in France
EFFIPRO is a registered trademark of Virbac S.A. © Virbac, Inc. 2007/08/11

17
36

Topical Solution for Dogs



Virbac

**Only for dogs and puppies
8 weeks old or older weighing
23 to 44.9 lbs**

Topical Solution for Dogs

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER

EFFIPRO® Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by fleas, ticks, mosquitoes and chewing lice on dogs 8 weeks old or older.

1 applicator 0.045 fl oz (1.34 mL)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See back panel for additional precautionary statements.



Topical Solution for Dogs

**Kills fleas, ticks,
mosquitoes and chewing lice**

ACTIVE INGREDIENT
Fipronil 9.0%
OTHER INGREDIENTS 90.4%
TOTAL 100.0%

**Only for dogs
and puppies
8 weeks old or
older weighing
23 to 44.9
lbs**

EFFIPRO® Topical Solution for Dogs

Virbac Virbac AH, INC., PO BOX 162059
FORT WORTH, TX 76161, 1-800-338-5659

Made in France
EPA Reg. No. 2382-185
EFFIPRO® is a registered trademark of Virbac S.A. EPA Est. No. 2382-FRA-1

1 applicator 0.045 fl oz (1.34 mL)

**Only for dogs and puppies
8 weeks old or older weighing
23 to 44.9 lbs**

See enclosed insert for directions for use and storage and disposal.

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

READ ENTIRE LABEL BEFORE EACH USE


PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS: Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS: For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Possible temporary irritation may occur at the site where EFFIPRO® Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs.

Lot No.:



18
36

Virbac

EFFIPRO®

Topical Solution for Dogs

Only for use on dogs

23-44.9 lbs

0.045 fl oz (1.34 mL)

Contains fipronil (9.6%)

KEEP OUT OF REACH

OF CHILDREN

CAUTION



See full label for

additional directions

EPA Reg. No. 2382-185

Faint, illegible text or barcode markings in the bottom right corner.

19
36



EFFIPRO[®]
Typical Solution for Dogs


PRECAUTIONS FOR USE
It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Do not allow children access to this product. Keep this product and its contents out of reach of children. Do not use on cats, birds, or other animals. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.
DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.
For Fleas, Ticks, Mosquitoes and Chewing Lice, use on dogs and puppies. For Mosquitoes and Chewing Lice, use on puppies only.
For Fleas, Ticks, Mosquitoes and Chewing Lice, use on dogs and puppies. For Mosquitoes and Chewing Lice, use on puppies only.



LIMITED WARRANTY AND DISCLAIMER
Virbac Corporation, the manufacturer of EFFIPRO, warrants that the product is free of manufacturing defects and will perform as described in the labeling for the duration of the warranty period. Virbac Corporation does not warrant or represent that the product will protect against all fleas, ticks, mosquitoes and chewing lice. The product is not intended for use on cats, birds, or other animals. Use of the product on these animals is strictly prohibited. Virbac Corporation is not responsible for any damage or injury to animals or humans resulting from the use of the product. Virbac Corporation is not a veterinarian and does not provide medical advice. Consult your veterinarian for more information. © 2011 Virbac Corporation. All rights reserved.

EFFIPRO[®]
Typical Solution for Dogs
3 applicators 0.545 fl oz (1.54 mL)
23 to 44.9 lbs
Only for dogs and puppies.
8 weeks old or older weighing 23 to 44.9 lbs

EFFIPRO[®]
Typical Solution for Dogs
Kills fleas, ticks, mosquitoes and chewing lice
For convenient, quick-acting, long-lasting protection against fleas, ticks, mosquitoes and chewing lice
Waterproof



Virbac

3 applicators 0.545 fl oz (1.54 mL)
ACTIVE INGREDIENTS 0.545 fl oz (1.54 mL)
OTHER INGREDIENTS 0.545 fl oz (1.54 mL)
TOTAL 1.090 fl oz (3.08 mL)
© 2011 Virbac Corporation
KEEP OUT OF REACH OF CHILDREN
CAUTION
See back panel for additional precautionary statements

EFFIPRO[®]
Typical Solution for Dogs

FOR USE ONLY ON DOGS AND PUPPIES 2 WEEKS OLD OR OLDER
EFFIPRO is a topical solution for dogs and puppies 2 weeks old or older weighing 23 to 44.9 lbs. It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Do not allow children access to this product. Keep this product and its contents out of reach of children. Do not use on cats, birds, or other animals. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.
CAUTION
DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.
For Fleas, Ticks, Mosquitoes and Chewing Lice, use on dogs and puppies. For Mosquitoes and Chewing Lice, use on puppies only.
For Fleas, Ticks, Mosquitoes and Chewing Lice, use on dogs and puppies. For Mosquitoes and Chewing Lice, use on puppies only.

	ACTIVE INGREDIENTS	OTHER INGREDIENTS	TOTAL
FRONTALIER	0.545 fl oz (1.54 mL)	0.545 fl oz (1.54 mL)	1.090 fl oz (3.08 mL)
FRONTALIER	0.545 fl oz (1.54 mL)	0.545 fl oz (1.54 mL)	1.090 fl oz (3.08 mL)
FRONTALIER	0.545 fl oz (1.54 mL)	0.545 fl oz (1.54 mL)	1.090 fl oz (3.08 mL)
FRONTALIER	0.545 fl oz (1.54 mL)	0.545 fl oz (1.54 mL)	1.090 fl oz (3.08 mL)
FRONTALIER	0.545 fl oz (1.54 mL)	0.545 fl oz (1.54 mL)	1.090 fl oz (3.08 mL)
FRONTALIER	0.545 fl oz (1.54 mL)	0.545 fl oz (1.54 mL)	1.090 fl oz (3.08 mL)
FRONTALIER	0.545 fl oz (1.54 mL)	0.545 fl oz (1.54 mL)	1.090 fl oz (3.08 mL)
FRONTALIER	0.545 fl oz (1.54 mL)	0.545 fl oz (1.54 mL)	1.090 fl oz (3.08 mL)
FRONTALIER	0.545 fl oz (1.54 mL)	0.545 fl oz (1.54 mL)	1.090 fl oz (3.08 mL)
FRONTALIER	0.545 fl oz (1.54 mL)	0.545 fl oz (1.54 mL)	1.090 fl oz (3.08 mL)

CAUTION
DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.
For Fleas, Ticks, Mosquitoes and Chewing Lice, use on dogs and puppies. For Mosquitoes and Chewing Lice, use on puppies only.
For Fleas, Ticks, Mosquitoes and Chewing Lice, use on dogs and puppies. For Mosquitoes and Chewing Lice, use on puppies only.



Only for dogs and puppies.
8 weeks old or older weighing 23 to 44.9 lbs
3 applicators 0.545 fl oz (1.54 mL)

EFFIPRO[®]
Typical Solution for Dogs

Virbac Corporation
23 to 44.9 lbs
Only for dogs and puppies.
8 weeks old or older weighing 23 to 44.9 lbs
3 applicators 0.545 fl oz (1.54 mL)


20
36

Virbac

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies
8 weeks old or older weighing
23 to 44.9 lbs

36 applications (0.45 fl oz or 13.4 mL)



Virbac

EFFIPRO
Topical Solution for Dogs

Only for dogs
8 weeks old or
older weighing
23 to 44.9 lbs

36 applications (0.45 fl oz or 13.4 mL)




Virbac

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies
8 weeks old or older weighing
23 to 44.9 lbs

36 applications (0.45 fl oz or 13.4 mL)




Virbac

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies
8 weeks old or older weighing
23 to 44.9 lbs

36 applications (0.45 fl oz or 13.4 mL)



Virbac

EFFIPRO
Topical Solution for Dogs

Kills fleas, ticks, mites, and mosquitoes and chewing lice

For puppies and adult dogs weighing 23 to 44.9 lbs (10.4 to 20.4 kg)

36 applications (0.45 fl oz or 13.4 mL)




EFFIPRO
EFFIPRO is a prescription drug. It is not to be used in conjunction with any other flea or tick preventive. It is not to be used in conjunction with any other parasitic drug. It is not to be used in conjunction with any other drug. It is not to be used in conjunction with any other drug. It is not to be used in conjunction with any other drug.

EFFIPRO
EFFIPRO is a prescription drug. It is not to be used in conjunction with any other flea or tick preventive. It is not to be used in conjunction with any other parasitic drug. It is not to be used in conjunction with any other drug. It is not to be used in conjunction with any other drug.

EFFIPRO
EFFIPRO is a prescription drug. It is not to be used in conjunction with any other flea or tick preventive. It is not to be used in conjunction with any other parasitic drug. It is not to be used in conjunction with any other drug. It is not to be used in conjunction with any other drug.

21
93



Virbac
EFFIPRO® Topical Solution for Dogs
Only for dogs and puppies 8 weeks old or older weighing 23 to 44.9 lbs
 1 applicator 0.045 fl oz (1.34 mL)
 Virbac AH, INC., PO BOX 162059
 FORT WORTH, TX 76161, 1-800-338-3659
 Made in France
 EPA Reg. No. 2382-185
 EPA Est. No. 2382-FRA-1

Virbac

EFFIPRO®
 Topical Solution for Dogs
 Kills fleas, ticks, mosquitoes and chewing lice

ACTIVE INGREDIENT
 Fipronil..... 9.6%
 OTHER INGREDIENTS..... 90.4%
TOTAL..... 100.0%

Only for dogs and puppies 8 weeks old or older weighing 23 to 44.9 lbs

KEEP OUT OF REACH OF CHILDREN CAUTION
 See back panel for additional precautionary statements.

EFFIPRO® Topical Solution for Dogs
FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER
 EFFIPRO® Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by fleas, ticks, mosquitoes and chewing lice on dogs 8 weeks old or older.
 1 applicator 0.045 fl oz (1.34 mL)

See enclosed insert for directions for use and storage and disposal.


FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice.

Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the Hotline number 1-800-338-3659 for human and veterinary health concerns, emergency medical treatment information or pesticide incidents.

KEEP OUT OF REACH OF CHILDREN CAUTION
READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
 Irritation: Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
HAZARDS TO DOMESTIC ANIMALS: For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Possible temporary irritation may occur at the site where EFFIPRO® Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs.

Lot No.:



22
36



EFFIPRO®

Topical Solution for Dogs

Only for use on dogs

23-44.9 lbs

0.045 fl oz (1.34 mL)

Contains fipronil (9.6%)

KEEP OUT OF REACH

OF CHILDREN



CAUTION

See full label for
additional directions

EPA Reg. No. 2382-185



2
56



25
36

Virbac

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies
8 weeks old or older weighing
23 to 44.9 lbs
36 applications (0.45 fl oz (1.34 mL))



Virbac

EFFIPRO
Topical Solution for Dogs


Only for dogs
and puppies
8 weeks old or
older weighing
23 to 44.9 lbs
36 applications (0.45 fl oz (1.34 mL))



Virbac

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies
8 weeks old or older weighing
23 to 44.9 lbs
36 applications (0.45 fl oz (1.34 mL))



Virbac

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies
8 weeks old or older weighing
23 to 44.9 lbs
36 applications (0.45 fl oz (1.34 mL))

CAUTION
Do not use on cats or other animals.
Keep out of reach of children.
Use only as directed.

WARNING
Do not use on cats or other animals.
Keep out of reach of children.
Use only as directed.

Directions
Apply topically to the back of the neck, between the shoulder blades, once a month.

Indications
Prevention and treatment of flea infestations and tick infestations in dogs and puppies 8 weeks old or older weighing 23 to 44.9 lbs (10.4 to 20.4 kg).

Contraindications
Do not use on cats or other animals.

Adverse Effects
None reported.

How to Use
Apply topically to the back of the neck, between the shoulder blades, once a month.

Storage
Store at room temperature (20°C to 25°C / 68°F to 77°F).

Expiration Date
36 months from the date of manufacture.

Lot Number
XXXXXXXXXX

Manufactured by
Virbac, Inc., Fort Worth, TX, USA

Virbac

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies
8 weeks old or older weighing
23 to 44.9 lbs
36 applications (0.45 fl oz (1.34 mL))

CAUTION
Do not use on cats or other animals.
Keep out of reach of children.
Use only as directed.

WARNING
Do not use on cats or other animals.
Keep out of reach of children.
Use only as directed.

Directions
Apply topically to the back of the neck, between the shoulder blades, once a month.

Indications
Prevention and treatment of flea infestations and tick infestations in dogs and puppies 8 weeks old or older weighing 23 to 44.9 lbs (10.4 to 20.4 kg).

Contraindications
Do not use on cats or other animals.

Adverse Effects
None reported.


How to Use
Apply topically to the back of the neck, between the shoulder blades, once a month.

Storage
Store at room temperature (20°C to 25°C / 68°F to 77°F).


Expiration Date
36 months from the date of manufacture.

Lot Number
XXXXXXXXXX

Manufactured by
Virbac, Inc., Fort Worth, TX, USA



26
36



Virbac

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See back panel for additional precautionary statements.

EFFIPRO®
Topical Solution for Dogs

*Kills fleas, ticks,
mosquitoes and chewing lice*

**Only for dogs
and puppies
8 weeks old or
older weighing
45 to 88.9 lbs**

ACTIVE INGREDIENT	9.6%
Fipronil	90.4%
OTHER INGREDIENTS	100.0%
TOTAL	

1 applicator 0.061 fl oz (2.68 mL) Use only on dogs

**Only for dogs and puppies
8 weeks old or older weighing
45 to 88.9 lbs**

EFFIPRO® Topical Solution for Dogs

Virbac Virbac AH, INC., PO BOX 162059 Made in France
FORT WORTH, TX 76161, 1-800-338-3659 EFFIPRO is a registered trademark of Virbac S.A. EPA Reg. No. 2382-185
EPA Est. No. 2382-FRA-1

1 applicator 0.061 fl oz (2.68 mL)

EFFIPRO® Topical Solution for Dogs

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER
EFFIPRO Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by fleas, ticks, mosquitoes and chewing lice on dogs 8 weeks old or older.
1 applicator 0.091 fl oz (2.68 mL)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
HAZARDS TO DOMESTIC ANIMALS: For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Possible temporary irritation may occur at the site where EFFIPRO® Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before treating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs.

See enclosed insert for directions for use and storage and disposal.

	FIRST AID
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.


Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the Hotline number 1-800-338-3659 for human and veterinary health concerns, emergency medical treatment information or pesticide incidents.

Lot No.:

27
36



EFFIPRO®
Topical Solution for Dogs
Only for use on dogs
45-88.9 lbs
0.091 fl oz (2.68 mL)
Contains fipronil (9.6%)
KEEP OUT OF REACH
OF CHILDREN
CAUTION
See full label for
additional directions
EPA Reg. No. 2382-185



28
36


EFFIPRO® Topical Solution for Dogs
Only for use on dogs 45-88.9 lbs / 0.091 fl oz
 Contains fipronil (9.6%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
 See full label for additional directions
 EPA Reg. No. 2382-185



EFFIPRO® Topical Solution for Dogs
Only for use on dogs 45-88.9 lbs / 0.091 fl oz
 Contains fipronil (9.6%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
 See full label for additional directions
 EPA Reg. No. 2382-185





EFFIPRO® Topical Solution for Dogs
Only for use on dogs 45-88.9 lbs / 0.091 fl oz
 Contains fipronil (9.6%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
 See full label for additional directions
 EPA Reg. No. 2382-185



32

36



33
36

Virbac

EFFIPRO®

Topical Solution for Dogs

Only for use on dogs

89-132 lbs

0.136 fl oz (4.02 mL)

Contains fipronil (9.6%)


KEEP OUT OF REACH

OF CHILDREN


CAUTION

See full label for
additional directions

EPA Reg. No. 2382-185



34
36



Lot No.:

EFFIPRO Topical Solution for Dogs	89 to 132 lbs
EFFIPRO Topical Solution for Dogs	89 to 132 lbs

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

Virbac

EFFIPRO
Topical Solution for Dogs

Kills fleas, ticks, mosquitoes and chewing lice

For fleas, ticks, mosquitoes and chewing lice, effective control of flea, tick, mosquito and chewing lice. Waterproof.

Only for dogs and puppies 8 weeks old or older weighing 89 to 132 lbs

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

EFFIPRO
Topical Solution for Dogs

89 to 132 lbs

6 applications (0.136 fl oz (4.02 ml))

35
36

Virbac
Topical Solution for Dogs

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

Lot No.:

EFFIPRO
Topical Solution for Dogs

Made in France
EFFIPRO® is a registered trademark of Virbac.

1818 TX, TX, USA, INC. • 75001-1208 • P.O. Box 10001
Virbac, Inc. • 800-368-0901

Keep out of reach of children. See back panel for complete instructions.

For more information, visit www.virbac.com

Virbac
Topical Solution for Dogs

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

Lot No.:

EFFIPRO
Topical Solution for Dogs

Made in France
EFFIPRO® is a registered trademark of Virbac.

1818 TX, TX, USA, INC. • 75001-1208 • P.O. Box 10001
Virbac, Inc. • 800-368-0901

Keep out of reach of children. See back panel for complete instructions.

For more information, visit www.virbac.com

Virbac
Topical Solution for Dogs

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

EFFIPRO
Topical Solution for Dogs

Only for dogs and puppies 8 weeks old and older weighing 89 to 132 lbs
3 applications at 14 day intervals

Lot No.:

EFFIPRO
Topical Solution for Dogs

Made in France
EFFIPRO® is a registered trademark of Virbac.

1818 TX, TX, USA, INC. • 75001-1208 • P.O. Box 10001
Virbac, Inc. • 800-368-0901

Keep out of reach of children. See back panel for complete instructions.

For more information, visit www.virbac.com

