

2382-187

08/28/2012

1/8

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460 0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 28 2012

Mr Craig Parks MS DVM
Vice President Research & Development
Virbac Animal Health, Inc
3200 Meacham Boulevard
Fort Worth TX 76137 4611

**Subject Amended Labeling, Addition of Proposed Lower Weight Limits on Dogs
EFFITIX™ Topical Solution for Dogs EPA Reg No 2382 187
Your Submission Dated July 2 2012**

Dear Mr Parks

The labeling referred to above submitted in connection with registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA) as amended is acceptable

Your label stamped Accepted and copies of the acute toxicity and child resistant packaging reviews are enclosed for your records If you have any questions about this letter please contact Mr Carmen J Rodia Jr at (703) 306 0327 or via e mail at Rodia.Carmen@epa.gov

Sincerely Yours

Handwritten signature of Richard J Gebken in black ink.

Richard J Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Enclosures *Label Stamped Accepted
Acute Toxicity Review dated August 13 2012
Child Resistant Packaging Review dated August 3 2012*

002382 00187 D467974

2/8

ACCEPTED
August 28 2012
Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under

Virbac's Master Label

Date 02 July 2012 Version US 19 EPA Reg No 2382 187
 Fipronil+Permethrin Topical Solution for Dogs

Optional text appears in brackets

EFFITIX™ TOPICAL SOLUTION FOR DOGS

Front back and side panels

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER (WEIGHING 4 TO 10 9 LBS WEIGHING 11 TO 22 9 LBS WEIGHING 23 TO 44 9 LBS WEIGHING 45 TO 88 9 LBS WEIGHING 89 TO 132 LBS)

Front panel and Back Panel

ACTIVE INGREDIENTS

Fipronil	6 C1/
Permethrin	44 E8/

OTHER INGREDIENTS

49 11/

TOTAL

100 00/

cis/trans ratio maximum 55 / (±) cis and minimum 45 / (±) trans

**KEEP OUT OF REACH OF CHILDREN
CAUTION
READ ENTIRE LABEL BEFORE EACH USE**

Back Panel

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**


HAZARDS TO HUMANS

Harmful if swallowed or absorbed through the skin Causes eye irritation Avoid contact with skin eyes or clothing Wash hands thoroughly with soap and water after handling and before eating drinking chewing gum using tobacco or using the toilet

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs ONLY

Symbol on Front Panel/ Symbol and text on Back panel



DO NOT USE ON CATS – IF INGESTED BY CAT THAT ACTIVELY GROOMS A RECENTLY TREATED DOG THIS PRODUCT MAY HAVE SERIOUS HARMFUL EFFECTS IF THIS OCCURS CONTACT YOUR VETERINARIAN IMMEDIATELY

Back Panel

Do not use on puppies under 8 weeks of age Individual sensitivities while rare may occur after using ANY pesticide product Dogs may experience some temporary irritation at the site of product application If signs of sensitivity occur bathe your pet with mild soap or shampoo and rinse with large amounts of water If signs of sensitivity occur and persist contact a veterinarian immediately If your dog has an unusual reaction to the initial application consult a veterinarian before repeating application Certain medications can interact with pesticides Consult a veterinarian before using on medicated debilitated aged pregnant or nursing dogs or animal known to be sensitive to pesticide products

Back Panel (single presentation on insert)

FIRST AID	
IF SWALLOWED	<p>Call a poison control center or doctor immediately for treatment advice</p> <p>Have person sip a glass of water if able to swallow</p> <p>Do not induce vomiting unless told to do so by a poison control center or doctor</p> <p>Do not give anything to an unconscious person</p>
IF IN EYES	<p>Hold eye open and rinse slowly and gently with water for 15-20 minutes</p> <p>Remove contact lenses if present after the first 5 minutes then continue rinsing eye</p> <p>Call a poison control center or doctor for treatment advice</p>
IF ON SKIN OR CLOTHING	<p>Take off contaminated clothing</p> <p>Rinse skin immediately with plenty of water for 15-20 minutes</p> <p>Call a poison control center or doctor for treatment advice</p>
<p>Have product container or label with you when calling a poison control center or doctor or going for treatment</p> <p>You may also contact the Hotline number 1-800-338-3659 for human or veterinary health concerns, emergency medical treatment information or pesticide incidents</p>	

Inside flap (single presentation insert only)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Do not allow children to apply product TO PREVENT HARM TO YOU AND YOUR DOG. READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON CATS OR RABBITS. DO NOT USE ON OTHER ANIMALS.

DO NOT USE ON CATS

FOR EXTERNAL USE ON DOGS and PUPPIES ONLY Do not use on dogs and puppies under 8 weeks of age. Do not split tubes between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Overdosing your dog can result in serious illness. Do not bathe your dog within the first 24 hours after the product has been applied. If your dog is exhibiting signs of and/or is being treated for skin problems, talk to your veterinarian before applying any topical flea and tick control product.

Do not apply more often than once a [per] month [every 30 days]

For use on DOGS and PUPPIES 8 weeks old or older. To repel and kill fleas, ticks, and mosquitoes, to kill lice and to aid in control of mites, to repel and prevent blood feeding by biting flies. Apply monthly according to directions for use.

APPLICATION DIRECTIONS

1. Remove one applicator from packaging. Hold applicator upright and remove cap.
 2. Invert cap and place other end back onto applicator tip. Push cap down to break seal. Remove cap prior to treatment application.
 3. Part dog's hair until skin is visible. Place applicator tip directly against exposed skin.
 - 3a. **For small dogs and puppies 8 weeks old or older weighing 4 to 10.9 lbs or weighing 11 to 22.9 lbs** Deposit entire contents by squeezing the entire applicator contents onto dog's skin at a single site between the shoulder blades as shown in diagram 3a.
 - 3b. **For medium dogs 23-44.9 lbs or large dogs 45-88.9 lbs** Apply the product evenly to three spots on the dog's back starting between the shoulder blades and continuing on to the second and third spots as shown in diagram 3b, squeezing the applicator until empty.
 - 3c. **For extra large dogs 89-132 lbs** Apply the product evenly to four spots on the dog's back starting between the shoulder blades and continuing on to the second, third and fourth spots as shown in diagram 3c, squeezing the applicator until empty.
- Ensure that EFFITIX¹ Topical Solution for Dogs is not applied superficially on dog's hair.



Insert

FREQUENCY OF APPLICATION

Fleas ticks [biting and chewing] lice infestations can be controlled with monthly applications of EFFITIX^T Topical Solution for Dogs Biting flies and mosquitoes are [also] repelled by EFFITIX^M Topical Solution for Dogs

Fleas EFFITIX^T Topical Solution for Dogs can start killing adult fleas within 6 hours and lasts for [up to] three months Apply monthly if your dog has fleas that may cause flea allergy dermatitis (FAD) or if re infestation is likely

Ticks EFFITIXTM Topical Solution for Dogs can kill ticks for at least a month Apply monthly where tick control is consistently needed

Lice EFFITIXTM Topical Solution for Dogs can kill biting and chewing lice for [up to] a month Apply monthly where lice control is consistently needed

Mites EFFITIX^T Topical Solution for Dogs aids in [the] control of [sarcoptic mange]/[mite infestations that may cause sarcoptic mange]

Biting flies and Mosquitoes When applied monthly EFFITIX^T Topical Solution for Dogs [prevents blood feeding by] [and] [repe] biting flies and mosquitoes for up to 4 weeks [a [one] month] Kills mosquitoes for up to four weeks [a [one] month]

Notes Wait at least 30 days before re application of EFFITIX^T Topical Solution for Dogs Avoid contact with treated area until dry

Back Panel (single presentation on insert)

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage and disposal

STORAGE Store unused product in original container only out of reach of children and animals

PESTICIDE /CONTAINER DISPOSAL If empty Nonrefillable Do not reuse or refill this container Offer for recycling if av lable If partially filled Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

Inside Flap (single presentation on insert)

LIMITED WARRANTY AND DISCLAIMER

VIRBAC warrants this product only if it is used stored and handled in accordance with the label instructions The buyers and u ers are solely responsible for all risks of use and handling of this product when such use and handling are contrary to or differ from the label instructions To the extent permitted by applicable law any damages arising from a breach of this warranty shall be limited to direct damages only and shall not include any type of consequential damages

How supplied For easy and convenient application EFFITIX^T Topical Solution for Dogs is available in sizes for puppy/toy dogs 8 weeks old or older and 4 to 10 9 lbs (0 017 oz)/(0 5 mL) small dogs 11 to 22 9 lbs (0 034 fl oz)/(1 0 mL) medium dogs 23-44 9 lbs (0 068 fl oz)/(2 0 mL) large dogs 45 88 9 lbs (0 135 fl oz)/(4 0 mL) and extra large dogs 89 132 lbs (0 203 fl oz)/(6 0 mL)

Net Contents 1 (3 6 or 36) single dose applicator(s) per package containing (0 5 mL 1mL 2mL 4mL or 6mL/ 0 017 fl oz (0 034 fl oz 0 068 fl oz 0 135 fl oz 0 203 fl oz) (of solution)

[Detachable) calendar (monthly application) reminder stickers (with illustration of dog or puppy]

Back Panel (single presentation on side panel)

EPA Reg No 2382 187

EPA Est No 2382 FRA 1

VIRBAC AH INC
PO BOX 162059
FORT WORTH TX 76161
1 800 338 3659

Made in France

EFFITIX is a trademark of Virbac S A

Questions or comments?

Call 1-800 338 3659

Text for Front Panel, Back Panel, Inside Flap and Side Panel

See package insert(s) for directions for use and frequency of application
 See package insert for directions for use and storage and disposal
 See package insert for frequency of application and storage and disposal
 Open resealable label for directions for use
 Open resealable label for directions for use and storage and disposal
 See back panel for additional precautionary statements
 See package insert(s) for frequency of application
 See enclosed insert(s) for directions for use and storage and disposal
 See enclosed insert(s) for directions for use
 Lift here to open (LIFT HERE TO OPEN)
 For Use on Dogs ONLY
 Use ONLY on dogs
 See inside flap for directions for use

Text for Foil of Blister package

Virbac

EFFITIX Topical Solution For Dogs

Only for use on dogs 4 to 10.9 lbs (11 to 22.9 lbs 23-44.9 lbs 45.88.9 lbs 89.132 lbs)/0.017 oz (0.034 fl oz 0.068 fl oz 0.135 fl oz 0.203 fl oz) (0.5 mL 1.0 mL 2.0 mL 4.0 mL 6.0 mL)

Contains fipronil (6.01%) and permethrin (44.88%)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See full label for additional directions

EPA Reg No 2382 187

DO NOT USE ON CATS

CAT PROHIBITION ICON

Text for Applicator Tube

Virbac

EFFITIX

Topical Solution For Dogs

Only for use on dogs

4 to 10.9 lbs (11 to 22.9 lbs 23-44.9 lbs 45.88.9 lbs 89.132 lbs)

0.017 fl oz (0.034 fl oz 0.068 fl oz 0.135 fl oz 0.203 fl oz) [0.5 mL (1.0 mL 2.0 mL 4.0 mL 6.0 mL)]

Contains fipronil (6.01%)

and permethrin (44.88%)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See full label for additional directions

DO NOT USE ON CATS

EPA Reg No 2382 187

CAT PROHIBITION ICON

MARKETING CLAIMS

[Multiple infestations]

For convenient quick acting long lasting effective control of fleas ticks mosquitoes and lice

[When] Applied topically on a monthly basis EFFITIXTM Topical Solution for Dogs repels and kills fleas ticks and mosquitoes kills [biting chewing] lice aids in the control of sarcoptic mites and repels [and inhibits blood feeding by] biting flies and mosquitoes

[When] Applied topically on a monthly basis EFFITIXTM Topical Solution for Dogs repels and kills fleas ticks and mosquitoes kills [biting chewing] lice aids in the control of mites that may cause sarcoptic mange and repels [and inhibits blood feeding by] biting flies and mosquitoes

For easy and convenient application EFFITIXTM Topical Solution for Dogs is available in sizes for puppy/toy dogs [8 weeks old or older] and 4 to 10.9 lbs [0.17 fl oz][0.5 mL] small dogs 11 to 22.9 lbs [0.034 fl oz][1.0 mL] medium dogs 23.44.9 lbs [0.068 fl oz] [2.0 mL] large dogs 45.88.9 lbs [0.135 fl oz] [4.0 mL] and extra large dogs 89.132 lbs [0.203 fl oz] [6.0 mL]

EFFITIX Topical Solution for Dogs contains the active ingredients fipronil and permethrin which control infestations caused by fleas ticks and lice repel [against] biting flies and repel and kill mosquitoes

Kills fleas ticks lice and mosquitoes repels biting flies and mosquitoes

Repels and kills fleas and ticks

Repels fleas ticks biting flies and mosquitoes

Kills and repels ticks

For the control and prevention of flea [and lice] infestations

Research has shown that flea tick (biting and chewing) lice infestations can be controlled with monthly applications of EFFITIX™ Topical Solution for Dogs Biting flies and mosquitoes are [also] repelled by EFFITIX™ Topical Solution for Dogs

Effective monthly application against fleas ticks and mosquitoes

Kills fleas ticks and mosquitoes for up to one month

Monthly application is recommended for control and prevention of fleas ticks and mosquitoes

Long lasting flea tick and mosquito control for your pet

EFFITIX™ Topical Solution for Dogs is indicated for the prevention and control of fleas ticks biting flies mosquitoes and lice on dogs 12 weeks of age and older

Helps to relieve your dog's pain [discomfort] by controlling flea tick and lice infestations

Kills the vectors that may transmit Lyme disease Rocky Mountain spotted fever ehrlichiosis hepatozoonosis and heartworm disease

Kills fleas ticks mosquitoes lice and aids in control of sarcoptic mites

Kills fleas ticks mosquitoes lice and aids in control of mites that may cause sarcoptic mange

Kills and repels fleas ticks and mosquitoes

[Fleas]

Fleas EFFITIX™ Topical Solution for Dogs can kill adult fleas in 6 hours for up to three months Apply monthly if your dog has fleas that may cause flea allergy dermatitis [FAD] or if reinfestation is likely

Kills newly emerged adult fleas prior to egg laying

Kills fleas [within 6 hours] that may transmit bartonellosis [tularemia] [and tapeworm]

Kills fleas [within 6 hours] that may transmit the following diseases bartonellosis [tularemia] [and tapeworm infestations]

Kills fleas [within 6 hours] that may transmit the following diseases bartonellosis and tularemia

Rapid kill of fleas is important in the prevention of the following diseases bartonellosis and tularemia

Acts to kill fleas that may transmit the following disease bartonellosis and tularemia

Kills fleas that may serve as an intermediate host for tapeworms [*Dipylidium caninum*]

Kills fleas that may serve as an intermediate host for cysticercoids of tapeworms

Kills fleas that may serve as hosts for life cycle intermediates of tapeworms

Kills (adult) fleas [within 6 hours] that may cause Flea Allergy Dermatitis [FAD] [or] [flea bite anemia]

Fleas do not have to bite to die

Controls highly [irritating] [annoying] [flea] bites

EFFITIX™ Topical Solution for Dogs rapidly kills fleas that may cause FAD [Flea Allergy Dermatitis]

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as Flea Allergy Dermatitis [FAD]

EFFITIX™ Topical Solution for Dogs kills fleas and may reduce the incidence of Flea Allergy Dermatitis [FAD]

Effective monthly application against fleas

Effective monthly control of fleas

Kills adult fleas for up to one month [4 weeks]

Kills adult fleas for up to three months [12 weeks] however if your dog is susceptible to Flea Allergy Dermatitis (FAD) it is recommended to use monthly

Kills fleas

EFFITIX™ Topical Solution for Dogs kills fleas on your dog

Once a month topical flea control for dogs and puppies 8 weeks of age or older

EFFITIX™ Topical Solution for Dogs is indicated for the prevention and control of fleas on dogs and puppies 8 weeks of age and older

One application prevents further flea infestations for up to [12 weeks] [three months] Apply monthly if your dog has fleas that may cause flea allergy dermatitis (FAD) or if reinfestation is likely

Monthly treatment [all year] is recommended for control and prevention of fleas

Provides ongoing protection against fleas and the following diseases bartonellosis [tularemia] [and tapeworm infestations] they may transmit for one month

Stops existing flea infestations by rapidly killing adult fleas

Kills fleas before they lay eggs

Stops existing flea infestations by killing adult fleas

Prevents [Stops] re infestations by killing adult fleas (before they lay eggs)

Treatment with EFFITIX™ Topical Solution for Dogs rapidly kills fleas which may cause flea allergic dermatitis [FAD] or flea bite hypersensitivity

Controls flea problems

Provides flea protection

Use flea [prevention] [protection] year round

[Ticks]

Ticks EFFITIX™ Topical Solution for Dogs can kill ticks for [up to] at least [one] month Apply monthly where tick control is consistently needed

Kills and repels all stages of Brown dog ticks American dog ticks Lone Star ticks and Deer ticks [that may transmit Lyme disease Rocky Mountain Spotted Fever babesiosis ehrlichiosis and anaplasmosis]

Kills ticks including Deer ticks [that may transmit Lyme disease] American dog ticks [that may transmit Rocky Mountain Spotted Fever] Brown dog ticks [that may transmit ehrlichiosis] and Lone Star ticks [that may transmit hepatozoonosis] for up to one month [4 weeks]

Kills ticks including Deer ticks [that may transmit Lyme disease] American dog ticks [that may transmit Rocky Mountain Spotted Fever] and Brown dog ticks [that may transmit ehrlichiosis] for up to one month [4 weeks]

Kills Brown dog ticks [*Rhipicephalus* spp] American dog ticks [*Dermacentor variabilis*] Deer ticks [*Ixodes* spp] and Lone Star ticks [*Amblyomma americanum*] for up to one month [4 weeks]

Kills Lone Star ticks (*Amblyomma americanum*) for 4 weeks [for up to one month]
Effective monthly application against ticks

[Mosquitoes and biting flies]

Kills mosquitoes
Kills mosquitoes for up to 28 days [four weeks] [a [one] month]
Repels and inhibits blood feeding by biting flies and mosquitoes
Biting flies and mosquitoes When applied monthly EFFITIX^T Topical Solution for Dogs [prevents blood feeding by] [and] [repels] biting flies and mosquitoes for [up to] 4 weeks [a [one] month]
Repels and kills mosquitoes for up to four [4] weeks
Prevents blood feeding by mosquitoes
Repels and prevents [inhibits] blood feeding by biting flies
Repels and kills mosquitoes often before they have a chance to take a blood meal
[[Prevents blood feeding by] [Kills and repels]] mosquitoes
Repels biting flies
Repels [[annoying][bothersome][nuisance]] biting flies
Inhibits [[annoying][bothersome] [nuisance]] biting flies
[[Prevents][inhibits]] blood feeding by biting flies
Kills mosquitoes that may carry heartworm disease
Repels and kills mosquitos [*Culex spp* *Ochlerotatus spp* *Aedes spp*] which may vector heartworm [*Dirofilana immitis*] for one month

[Lice and Mites]

Lice EFFITIX Topical Solution for Dogs can kill biting and chewing lice for a [one] month Apply monthly where lice control is consistently needed
Mites [EFFITIX^T Topical Solution for Dogs] aids in [the] control of mites that may cause sarcoptic mange
Mites [EFFITIX^T Topical Solution for Dogs] aids in [the] control of sarcoptic mites
EFFITIXTM Topical Solution for Dogs aids in (the) control of mites that may cause sarcoptic mange
[When applied monthly] EFFITIX^M Topical Solution for Dogs aids in [the] control of sarcoptic mange
Aids in [the] control of sarcoptic mange mite infestation
Kills chewing and biting lice
[Also] Kills lice and aids in control of mites that may cause sarcoptic mange
[Also] Kills lice and aids in control of sarcoptic mites
Controls existing chewing/biting lice infestations
Kills [[biting] [chewing]] lice
For control and prevention of [[biting] [chewing]] lice [infestations]
Stops existing [[biting] [chewing]] lice infestations
Prevents and controls [[biting] [chewing]] lice [infestations]
Provides effective control of [[biting] [chewing]] lice [infestations]
Kills [[biting] [chewing]] lice and prevents further infestations
For control and prevention of [infestation][with] [[biting] [chewing]] lice

[Others]

1 (3 6 36) applicator(s) (tube[s]) 0.5 mL (1.0 mL 2.0 mL 4.0 mL 6.0 mL)
1 (3 6 36) applicator(s) (tube[s]) 0.17 fl oz (0.034 fl oz 0.068 fl oz 0.135 fl oz 0.203 fl oz)
1 (3 6 36) applicator(s) (tube[s]) 0.17 fl oz [0.5 mL] (0.034 fl oz [1.0 mL] 0.068 fl oz [2.0 mL] 0.135 fl oz [4.0 mL] 0.203 fl oz [6.0 mL])
1 (3 6 36) applicator(s) (tube[s]) (each) containing 0.17 fl oz [0.5 mL] (0.034 fl oz [1.0 mL] 0.068 fl oz [2.0 mL] 0.135 fl oz [4.0 mL] 0.203 fl oz [6.0 mL])
1 (3 6 36) applicator(s) (tube[s])
1 (3 6 36) monthly dose(s) (application[s])
1 (3 6 36) applicator(s) (tube[s]) 1 (3 6 36) month(ly) dose(s) (application(s))
DO NOT USE ON CATS
This product is only for use on dogs and puppies 8 weeks of age or older and weighing 4 to 10.9 lbs weighing 11 to 22.9 lbs weighing 23 to 44.9 lbs weighing 45 to 88.9 lbs weighing 89 to 132 lbs)
Weighing 4 to 10.9 lbs weighing 11 to 22.9 lbs weighing 23 to 44.9 lbs weighing 45 to 88.9 lbs weighing 89 to 132 lbs)
Easy and convenient application [applications]
Remains effective for a [one] month [4 weeks] for fleas ticks mosquitoes and biting flies
Stops existing infestations and prevents establishment of new infestations for fleas and ticks
Reinfestation of fleas ticks and mosquitoes [biting chewing] lice and biting flies is prevented for a [one] month
Convenient topical treatment for dogs
Quick onset of activity
Persistent efficacy through 30 days
Prevents [re]infestation for one month
Once monthly application
Quick drying non greasy
[Convenient] [to use] Easy [to apply] spot on [topical] application
Fragrance [odor] free
No noticeable odors
Single application lasts 4 weeks [one month] [30 days]

((

Easy to use applicator makes treatment simple [trouble free smooth]
Convenient easy to apply topical solution
Convenient easy to apply and fragrance free topical solution
Starts working by [on] contact
[In] child resistant packaging
Convenient [to use] easy to apply [topical solution]
EFFITIX[™] Topical Solution for Dogs remains effective after bathing shampooing water immersion or sunlight exposure
Waterproof [remains effective after bathing and swimming] for up to four weeks [a month] [one month]
Remains effective after exposure to sunlight
Remains effective even after bathing water immersion or exposure to rain or sunlight
Remains effective even after bathing [and swimming]
Remains effective after exposure to rain and/or sunlight
Still works after bathing swimming or exposure to sunlight
Maintains residual efficacy after bathing and swimming
Remains effective after bathing [and swimming] [[for a month] [for one month] [for up to four weeks]]
For dogs that enjoy the outdoors
For indoor and outdoor dogs
Convenient topical treatment for dogs who enjoy the outdoors
Formulated for dogs that love the outdoors
For dogs that enjoy the outdoors
Sold by veterinarians
Illustration of flea life cycle
Illustration of tick life cycle
Illustration of mosquito life cycle
Illustration of mite life cycle
Illustration of louse life cycle
Illustration of flea
Illustration of tick
Illustration of mosquito
Illustration of mite
Illustration of louse
Picture or illustration of a dog [or puppy]
Picture or illustration of the Virbac logo
Picture or illustration of the primary package [applicator tubes]