

2382-187

5/1/2013

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Wednesday, May 01, 2013

Terry McNamara, Managing Regulatory Consultant
Virbac AH Inc.
PO Box 162059
Fort Worth TX 76161

Subject: Submission of label amendment to correct the minimum weight limit.
Date of submissions: April 9, 2013.
EPA Registration Number: 2382-187
Product Name: EFFITIX™ TOPICAL SOLUTION FOR DOGS

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below.

Two copies of the finished labeling must be submitted prior to releasing the product for shipment.

Sincerely,

A handwritten signature in black ink that reads "Richard J. Gebken".

Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505C)

Enclosure

Virbac's Master Label

Date 9 April 2013 Version US-20 EPA Reg. No. 2382-187
Fipronil+Permethrin Topical Solution for Dogs

Optional text appears in brackets.

EFFITIX™ TOPICAL SOLUTION FOR DOGS

Front, back and side panels

FOR USE ONLY ON DOGS 8 WEEKS OLD OR OLDER (WEIGHING 5 TO 10.9 LBS, WEIGHING 11 TO 22.9 LBS, WEIGHING 23 TO 44.9 LBS, WEIGHING 45 TO 88.9 LBS, WEIGHING 89 TO 132 LBS)

Front panel and Back Panel

ACTIVE INGREDIENTS:

Fipronil..... 6.01%
Permethrin* 44.88%

OTHER INGREDIENTS: 49.11%

TOTAL: 100.00%

* cis/trans ratio: maximum 55% (±) cis and minimum 45% (±) trans

**KEEP OUT OF REACH OF CHILDREN
CAUTION
READ ENTIRE LABEL BEFORE EACH USE**

Back Panel

ACCEPTED
MAY 1 - 2013
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 2382-187

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

HAZARDS TO HUMANS

Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs ONLY.

Symbol on Front Panel/ Symbol and text on Back panel



DO NOT USE ON CATS – IF INGESTED BY CAT THAT ACTIVELY GROOMS A RECENTLY TREATED DOG, THIS PRODUCT MAY HAVE SERIOUS HARMFUL EFFECTS. IF THIS OCCURS, CONTACT YOUR VETERINARIAN IMMEDIATELY.

Back Panel

Do not use on dogs under 8 weeks of age. Individual sensitivities, while rare, may occur after using ANY pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of sensitivity occur and persist, contact a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs, or animals known to be sensitive to pesticide products.

Back Panel (single presentation on insert)

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING :	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
<p>Have product container or label with you when calling a poison control center or doctor, or going for treatment.</p> <p>You may also contact the Hotline number 1-800-338-3659 for human or veterinary health concerns, emergency medical treatment information or pesticide incidents.</p>	

Inside flap (single presentation insert only)**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in any manner inconsistent with its labelling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON CATS OR RABBITS. DO NOT USE ON OTHER ANIMALS.**

DO NOT USE ON CATS.


FOR EXTERNAL USE ON DOGS ONLY. Do not use on dogs under 8 weeks of age. Do not split tubes between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Overdosing your dog can result in serious illness. Do not bathe your dog within the first 24 hours after the product has been applied. If your dog is exhibiting signs of and/or is being treated for skin problems, talk to your veterinarian before applying any topical flea and tick control product.

Do not apply more often than once a [per] month [every 30 days].

For use on **DOGS** (8 weeks old or older). To repel and kill fleas, ticks, and mosquitoes; to kill lice and to aid in control of mites; to repel and prevent blood feeding by biting flies. Apply monthly according to directions for use.

APPLICATION DIRECTIONS

1. Remove one applicator from packaging.
Hold applicator upright and remove cap.
2. Invert cap and place other end back onto applicator tip.
Push cap down to break seal.
Remove cap prior to treatment application.
3. Part dog's hair until skin is visible.
Place applicator tip directly against exposed skin.
- 3a. **For small dogs and puppies 8 weeks old or older and weighing 5 to 10.9 lbs or weighing 11 to 22.9 lbs** Deposit entire contents by squeezing the entire applicator contents onto dog's skin, at a single site, between the shoulder blades as shown in diagram 3a.
- 3b. **For medium dogs 23-44.9 lbs or large dogs 45-88.9 lbs-** Apply the product evenly to three spots on the dog's back, starting between the shoulder blades and continuing on to the second and third spots as shown in diagram 3b, squeezing the applicator until empty.
- 3c. **For extra large dogs 89-132 lbs-** Apply the product evenly to four spots on the dog's back, starting between the shoulder blades and continuing on to the second, third and fourth spots as shown in diagram 3c, squeezing the applicator until empty.
Ensure that EFFITIX™ Topical Solution for Dogs is not applied superficially on dog's hair.



Insert

FREQUENCY OF APPLICATION

Fleas, ticks, [biting and chewing] lice infestations can be controlled with monthly applications of EFFITIX™ Topical Solution for Dogs. Biting flies and mosquitoes are [also] repelled by EFFITIX™ Topical Solution for Dogs.

Fleas: EFFITIX™ Topical Solution for Dogs can start killing adult fleas within 6 hours and lasts for [up to] three months. Apply monthly if your dog has fleas that may cause flea allergy dermatitis (FAD), or if re-infestation is likely.

Ticks: EFFITIX™ Topical Solution for Dogs can kill ticks for at least a month. Apply monthly where tick control is consistently needed.

Lice: EFFITIX™ Topical Solution for Dogs can kill biting and chewing lice for [up to] a month. Apply monthly where lice control is consistently needed.

Mites: EFFITIX™ Topical Solution for Dogs aids in [the] control of [sarcoptic mange]/[mite infestations that may cause sarcoptic mange].

Biting flies and Mosquitoes: When applied monthly, EFFITIX™ Topical Solution for Dogs [prevents blood feeding by] [and] [repels] biting flies and mosquitoes for up to 4 weeks [a [one] month]. Kills mosquitoes for up to four weeks [a [one] month].

Notes: Wait at least 30 days before re-application of EFFITIX™ Topical Solution for Dogs. Avoid contact with treated area until dry.

Back Panel (single presentation on insert)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store unused product in original container only, out of reach of children and animals.

PESTICIDE /CONTAINER DISPOSAL: If empty: Nonrefillable. Do not reuse or refill this container. Offer for recycling, if available.

If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Inside Flap (single presentation on insert)

LIMITED WARRANTY AND DISCLAIMER

VIRBAC warrants this product only if it is used, stored and handled in accordance with the label instructions. The buyers and users are solely responsible for all risks of use and handling of this product when such use and handling are contrary to or differ from the label instructions. To the extent permitted by applicable law, any damages arising from a breach of this warranty shall be limited to direct damages only and shall not include any type of consequential damages.

How supplied: For easy and convenient application, EFFITIX™ Topical Solution for Dogs is available in sizes for puppy/toy dogs 8 weeks old or older and 5 to 10.9 lbs (0.017 oz)/(0.5 ml), small dogs 11 to 22.9 lbs (0.034 fl oz)/(1.0 mL), medium dogs 23-44.9 lbs (0.068 fl oz)/(2.0 mL), large dogs 45-88.9 lbs (0.135 fl oz)/(4.0 mL), and extra large dogs 89-132 lbs (0.203 fl oz)/(6.0 mL).

Net Contents: 1 (3, 6 or 36) single-dose applicator(s) per package containing (0.5 ml, 1mL, 2mL, 4mL or 6mL)/ (0.017 fl oz, 0.034 fl oz, 0.068 fl oz, 0.135 fl oz, 0.203 fl oz) (of solution).

[Detachable] calendar (monthly application) reminder stickers (with illustration of dog or puppy)

Back Panel (single presentation on side panel)

EPA Reg. No. 2382-187

EPA Est. No. 2382-FRA-1

VIRBAC AH, INC.
PO BOX 162059
FORT WORTH TX 76161
1-800-338-3659

Made in France
EFFITIX™ is a trademark of Virbac S.A.
Questions or comments?

Call: 1-800-338-3659

Text for Front Panel, Back Panel, Inside Flap and Side Panel

See package insert(s) for directions for use and frequency of application
 See package insert for directions for use and storage and disposal
 See package insert for frequency of application and storage and disposal
 Open resealable label for directions for use
 Open resealable label for directions for use and storage and disposal
 See back panel for additional precautionary statements
 See package insert(s) for frequency of application
 See enclosed insert(s) for directions for use and storage and disposal
 See enclosed insert(s) for directions for use
 Lift here to open. (LIFT HERE TO OPEN)
 For Use on Dogs ONLY
 Use ONLY on dogs
 See inside flap for directions for use

Text for Foil of Blister package

Virbac

EFFITIX™ Topical Solution For Dogs

Only for use on dogs 5 to 10.9 lbs (11 to 22.9 lbs, 23-44.9 lbs, 45-88.9 lbs, 89-132 lbs)/0.017 fl oz (0.034 fl oz, 0.068 fl oz, 0.135 fl oz, 0.203 fl oz) (0.5 ml, 1.0 mL, 2.0 mL, 4.0 mL, 6.0mL)

Contains fipronil (6.01%) and permethrin (44.88%)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See full label for additional directions

EPA Reg. No. 2382-187

DO NOT USE ON CATS

CAT PROHIBITION ICON

Text for Applicator Tube

Virbac

EFFITIX™

Topical Solution For Dogs

Only for use on dogs

5 to 10.9 lbs (11 to 22.9 lbs, 23-44.9 lbs, 45-88.9 lbs, 89-132 lbs)

0.017 fl oz (0.034 fl oz, 0.068 fl oz, 0.135 fl oz, 0.203 fl oz) (0.5 mL (1.0 mL, 2.0 mL, 4.0 mL, 6.0mL))

Contains fipronil (6.01%)

and permethrin (44.88%)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See full label for additional directions

DO NOT USE ON CATS

EPA Reg. No. 2382-187

CAT PROHIBITION ICON

MARKETING CLAIMS

[Multiple infestations]

- For convenient, quick-acting, long-lasting, effective control of fleas, ticks, mosquitoes, and lice.
- [When] Applied topically on a monthly basis, EFFITIX™ Topical Solution for Dogs repels and kills fleas, ticks and mosquitoes, kills [biting, chewing] lice, aids in the control of sarcoptic mites, and repels [and inhibits blood feeding by] biting flies and mosquitoes.
- [When] Applied topically on a monthly basis, EFFITIX™ Topical Solution for Dogs repels and kills fleas, ticks and mosquitoes, kills [biting, chewing] lice, aids in the control of mites that may cause sarcoptic mange, and repels [and inhibits blood feeding by] biting flies and mosquitoes.
- For easy and convenient application, EFFITIX™ Topical Solution for Dogs is available in sizes for puppy/toy dogs [8 weeks old or older] and 5 to 10.9 lbs [0.017 fl oz][0.5 ml], small dogs 11 to 22.9 lbs [0.034 fl oz][1.0 mL], medium dogs 23-44.9 lbs [0.068 fl oz] [2.0mL], large dogs 45-88.9 lbs [0.135 fl oz] [4.0 mL], and extra large dogs 89-132 lbs [0.203 fl oz] [6.0 mL].
- EFFITIX™ Topical Solution for Dogs contains the active ingredients fipronil and permethrin, which control infestations caused by fleas, ticks and lice; repel [against] biting flies, and repel and kill mosquitoes.
- Kills fleas, ticks, lice and mosquitoes, repels biting flies and mosquitoes
- Repels and kills fleas and ticks

- Repels fleas, ticks, biting flies and mosquitoes
- Kills and repels ticks
- For the control and prevention of flea [and lice] infestations
- Research has shown that flea, tick (biting and chewing) lice infestations, can be controlled with monthly applications of EFFITIX™ Topical Solution for Dogs. Biting flies and mosquitoes are [also] repelled by EFFITIX™ Topical Solution for Dogs.
- Effective monthly application against fleas, ticks and mosquitoes
- Kills fleas, ticks and mosquitoes for up to one month
- Monthly application is recommended for control and prevention of fleas, ticks and mosquitoes
- Long lasting flea, tick and mosquito control for your pet
- EFFITIX™ Topical Solution for Dogs is indicated for the prevention and control of fleas, ticks, biting flies, mosquitoes, and lice on dogs 8 weeks of age and older
- Helps to relieve your dog's pain [discomfort] by controlling flea, tick and lice infestations
- Kills the vectors that may transmit Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, hepatozoonosis and heartworm disease.
- Kills fleas, ticks, mosquitoes, lice, and aids in control of sarcoptic mites
- Kills fleas, ticks, mosquitoes, lice, and aids in control of mites that may cause sarcoptic mange
- Kills and repels fleas, ticks, and mosquitoes.

[Fleas]

- Fleas: EFFITIX™ Topical Solution for Dogs can kill adult fleas in 6 hours for up to three months. Apply monthly if your dog has fleas that may cause flea allergy dermatitis [FAD], or if reinfestation is likely.
- Kills newly emerged adult fleas prior to egg laying
- Kills fleas [within 6 hours] that may transmit bartonellosis, [tularaemia] [and tapeworm]
- Kills fleas [within 6 hours] that may transmit the following diseases: bartonellosis, [tularaemia] [and tapeworm infestations]
- Kills fleas [within 6 hours] that may transmit the following diseases: bartonellosis and tularaemia
- Rapid kill of fleas is important in the prevention of the following diseases: bartonellosis and tularaemia
- Acts to kill fleas that may transmit the following disease: bartonellosis and tularaemia
- Kills fleas that may serve as an intermediate host for tapeworms [*Dipylidium caninum*]
- Kills fleas that may serve as an intermediate host for cysticercoids of tapeworms
- Kills fleas that may serve as hosts for life cycle intermediates of tapeworms
- Kills (adult) fleas [within 6 hours] that may cause Flea Allergy Dermatitis [FAD] [or] [flea-bite anemia]
- Fleas do not have to bite to die
- Controls highly [irritating] [annoying] [flea] bites
- EFFITIX™ Topical Solution for Dogs rapidly kills fleas that may cause FAD [Flea Allergy Dermatitis]
- The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as Flea Allergy Dermatitis [FAD]
- EFFITIX™ Topical Solution for Dogs kills fleas and may reduce the incidence of Flea Allergy Dermatitis [FAD]
- Effective monthly application against fleas
- Effective monthly control of fleas
- Kills adult fleas for up to one month [4 weeks]
- Kills adult fleas for up to three months [12 weeks] however if your dog is susceptible to Flea Allergy Dermatitis (FAD) it is recommended to use monthly
- Kills fleas
- EFFITIX™ Topical Solution for Dogs kills fleas on your dog
- Once a month topical flea control for dogs 8 weeks of age and older
- EFFITIX™ Topical Solution for Dogs is indicated for the prevention and control of fleas on dogs 8 weeks of age and older
- One application prevents further flea infestations for up to [12 weeks] [three months]. Apply monthly if your dog has fleas that may cause flea allergy dermatitis (FAD), or if reinfestation is likely.
- Monthly treatment [all year] is recommended for control and prevention of fleas
- Provides ongoing protection against fleas and the following diseases bartonellosis, [tularaemia] [and tapeworm infestations] they may transmit for one month
- Stops existing flea infestations by rapidly killing adult fleas
- Kills fleas before they lay eggs
- Stops existing flea infestations by killing adult fleas
- Prevents [Stops] re-infestations by killing adult fleas (before they lay eggs)
- Treatment with EFFITIX™ Topical Solution for Dogs rapidly kills fleas which may cause flea allergic dermatitis [FAD] or flea bite hypersensitivity
- Controls flea problems
- Provides flea protection
- Use flea [prevention] [protection] year-round

[Ticks]

- Ticks: EFFITIX™ Topical Solution for Dogs can kill ticks for [up to] at least [one] month. Apply monthly where tick control is consistently needed.
- Kills and repels all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks [that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis and anaplasmosis]

- Kills ticks including Deer ticks [that may transmit Lyme disease], American dog ticks (that may transmit Rocky Mountain Spotted Fever), Brown dog ticks [that may transmit ehrlichiosis], and Lone Star ticks [that may transmit hepatozoonosis] for up to one month [4 weeks]
- Kills ticks including Deer ticks [that may transmit Lyme disease], American dog ticks [that may transmit Rocky Mountain Spotted Fever], and Brown dog ticks [that may transmit ehrlichiosis] for up to one month [4 weeks].
- Kills Brown dog ticks [*Rhipicephalus* spp], American dog ticks [*Dermacentor variabilis*], Deer ticks [*Ixodes* spp] and Lone Star ticks [*Amblyomma americanum*] for up to one month [4 weeks].
- Kills Lone Star ticks [*Amblyomma americanum*] for 4 weeks [for up to one month].
- Effective monthly application against ticks

[Mosquitoes and biting flies]

- Kills mosquitoes
- Kills mosquitoes for up to 28 days [four weeks] [a [one] month]
- Repels and inhibits blood feeding by biting flies and mosquitoes
- Biting flies and mosquitoes: When applied monthly, EFFITIX™ Topical Solution for Dogs [prevents blood feeding by] [and] [repels] biting flies and mosquitoes for [up to] 4 weeks [a [one] month]
- Repels and kills mosquitoes for up to four [4] weeks
- Prevents blood feeding by mosquitoes
- Repels and prevents [inhibits] blood-feeding by biting flies
- Repels and kills mosquitoes often before they have a chance to take a blood meal
- [[Prevents blood-feeding by] [Kills and repels]] mosquitoes
- Repels biting flies
- Repels [[annoying][bothersome][nuisance]] biting flies
- Inhibits [[annoying][bothersome] [nuisance]] biting flies
- [[Prevents][inhibits]] blood-feeding by biting flies
- Kills mosquitoes that may carry heartworm disease
- Repels and kills mosquitos [*Culex* spp, *Ochlerotatus* spp, *Aedes* spp] which may vector heartworm [*Dirofilaria immitis*] for one month

[Lice and Mites]

- Lice: EFFITIX™ Topical Solution for Dogs can kill biting and chewing lice for a [one] month. Apply monthly where lice control is consistently needed.
- Mites: [EFFITIX™ Topical Solution for Dogs] aids in [the] control of mites that may cause sarcoptic mange.
- Mites: [EFFITIX™ Topical Solution for Dogs] aids in [the] control of sarcoptic mites
- EFFITIX™ Topical Solution for Dogs aids in (the) control of mites that may cause sarcoptic mange.
- [When applied monthly], EFFITIX™ Topical Solution for Dogs aids in [the] control of sarcoptic mange.
- Aids in [the] control of sarcoptic mange mite infestation
- Kills chewing and biting lice
- [Also] Kills lice and aids in control of mites that may cause sarcoptic mange
- [Also] Kills lice and aids in control of sarcoptic mites
- Controls existing chewing/biting lice infestations
- Kills [[biting] [chewing]] lice
- For control and prevention of [[biting] [chewing]] lice [infestations]
- Stops existing [[biting] [chewing]] lice infestations
- Prevents and controls [[biting] [chewing]] lice [infestations]
- Provides effective control of [[biting] [chewing]] lice [infestations]
- Kills [[biting] [chewing]] lice and prevents further infestations
- For control and prevention of [infestation][with] [[biting] [chewing]] lice

[Others]

- 1 (3, 6, 36) applicator(s) (tube[s]) 0.5 ml (1.0 mL, 2.0 mL, 4.0 mL, 6.0 mL)
- 1 (3, 6, 36) applicator(s) (tube[s]) 0.017 fl oz (0.034 fl oz, 0.068 fl oz, 0.135 fl oz, 0.203 fl oz)
- 1 (3, 6, 36) applicator(s) (tube[s]) 0.017 fl oz [0.5 mL] (0.034 fl oz [1.0 mL], 0.068 fl oz [2.0 mL], 0.135 fl oz [4.0 mL], 0.203 fl oz [6.0 mL])
- 1 (3, 6, 36) applicator(s) (tube[s]) (each) containing 0.017 fl oz [0.5 mL] (0.034 fl oz [1.0 mL], 0.068 fl oz [2.0 mL], 0.135 fl oz [4.0 mL], 0.203 fl oz [6.0 mL])
- 1 (3, 6, 36) applicator(s) (tube[s])
- 1 (3, 6, 36) monthly dose(s) (application[s])
- 1 (3, 6, 36) applicator(s) (tube[s]) 1 (3, 6, 36) month(ly) dose(s) (application[s])
- DO NOT USE ON CATS
- This product is only for use on dogs 8 weeks of age or older and 5 to 10.9 lbs, (weighing 11 to 22.9 lbs, weighing 23 to 44.9 lbs, weighing 45 to 88.9 lbs, weighing 89 to 132 lbs)
- Weighing 5 to 10.9 lbs, (weighing 11 to 22.9 lbs, weighing 23 to 44.9 lbs, weighing 45 to 88.9 lbs, weighing 89 to 132 lbs)
- Easy and convenient application [applications]
- Remains effective for a [one] month [4 weeks] for fleas and ticks
- Stops existing infestations and prevents establishment of new infestations for fleas and ticks
- Reinfestation of fleas, ticks and mosquitoes, [biting, chewing] lice and biting flies is prevented for a [one] month
- Convenient topical treatment for dogs
- Quick onset of activity
- Persistent efficacy through 30 days
- Prevents [re-]infestation for one month

- Once monthly application
- Quick drying, non-greasy
- [Convenient] [to use] Easy [to apply] spot-on [topical] application
- Fragrance [odor] free
- No noticeable odors
- Single application lasts 4 weeks [one month] [30 days]
- Easy to use applicator makes treatment simple [trouble free, smooth]
- Convenient, easy to apply topical solution
- Convenient, easy to apply and fragrance free topical solution
- Starts working by [on] contact
- [In] child-resistant packaging
- Convenient [to use], easy to apply [topical solution]
- EFFITIX™ Topical Solution for Dogs remains effective after bathing, shampooing, water immersion, or sunlight exposure.
- Waterproof [remains effective after bathing and swimming] for up to four weeks [a month] [one month]
- Remains effective after exposure to sunlight
- Remains effective even after bathing, water immersion, or exposure to rain or sunlight
- Remains effective even after bathing [and swimming]
- Remains effective after exposure to rain and/or sunlight
- Still works after bathing, swimming or exposure to sunlight
- Maintains residual efficacy after bathing and swimming
- Remains effective after bathing [and swimming] [[for a month] [for one month] [for up to four weeks]]
- For dogs that enjoy the outdoors
- For indoor and outdoor dogs
- Convenient topical treatment for dogs who enjoy the outdoors
- Formulated for dogs that love the outdoors
- For dogs that enjoy the outdoors
- Sold by veterinarians
- Illustration of flea life cycle
- Illustration of tick life cycle
- Illustration of mosquito life cycle
- Illustration of mite life cycle
- Illustration of louse life cycle
- Illustration of flea
- Illustration of tick
- Illustration of mosquito
- Illustration of mite
- Illustration of louse
- Picture or illustration of a dog [or puppy]
- Picture or illustration of the Virbac logo
- Picture or illustration of the primary package [applicator tubes]