



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 27, 2017

Michelle Foster
Associate Manager, Regulatory Affairs
Research & Development/Virbac Corporation
3200 Meacham Boulevard
Fort Worth, TX 76137

Subject: Label Amendment – Clarifications to Directions for Use and various revisions
Product Name: Effitix Topical Solution for Dogs
EPA Registration Number: 2382-187
Application Date: 12-Dec-16
Decision Number: 524879

Dear Ms. Foster:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 2382-187
Decision No. 524879

with FIFRA section 6. If you have any questions, you may contact Julie Breeden-Alemi at 703-347-0511 or via email at Breeden-Alemi.Julie@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to be 'Kable Bo Davis', enclosed within a hand-drawn oval.

Kable Bo Davis, Product Manager 3
Invertebrate and Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

Master Label

[Optional text appears in brackets. The final label may include some or all of the optional text on the front, back, side panels, or insert.]

Front Panel and Insert [Back Panel] [Side Panel]

Virbac logo

EFFITIX® Topical Solution for Dogs

(Note to reviewer: font size of Dogs will be 40% of the size of the largest letter in the brand name on the front panel)

Front Panel- Large, clear picture of a dog in the appropriate weight range for the product as packaged

FOR USE ONLY ON DOGS AND [&] PUPPIES 8 WEEKS OLD OR OLDER WEIGHING [5 TO [-] 10.9][11 TO [-] 22.9][23 TO [-] 44.9] [45 TO [-] 88.9][89 TO [-] 132] LBS

ACTIVE INGREDIENTS

Fipronil..... 6.01%

Permethrin* 44.88%

OTHER INGREDIENTS 49.11%

TOTAL 100.00%

*cis/trans ratio: maximum 55% (±) cis and minimum 45% (±) trans

KEEP OUT OF REACH OF CHILDREN CAUTION


Front Panel- See Back Panel for First Aid and Additional Precautionary Statements

See Insert for Directions for Use

(OR)

See Back Panel for First Aid, Additional Precautionary Statements and Directions for Use

Front Panel- (Note to reviewer: A 1.5 cm x 1.5 cm cat prohibition icon in a box will be located in the lower right hand corner of the front panel in yellow with black images.)



Front Panel

3 Applicators

[Net Contents:] [0.051][0.102][0.204][0.405][0.609] fl oz ([1.5][3.0][6.0][12.0][18.0] mL),

3-[0.017][0.034][0.068][0.135][0.203] fl oz ([0.5][1.0][2.0][4.0][6.0] mL) applicators

Back Panel and Insert

READ ENTIRE LABEL BEFORE EACH USE PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs ONLY. Do not use on dogs or puppies less than 8 weeks of age weighing less than [5][11][23][45][89] lbs. Individual sensitivities, while rare, may occur after using ANY pesticide product. Dogs may experience some temporary irritation at the site of product application. If signs of sensitivity occur, bathe your dog with mild soap or shampoo and rinse with large amounts of water. If signs continue, contact a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs, or dogs known to be sensitive to pesticide products.

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

Have product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including human and veterinary health concerns, medical emergencies or pesticide incidents), you may call 1-800-338-3659, twenty-four (24) hours per day, seven (7) days per week.

(Note to reviewer: A box labeled "Side Effects" will be placed immediately above the cat warning box on the back panel.)

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or contact Virbac at 1-800-338-3659.

Back panel-Lower right hand corner (Note to reviewer: Do not use on cats pictogram will be A 1.5 cm x 1.5 cm cat prohibition icon and warning text box will be located at the lower right hand corner of the back panel in yellow with black images and text.)

Insert- front page



DO NOT USE ON CATS - MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

Insert [Back Panel]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. **FOR EXTERNAL USE ON DOGS AND PUPPIES ONLY.** For use ONLY on DOGS and PUPPIES 8 weeks old or older weighing at least [5][11][23][45][89] lbs. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Overdosing your dog can result in serious illness. If your dog is exhibiting signs of and/or is being treated for skin problems, talk to your veterinarian before applying any topical flea and tick control product.

RESTRICTIONS

Do not use on dogs or puppies less than 8 weeks of age weighing less than [5][11][23][45][89] lbs]. Do not allow children to apply product. **DO NOT USE ON CATS OR RABBITS. DO NOT USE ON OTHER ANIMALS.** Do not allow your dog to ingest this product. Do not split applicators between dogs. Do not apply more than one applicator to one dog per treatment regardless of the dog's weight. Do not apply more often than once a [per] month [every 30 days]. Do not allow contact with treated area until completely dry. Do not bathe your dog within the first 24 hours after the product has been applied.

To repel and kill fleas, ticks, and mosquitoes; to kill lice and to aid in control of mites; to repel and prevent blood-feeding by biting flies, apply as follows:


APPLICATION DIRECTIONS

1. Remove one applicator from packaging. Hold applicator upright and remove cap.
2. Invert cap and place other end back onto applicator tip. Push cap down to break seal. Remove cap prior to treatment application.
3. Part dog's hair until skin is visible. Place applicator tip directly against exposed skin.

(Note to reviewer: there will be a separate insert for each SKU. The appropriate application directions and image (3a, 3b or 3c) will be included for the corresponding weight range of the dog.)

- 3a. **For use only on small dogs and puppies 8 weeks old or older weighing 5 to [-] 10.9 lbs-** Deposit entire contents by squeezing the entire applicator contents onto dog's skin, at a single site, between the shoulder blades as shown in diagram 3a.
- 3a. **For use only on small dogs and puppies 8 weeks old or older weighing 11 to [-] 22.9 lbs-** Deposit entire contents by squeezing the entire applicator contents onto dog's skin, at a single site, between the shoulder blades as shown in diagram 3a.
- 3b. **For use only on medium dogs and puppies 8 weeks old or older weighing 23 to [-] 44.9 lbs-** Apply the product evenly to three spots on the dog's back, starting between the shoulder blades and continuing on to the second and third spots as shown in diagram 3b, squeezing the applicator until empty.
- 3b. **For use only on large dogs and puppies 8 weeks old or older weighing 45 to [-] 88.9 lbs-** Apply the product evenly to three spots on the dog's back, starting between the shoulder blades and continuing on to the second and third spots as shown in diagram 3b, squeezing the applicator until empty.
- 3c. **For extra-large dogs and puppies 8 weeks old or older weighing 89 to [-] 132 lbs-** Apply the product evenly to four spots on the dog's back, starting between the shoulder blades and continuing on to the second, third and fourth spots as shown in diagram 3c, squeezing the applicator until empty.

Ensure that EFFITIX® Topical Solution for Dogs is not applied superficially on dog's hair.



Insert

FREQUENCY OF APPLICATION

Fleas, ticks, and lice infestations can be controlled with monthly application of EFFITIX® Topical Solution for Dogs. Biting flies and mosquitoes are also repelled [by EFFITIX Topical Solution for Dogs].

Fleas: [EFFITIX Topical Solution for Dogs] [can kill] [starts killing][Kills] adult fleas in within 6 hours and lasts for up to three months. Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis (FAD), or if reinfestation is likely.

Ticks: [EFFITIX Topical Solution for Dogs] [can kill] [Kills] ticks for up to a month. Apply monthly where tick control is consistently needed.

Lice: [EFFITIX Topical Solution for Dogs] [can kill] [Kills] biting and chewing lice for up to a month. Apply monthly where lice control is consistently needed.

Mites: [EFFITIX Topical Solution for Dogs] [A]aids in the control of mite infestations that may cause sarcoptic mange.

Biting flies and Mosquitoes: When applied monthly, [EFFITIX Topical Solution for Dogs] prevents blood-feeding by and repels biting flies and mosquitoes for up to 4 weeks [a] [one] [month]. Kills mosquitoes for up to four weeks [a] [one] [month].

Back Panel or Bottom Panel and Insert

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Back Panel][Bottom Panel][Insert]

[LIMITED WARRANTY AND DISCLAIMER

VIRBAC warrants this product only if it is used, stored and handled in accordance with the label instructions. The buyers and users are solely responsible for all risks of use and handling of this product when such use and handling are contrary to or differ from the label instructions. To the extent permitted by applicable law, any damages arising from a breach of this warranty shall be limited to direct damages only and shall not include any type of consequential damages.]

Insert

[Detachable calendar monthly application reminder stickers with illustration of dog or puppy]



Back Panel and Insert

EPA Reg. No. 2382-187
EPA Est. No. [2382-FRA-1] [47420-DEU-1]
Virbac AH, Inc.
PO Box 162059
Fort Worth, TX 76161
1-800-338-3659
Made in France
[Questions or comments? Call: 1-800-338-3659]

Insert

© 2017 Virbac Corporation. All Rights Reserved. EFFITIX® is a registered trademark of Virbac S.A.

Foil of Blister package

Virbac logo

EFFITIX® Topical Solution for Dogs

Only for use on dogs & puppies ≥ 8 wks and[&] [5 to[-] 10.9][11 to[-] 22.9][23 to[-] 44.9][45 to[-] 88.9][89 to[-] 132] lbs
[0.017 fl oz] [0.034 fl oz] [0.068 fl oz] [0.135 fl oz] [0.203 fl oz] [0.5 mL] [1.0 mL] [2.0 mL] [4.0 mL] [6.0 mL]

Contains fipronil (6.01%) and[&] permethrin (44.88%)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See full label for additional directions

DO NOT USE ON CATS

CAT PROHIBITION ICON

EPA Reg. No. 2382-187

Applicator

Virbac logo

EFFITIX® Topical Solution for Dogs

Only for use on dogs & puppies ≥ 8 wks and[&] [5 to[-] 10.9][11 to[-] 22.9][23 to[-] 44.9][45 to[-] 88.9][89 to[-] 132] lbs
[0.017 fl oz] [0.034 fl oz] [0.068 fl oz] [0.135 fl oz] [0.203 fl oz] [0.5 mL] [1.0 mL] [2.0 mL] [4.0 mL] [6.0 mL]

Contains fipronil (6.01%) and[&] permethrin (44.88%)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See full label for additional directions

DO NOT USE ON CATS

EPA Reg. No. 2382-187

April 26, 2017

Page 3 of 6

OPTIONAL MARKETING CLAIMS- ALTERNATE VARIATIONS APPEAR IN BRACKETS

The final label may include some or all of the optional text within each claim.

Multiple infestations

- [For] [convenient], [quick-acting], [long-lasting], [effective] control of [fleas], [ticks], [mosquitoes], [and] [lice]
- Applied topically on a monthly basis, [EFFITIX® Topical Solution for Dogs] repels and kills fleas, ticks and mosquitoes; kills [biting, chewing] lice, aids in the control of sarcoptic mites, and repels and inhibits blood-feeding by biting flies and mosquitoes.
- Applied topically on a monthly basis, [EFFITIX® Topical Solution for Dogs] repels and kills fleas, ticks and mosquitoes, kills [biting, chewing] lice, aids in the control of mites that may cause sarcoptic mange, and repels [and inhibits blood-feeding by] biting flies and mosquitoes.
- [EFFITIX® Topical Solution for Dogs] contains the active ingredients fipronil and permethrin, which control infestations caused by fleas, ticks and lice; repel [against] biting flies, and repel and kill mosquitoes.
- Kills fleas, ticks, [lice] [and] mosquitoes [and] [lice]; repels biting flies and mosquitoes
- Repels and kills [adult] fleas[,] [and] ticks[,] [and] [mosquitoes]
- Repels fleas, ticks, [biting flies] and mosquitoes
- For the control and prevention of flea [and lice] infestations
- Flea, tick [biting] [and] [chewing] lice infestations can be controlled with monthly application [of EFFITIX® Topical Solution for Dogs]. Biting flies and mosquitoes are [also] repelled [by EFFITIX® Topical Solution for Dogs].
- Effective monthly application against fleas, ticks and mosquitoes
- Kills fleas, ticks and mosquitoes for up to one [a] month
- Monthly application is recommended for control and prevention of fleas, ticks and mosquitoes
- [Long-lasting] [flea], [tick] [and] [mosquito] [control for your dog]
- EFFITIX® Topical Solution for Dogs is indicated for the prevention and control of [fleas], [ticks], [biting flies], [mosquitoes], [and] [lice] on dogs and puppies 8 weeks old or older weighing [5 to-] 10.9][11 to-] 22.9][23 to-] 44.9][45 to-] 88.9][89 to-] 132] lbs.
- Help[s] [to] relieve your dog's [pain] [and] [discomfort] by controlling [flea[s]], [tick[s]] [and] [lice] [infestations]
- Kills the vectors that may transmit [Lyme disease], [Rocky Mountain spotted fever], [ehrlichiosis], [hepatozoonosis] [and] [heartworm disease].
- Kills fleas, ticks, mosquitoes, lice, and aids in control of sarcoptic mites
- Kills fleas, ticks, mosquitoes, lice, and aids in control of mites that may cause sarcoptic mange
- Kills and repels fleas, ticks, and mosquitoes.
- Remains effective for a [one] month [4 weeks] for fleas and ticks
- Stops existing infestations and prevents establishment of new infestations of fleas and ticks
- Reinfestation of fleas, ticks and [biting] [chewing] lice is prevented for a [one] month
- Prevents [re]infestation of fleas, ticks and [biting] [chewing] lice for a [one] month
- Prevents flea, tick and [biting] [chewing] lice [re]infestation for one month [4 weeks]

Fleas

- **Fleas:** [EFFITIX® Topical Solution for Dogs] [can kill] [starts killing][Kills adult fleas in [within] 6 hours [and lasts] [for] [up to] three months.] [Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis [(FAD)], or if reinfestation is likely.]
- Kills newly emerged adult fleas prior to egg laying
- Kills fleas [within 6 hours] that may transmit bartonellosis, [tularemia] [and tapeworm]
- Kills fleas [within 6 hours] that may transmit the following diseases: bartonellosis, [tularemia] [and tapeworm infestations]
- Kills fleas [within 6 hours] that may transmit the following diseases: bartonellosis and tularemia
- Rapid kill of fleas is important in the prevention of the following diseases: bartonellosis and tularemia
- Acts to kill fleas that may transmit the following disease: bartonellosis and tularemia
- Kills fleas that may serve as an intermediate host for tapeworms [*Dipylidium caninum*]
- Kills fleas that may serve as an intermediate host for cysticercoids of tapeworms
- Kills fleas that may serve as hosts for life cycle intermediates of tapeworms
- Kills [adult] fleas [within 6 hours] that may cause Flea Allergy Dermatitis [(FAD)] [or] [flea-bite anemia]
- Fleas do not have to bite to die
- Controls [highly] [irritating] [annoying] [flea] bites
- EFFITIX® Topical Solution for Dogs rapidly kills fleas [that may cause FAD [(Flea Allergy Dermatitis)]
- The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as Flea Allergy Dermatitis [(FAD)]
- EFFITIX® Topical Solution for Dogs kills fleas and may reduce the incidence of Flea Allergy Dermatitis [(FAD)]
- Effective monthly application against fleas
- Effective monthly control of fleas
- Kills adult fleas for up to one month [4 weeks]
- Kills adult fleas for up to three months [12 weeks]; however, if your dog is susceptible to Flea Allergy Dermatitis [(FAD)] it is recommended to use monthly
- [Kills] [and] [repels] fleas
- [Repels] [and] [kills] fleas
- EFFITIX® Topical Solution for Dogs kills fleas on your dog
- Once a month topical flea control for dogs and puppies 8 weeks old or older weighing [5 to-] 10.9][11 to-] 22.9][23 to-] 44.9][45 to-] 88.9][89 to-] 132] lbs
- EFFITIX® Topical Solution for Dogs is indicated for the prevention and control of fleas on dogs and puppies 8 weeks of old or older weighing [5 to-] 10.9][11 to-] 22.9][23 to-] 44.9][45 to-] 88.9][89 to-] 132] lbs

- One application prevents further flea infestations for up to [12 weeks] [three months]. Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis [(FAD)], or if reinfestation is likely.
- Monthly treatment [all year] is recommended for control and prevention of fleas
- Provides ongoing protection against fleas and the following diseases [bartonellosis],[tularemia] [and] [tapeworm] [infestations] they may transmit for one month
- Stops existing flea infestations by rapidly killing adult fleas
- Kills fleas before they lay eggs
- Prevents [Stops] reinfestations by killing adult fleas [before they lay eggs]
- Treatment [with EFFITIX® Topical Solution for Dogs] rapidly kills fleas which may cause flea allergic dermatitis [(FAD)] or flea bite hypersensitivity
- Controls flea problems
- Provides flea protection
- Use flea [prevention] [protection] year-round

Ticks

- **Ticks:** [EFFITIX® Topical Solution for Dogs] [can kill] [Kills] ticks for [up to] [a][one] month.] [Apply monthly where tick control is consistently needed.]
- Kills and repels all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks [that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis and anaplasmosis]
- Kills ticks including Deer ticks [that may transmit Lyme disease], American dog ticks [that may transmit Rocky Mountain Spotted Fever], Brown dog ticks [that may transmit ehrlichiosis], and Lone Star ticks [that may transmit hepatozoonosis] for up to one month [4 weeks]
- Kills ticks including Deer ticks [that may transmit Lyme disease], American dog ticks [that may transmit Rocky Mountain Spotted Fever], and Brown dog ticks [that may transmit ehrlichiosis] for up to one month [4 weeks].
- Kills Brown dog ticks [*Rhipicephalus spp.*], American dog ticks [*Dermacentor variabilis*], Deer ticks [*Ixodes spp.*] and Lone Star ticks [*Amblyomma americanum*] for up to one month [4 weeks].
- Kills Lone Star ticks [*Amblyomma americanum*] for 4 weeks [for up to one month].
- Effective monthly application against ticks
- Kills and repels Deer ticks that may transmit Lyme disease
- Repels and kills ticks

Mosquitoes and biting flies

- Kills [and repels] mosquitoes
- Kills mosquitoes for up to [28 days] [four weeks] [a] [one] [month]
- Repels and inhibits blood-feeding by biting flies and mosquitoes
- **Biting flies and mosquitoes:** When applied monthly, [EFFITIX® Topical Solution for Dogs] [prevents blood-feeding by] [and] [repels] biting flies and mosquitoes for [up to] [4 weeks] [a] [one] [month]
- Repels and kills mosquitoes for [up to] four [4] weeks
- Prevents blood-feeding by mosquitoes
- Repels and prevents [inhibits] blood-feeding by biting flies
- Repels and kills mosquitoes often before they have a chance to take a blood meal
- [Prevents blood-feeding by] [Kills and repels] mosquitoes
- Repels biting flies
- Repels [[annoying][bothersome][nuisance]] biting flies
- Inhibits [[annoying][bothersome][nuisance]] biting flies
- [Prevents][inhibits] blood-feeding by biting flies
- Kills mosquitoes that may transmit heartworm disease
- Repels and kills mosquitos [*Culex spp.*] [*Ochlerotatus spp.*], [*Aedes spp.*] which [that] may vector [transmit] heartworm [*Dirofilaria immitis*] [disease] for one month

Lice and Mites

- **Lice:** [EFFITIX® Topical Solution for Dogs] [can kill] [Kills] [biting] [and] [chewing] lice for [up to] [a] [one] month. Apply monthly where lice control is consistently needed.
- **Mites:** [EFFITIX® Topical Solution for Dogs] aids in [the] control of mite infestations that may cause sarcoptic mange.
- **Mites:** [EFFITIX® Topical Solution for Dogs] aids in [the] control of sarcoptic mites
- [EFFITIX® Topical Solution for Dogs] aids in [the] control of mites that may cause sarcoptic mange.
- [When applied monthly], [EFFITIX® Topical Solution for Dogs] aids in [the] control of sarcoptic mange mite[s] [infestations].
- Aids in [the] control of sarcoptic mange mite infestation[s]
- Kills chewing and biting lice
- [Also] Kills lice and aids in control of mites that may cause sarcoptic mange
- [Also] Kills lice and aids in control of sarcoptic [mange] mites
- Controls existing chewing/biting lice infestations
- Kills [biting] [chewing] lice
- For control and prevention of [biting] [chewing] lice [infestations]
- Stops existing [biting] [chewing] lice infestations
- Prevents and controls [biting] [chewing] lice [infestations]
- Provides effective control of [biting] [chewing] lice [infestations]
- Kills [biting] [chewing] lice and prevents further infestations
- For control and prevention of [infestation][with] [biting] [chewing] lice

Others

- DO NOT USE ON CATS
- For Use on Dogs ONLY

- Use ONLY on dogs
- Easy and convenient application
- Convenient topical treatment for dogs
- Quick onset of activity
- Persistent efficacy through 30 days
- Once monthly application
- Quick-drying, non-greasy
- [Convenient] Easy [to use] [to apply] spot-on [topical] application
- Fragrance [Odor] free
- No noticeable odors
- Single application lasts 4 weeks [one month] [30 days]
- Easy to use applicator makes treatment simple [trouble-free] [smooth]
- Convenient, easy to apply [topical solution]
- Convenient, easy to apply and fragrance free topical solution
- Starts working [on] contact
- Quick-acting, long-lasting.
- [In] child-resistant packaging
- Convenient [to use], easy to apply [topical solution]
- [EFFITIX® Topical Solution for Dogs] remains effective after [bathing], [shampooing], [water immersion], or [sunlight exposure].
- Waterproof [remains effective after [bathing] [and] [swimming] for up to four weeks [a month] [one month]
- Remains effective after exposure to sunlight
- Remains effective even after bathing, water immersion, or exposure to rain or sunlight
- Remains effective even after bathing [and swimming]
- Remains effective after exposure to rain and/or sunlight
- Still works after bathing, swimming or exposure to sunlight
- Maintains residual efficacy after bathing and swimming
- Remains effective after bathing [and swimming] [for a month] [for one month] [for up to four weeks]
- Waterproof
- For dogs that enjoy the outdoors
- For indoor and outdoor dogs
- Convenient topical treatment for dogs who enjoy the outdoors
- Formulated for dogs that love the outdoors
- For dogs that enjoy the outdoors
- Illustration of flea life cycle
- Illustration of tick life cycle
- Illustration of mosquito life cycle
- Illustration of mite life cycle
- Illustration of louse life cycle
- Illustration of flea
- Illustration of tick
- Illustration of mosquito
- Illustration of mite
- Illustration of louse
- Picture or illustration of a dog or puppy in weight range of product as packaged
- Picture or illustration of the Virbac logo
- Picture or illustration of the primary package [applicator]