


2382-189

7/6/2012

1/8

 <p style="text-align: center;">ENVIRONMENTAL PROTECTION AGENCY</p> <p style="text-align: center;">Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave N W Washington D C 20460</p>	<p>EPA Registration No</p> <p style="text-align: center;">2382 189</p>	<p>Date of Issuance</p> <p style="text-align: center;">July 6 2012</p>
<p style="text-align: center;">NOTICE OF PESTICIDE</p> <p style="text-align: center;"><input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p style="text-align: center;">(under the Federal Insecticide Fungicide and Rodenticide Act as amended)</p>	<p>Term of Issuance</p> <p style="text-align: center;">Unconditional</p>	<p>Name of Pesticide Product</p> <p style="text-align: center;">EFFIPRO® PLUS TOPICAL SOLUTION FOR DOGS</p>
<p>Name and Address of Registrant (include ZIP Code)</p> <p>Virbac Animal Health Inc P O Box 162059 Fort Worth TX 76161</p>		
<p>Note Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant the above named pesticide is hereby registered under the Federal Insecticide Fungicide and Rodenticide Act</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency In order to protect health and the environment the Administrator on his motion may at any time suspend or cancel the registration of a pesticide in accordance with the Act The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others</p> <p>This action is taken under the authority of section 3(c)(5) of the Federal Insecticide Fungicide and Rodenticide Act as amended Registration under this section does not eliminate the need for continual reassessment of pesticides EPA may require submission of data at any time to maintain the registration of your product</p> <p style="text-align: center;">Terms of Registration</p> <ol style="list-style-type: none"> EPA has registered the product listed above provided that the following change is made to the label before you release the product for shipment Revise the EPA Registration Number to read EPA Registration No 2382 189 The Net Contents must be displayed in accordance with the description identified in the Labeling Consistency Committee s clarification This information may be located at the following Agency web site under miscellaneous http://www.epa.gov/opp00001/regulating/labels/label_review_faq.htm#miscellaneous Regarding listing net contents Net weight or contents must be stated on a pesticide label in accordance with FIFRA (2)(q)(2)(C)(iii) and 40 CFR 156.10(a)(1)(iii) EPA interpretation of the statutory and regulatory requirements is that the label must state the total weight for the entire contents as sold and distributed In 		
<p>Signature of Approving Official</p> <p style="text-align: center;">Refer to Page 3</p> <p>Richard J Gebken Product Manager (10) Registration Division Insecticide Branch</p>	<p>Date</p> <p style="text-align: center;">July 6 2012</p>	

addition the label may indicate the net weight and quantity of individual units within the carton For example Net Weight 6.25 lbs (20 5oz packets) For additional information regarding the Net Weight/Contents statement please reference Chapter 17 of the Label Review Manual at <http://www.epa.gov/oppfead1/labeling/lrm/chap17.htm>

3 This registration is time limited and expires two years from the date this product is first released for shipment You must provide the Agency with a projected release for shipment date in writing within 30 days of the date of this Notice of Registration The Agency will calculate the expiration date based on the projected release for shipment date until an actual release for shipment date is provided in writing

4 Only one basic confidential statement of formula (CSF) will be on file for this product at any time (i.e. no alternate formulations or minor formulation amendments will be submitted and/or approved for this product except to allow for alternate sources of any individual inert ingredient)

5 You must submit the following data within the timeframe described below Within sixteen (16) months of the date on this Notice of Registration provide to the Agency acceptable data packages for Guideline Studies OPPTS 830 6320 (Corrosion Characteristics) and OPPTS 830 6317 (Storage Stability)

6 You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product for the quarter that begins on August 1 2012 The quarterly reports are due two months after the end of each quarter Please flag any Confidential Business Information (CBI) as such Enhanced incident reporting should be submitted to the Product Manager Quarterly sales information should be submitted to the Registration Division Immediate Office (attn Kimberly Nesci)

The following is a list of information that must be included in the quarterly reports for each incident

- EPA Registration Number
- Product name (brand name)
- Lot#
- Where purchased internet store Veterinarian
- Active Ingredient(s)
- Weight range for product
- Date on which incident occurred (mm/dd/yyyy)
- State in which the incident occurred (standard 2 letter abbreviation)
- Registrant case #
- Species dog cat other (specify)
- Breed (as reported by pet owner)
- Age months or years
- Sex M F or neutered
- Weight pounds
- Primary Route of Exposure dermal oral other animal inhalation other
- Body System neurological dermatological GI respiratory ocular other Major signs noted
- Time to Onset (hours days)
- Treated by veterinarian yes or no
- First time product used yes or no
- Misuse use on incorrect species overdose too frequent dosing other (describe)
- Any known precondition
- EPA Severity Code death major moderate minor
- Outcome died recovered still treated unknown

7 Along with the enhanced incident reporting you must submit an analysis of all incidents seen to include the following details

- a All minor dermal and ocular irritation reports
- b Summary table for dogs showing number of incidents of each severity code for each route of exposure Each incident should only be reported once If one incident has several routes of exposure the order should be ocular > oral > dermal In other words an incident with both oral and dermal exposure would be reported as oral exposure and an incident with both ocular and oral exposure would be reported as ocular exposure
- c A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure
- d Summary table for dogs and table for cats showing number of incidents that are believed due to

secondary exposure (e.g. multi pet households)

e A summary table for dogs showing number of incidents for each severity code for these age ranges <3 months 3 6 months 6 9 months 9 12 months 1 yr 2 yr 3 yr 4 yr 5 yr 6 yr 7 yr 8 yr 9 yr 10 yr 11 yr 12 yr 13 yr 14 yr 15 yr >15 yr

f A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label

g A summary table for dog weight showing number of incidents for each product weight range This table should show number of incidents in dogs weighing less than that product weight range number of incidents in dogs in lower half of weight range number of incidents in dogs in upper half of weight range and dogs weighing more than the product weight range

h Table showing number of incidents for each dog breed

i Table showing number of incidents in dogs for each clinical sign

j Table showing number of incidents in dogs for each organ system

k Report aggregate incidents but do not combine moderate and minor incidents

8 If EPA determines that future mitigation measures are necessary for all pet spot on products the Agency will inform all registrants concerned If mitigation measures are necessary EPA may take regulatory action


9 Virbac Inc should adequately address all of the mitigation actions identified in the Agency's *Generic Pet Spot On Mitigation Plan* available at the following internet site http://www.epa.gov/pesticides/health/spot_on_meetings.html

You must submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data and submit acceptable responses required for registration review of your product under FIFRA

Two copies of the finished labeling must be submitted prior to releasing the product for shipment If you fail to comply with all of the **Terms of Registration** stated above the registration will be subject to cancellation in accordance with FIFRA sec 6(e) and/or automatically expire Your release for shipment of the product constitutes your acceptance of these conditions

A copy of your label stamped Accepted with Comments is enclosed for your records If you have any questions concerning this action please contact me Richard J Gebken at (703) 305 6701 or gebken richard@epa.gov

Sincerely



Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505C)

Enclosure

4/8

{Master Label}
Virbac's Master Label
 Date December 14 2011 Version US 8 EPA Reg No 2382 XXX
 Fipronil + Pyriproxyfen Topical Solution for Dogs

Virbac

EFFIPRO[®] PLUS TOPICAL SOLUTION FOR DOGS

FOR USE ONLY ON DOGS AND PUPPIES 8 WEEKS OLD OR OLDER (WEIGHING)(UP TO 22 9 LBS [WEIGHING] 23 TO 44 9 LBS [WEIGHING] 45 TO 88 9 LBS [WEIGHING] 89 TO 132 lbs)

ACTIVE INGREDIENTS	
Fipronil	97 /
Pyriproxyfen	29 /
OTHER INGREDIENTS	
	87 4 /
TOTAL	100 0 /

KEEP OUT OF REACH OF CHILDREN
CAUTION
 READ ENTIRE LABEL BEFORE EACH USE

ACCEPTED
with COMMENTS
In EPA Letter Dated

July 6 2012
 Under the Federal Insecticide Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg No 2382 189

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

Harmful if swallowed or absorbed through the skin Causes moderate eye irritation Avoid contact with skin eyes or clothing Wash hands thoroughly with soap and water after handling and before eating drinking chewing gum using tobacco or using the toilet

HAZARDS TO DOMESTIC ANIMALS

For external use only Do not use on puppies under 8 weeks of age Sensitivities may occur after using ANY pesticide product for pets If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water If signs continue consult a veterinarian immediately Possible temporary irritation may occur at the site where EFFIPRO[®] PLUS Topical Solution for Dogs was applied Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application If an unusual reaction is observed following initial application a veterinarian should be consulted before repeating application Certain medications can interact with pesticides

FIRST AID	
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice
IF ON SKIN OR CLOTHING	Take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes Call a poison control center or doctor for treatment advice

5/8

Have product container or label with you when calling a poison control center or doctor or going for treatment
You may also contact the Hotline number 1 800 338 3659 for human and veterinary health concerns emergency
medical treatment information or pesticide incidents


DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling Do not allow children to apply product TO PREVENT HARM TO YOU AND YOUR DOG READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY USE ON DOGS ONLY DO NOT USE ON CATS KITTENS OR RABBITS DO NOT USE ON OTHER ANIMALS

For killing fleas flea eggs flea larvae all stages of **Brown dog ticks American dog ticks Lone Star ticks** and **Deer ticks** (that may [which may] transmit [carry] Lyme disease) mosquitoes and chewing lice apply to **DOGS** or **PUPPIES** (8 weeks old or older) as follows

APPLICATION DIRECTIONS

- 1 Remove one applicator from packaging
Hold applicator upright and remove cap
- 2 Invert cap and place other end back onto applicator tip
Push cap down to break seal
Remove cap prior to treatment application
- 3 Part dog's hair between shoulder blades until skin is visible
Place applicator tip directly against exposed skin
- 3a **For small dogs (12 weeks old or older) and weighing up to 22.9 lbs** Deposit entire contents by squeezing the entire applicator contents onto dog's skin at a single site between the shoulder blades as shown in diagram 3a
- 3b **For medium dogs 23.44-9 lbs or large dogs 45.88-9 lbs** Apply the product evenly to three spots on the dog's back starting between the shoulder blades and continuing on to the second and third spots as shown in diagram 3b squeezing the applicator until empty
- 3c **For extra large dogs 89-132 lbs** Apply the product evenly to four spots on the dog's back starting between the shoulder blades and continuing on to the second third and fourth spots as shown in diagram 3c squeezing the applicator until empty Ensure that EFFIPRO® PLUS Topical Solution for Dogs is not applied superficially on dog's hair



FREQUENCY OF APPLICATION

Research has shown that flea tick and chewing lice infestations can be controlled with monthly applications of EFFIPRO® PLUS Topical Solution for Dogs

Fleas EFFIPRO® PLUS Topical Solution for Dogs can kill adult fleas for up to three months Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis (FAD) or if reinfestation is likely EFFIPRO® PLUS Topical Solution for Dogs can control flea eggs for up to three months (90 days)

Ticks EFFIPRO® PLUS Topical Solution for Dogs can kill ticks for a month or longer Apply monthly where tick control is consistently needed

Chewing Lice EFFIPRO® PLUS Topical Solution for Dogs can kill chewing lice for a month or longer Apply monthly where chewing lice control is consistently needed

Mosquitoes When applied monthly EFFIPRO® PLUS Topical Solution for Dogs can kill mosquitoes within 24 hours (for up to 7 days) and within 48 hours (for up to 28 days)

Notes Wait at least 30 days before re application of EFFIPRO PLUS Topical Solution for Dogs Avoid contact with treated area until dry

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage and disposal

STORAGE Store unused product in original container only out of reach of children and animals

PESTICIDE/CONTAINER DISPOSAL If empty Nonrefillable container Do not reuse or refill this container Offer for recycling if available If partially filled Call your local solid waste agency for disposal instructions Never place unused product down any indoor or outdoor drain

LIMITED WARRANTY AND DISCLAIMER

To the extent consistent with applicable law buyer assumes all risks of use storage or handling of this product not in accordance with directions Buyer and user assume all risks of use and handling of this material when such use and handling are contrary to label instructions To the extent consistent with applicable law any damage arising from a breach of this

warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values

How supplied For easy and convenient application EFFIPRO PLUS Topical Solution for Dogs is available in sizes for small dogs and puppies 8 weeks old or older and up to 22.9 lbs (0.023 fl oz)/(0.67 mL) medium dogs 23.44-9 lbs (0.045 fl oz)/(1.34 mL) large dogs 45.88-9 lbs (0.091 fl oz)/(2.68 mL) and extra large dogs 89.132 lbs (0.136 fl oz)/(4.02 mL)

Net Contents

1, 3, 6 or 36 single dose applicator(s) per package Each applicator contains 0.023 fl oz (0.67 mL) 0.045 fl oz (1.34 mL) 0.091 fl oz (2.68 mL) or 0.136 fl oz (4.02 mL) (of solution)

(Detachable) calendar (monthly application) reminder stickers (with illustration of dog or puppy)

EPA Reg No 2382 xxx
EPA Est No 2382 xxxx

VIRBAC AH INC
PO BOX 162059
FORT WORTH TX 76161
1 800 338 3659

Made in France
EFFIPRO is a registered trademark of Virbac S A in the United States
Questions or comments?
Call 1 800 338 3659

{Text for Front Panel, Back Panel and Side Panel}

See package insert(s) for directions for use and frequency of application
Open resealable label for directions for use
Open resealable label for directions for use and storage and disposal
See back panel for additional precautionary statements
See package insert(s) for frequency of application
See enclosed insert(s) for directions for use and storage and disposal
See enclosed insert(s) for directions for use

Photograph of dog or puppy

Lift here to open (LIFT HERE TO OPEN)
For Use on Dogs only
Use only on dogs

{Text for Foil of Blister package}

Virbac
EFFIPRO® PLUS Topical Solution for Dogs
Only for use (on dogs up to 22.9 lbs on dogs 23.44-9 lbs on dogs 45.88-9 lbs on dogs 89.132 lbs) / (0.023 fl oz [0.67 mL] 0.045 fl oz [1.34 mL] 0.091 fl oz [2.68 mL] 0.136 fl oz [4.02 mL])
Contains fipronil (9.7%) and pyriproxyfen (2.9%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
See full label for additional directions
EPA Reg No 2382 xxx

{Text for Applicator Tube}

Virbac
EFFIPRO PLUS
Topical Solution for Dogs
Only for use on dogs
up to 22.9 lbs (23-44.9 lbs 45.88-9 lbs 89.132 lbs)
0.023 fl oz [0.67 mL] (0.045 fl oz [1.34 mL] 0.091 fl oz [2.68 mL] 0.136 fl oz [4.02 mL])
Contains fipronil (9.7%) and pyriproxyfen (2.9%)
KEEP OUT OF REACH OF CHILDREN
CAUTION
See full label for additional directions
EPA Reg No 2382 xxx

7/8

MARKETING CLAIMS

[Multiple infestations]

For convenient quick acting long lasting effective control of fleas ticks mosquitoes and chewing lice
For convenient quick acting long lasting effective control of fleas flea eggs flea larvae ticks mosquitoes and chewing lice

EFFIPRO[®] PLUS Topical Solution for Dogs contains the active ingredient fipronil which controls infestations caused by fleas ticks mosquitoes and chewing lice (on dogs) (DOGS or PUPPIES) (8 weeks old or older) (weighing up to 22.9 lbs weighing 23 to 44.9 lbs weighing 45 to 88.9 lbs weighing 89 to 132 lbs)

EFFIPRO[®] PLUS Topical Solution for Dogs contains the active ingredient pyriproxyfen which controls reinfestations caused by fleas eggs and flea larvae (on dogs) (DOGS or PUPPIES) (8 weeks old or older) (weighing up to 22.9 lbs weighing 23 to 44.9 lbs weighing 45 to 88.9 lbs weighing 89 to 132 lbs)

For easy and convenient application EFFIPRO PLUS Topical Solution for Dogs is available in sizes for small dogs and puppies 8 weeks old or older and up to 22.9 lbs (0.023 fl oz) (0.67 mL) medium dogs 23-44.9 lbs (0.045 fl oz) (1.34 mL) large dogs 45-88.9 lbs (0.091 fl oz) (2.68 mL) and extra large dogs 89-132 lbs (0.136 fl oz) (4.02 mL)

For killing fleas (flea eggs flea larvae) all stages of **Brown dog ticks American dog ticks Lone Star ticks and Deer ticks** (that [which] may transmit [carry] Lyme disease) mosquitoes and chewing lice apply to DOGS or PUPPIES (8 weeks old or older) as follows (followed by application directions)

Persistent flea and tick efficacy for up to one month (4 weeks)

Prevents flea and tick (re)infestation for up to one month (4 weeks)

Kills fleas and ticks for up to one month (4 weeks)

Apply monthly for control and prevention of fleas and ticks

Kills fleas and ticks that may transmit Lyme disease Rocky Mountain Spotted Fever babesiosis ehrlichiosis bartonellosis (and hepatozoonosis)

Kills fleas (flea eggs flea larvae) ticks mosquitoes and chewing lice

Kills fleas (flea eggs flea larvae) ticks mosquitoes and lice

Effective monthly control of fleas and ticks

Effective monthly application for fleas and ticks

Effective monthly application for dogs against fleas and ticks

Single application kills fleas and ticks

Single application lasts 4 weeks (one month)

Research has shown that flea tick and chewing lice infestations can be completely controlled with monthly applications of EFFIPRO[®] PLUS Topical Solution for Dogs

Fleas EFFIPRO PLUS Topical Solution for Dogs can kill adult fleas flea eggs and flea larvae for up to three months Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis (FAD) or if reinfestation is likely

Ticks EFFIPRO PLUS Topical Solution for Dogs can kill ticks for a month or longer Apply monthly where tick control is consistently needed

Chewing Lice EFFIPRO PLUS Topical Solution for Dogs can kill chewing lice for a month or longer Apply monthly where chewing lice control is consistently needed

Mosquitoes When applied monthly EFFIPRO PLUS Topical Solution for Dogs can kill mosquitoes within 24 hours (for up to 7 days) and within 48 hours (for up to 28 days)

[Fleas]

Kills newly emerged adult fleas prior to egg laying

Kills fleas flea eggs and flea larvae

Sterilizes and kills (adult) fleas

Prevents all flea stages (adult fleas flea eggs flea pupae and flea larvae)

Prevents development of all flea stages (flea eggs flea pupae and flea larvae) for up to (3 months) (90 days)

With pyriproxyfen (IGR) to break flea life cycle
insect growth regulator

Dual Action(!) fipronil and pyriproxyfen (IGR) effectively breaks the flea life cycle

Kills fleas that may transmit bartonellosis

Kills fleas that may transmit (bartonellosis) (tularemia) (and) (tapeworm)

Kills fleas that may transmit (bartonellosis) (tularemia) (and) (tapeworm infestations)

Kills fleas that may cause Flea Allergy Dermatitis (FAD) or flea bite anemia

Effective monthly application against fleas

Effective monthly control of fleas

Kills adult fleas for up to one month (4 weeks)

Kills fleas

Easy to apply control of (for) fleas that lasts 1 month (4 weeks)

Easy to apply flea control that lasts up to 1 (one) month (4 weeks)

EFFIPRO PLUS Topical Solution for Dogs kills fleas on your dog

Kills adult fleas which may cause Flea Allergy Dermatitis (FAD)

Kills fleas which (that) may cause flea bite anemia

Fleas do not have to bite to die

EFFIPRO PLUS Topical Solution for Dogs rapidly kills fleas that may cause FAD (Flea Allergy Dermatitis)

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as Flea Allergy Dermatitis (FAD)

Prevents flea eggs from hatching or developing into larvae or adult stages (for up to 90 days (3 months))

8/8

[Ticks]

Kills all stages of Brown dog ticks American dog ticks Lone Star ticks and Deer ticks (including those that may transmit Lyme disease Rocky Mountain Spotted Fever babesiosis ehrlichiosis and anaplasmosis)
 Kills ticks including Deer ticks (that may transmit Lyme disease) American dog ticks (that may transmit Rocky Mountain Spotted Fever) Brown dog ticks (that may transmit ehrlichiosis) and Lone Star ticks (that may transmit hepatoozoonosis) for up to one month (4 weeks)
 Kills ticks including Deer ticks (that may transmit Lyme disease) American dog ticks (that may transmit Rocky Mountain Spotted Fever) and Brown dog ticks (that may transmit ehrlichiosis) for up to one month (4 weeks)
 Kills Brown dog ticks (*Rhipicephalus* spp) American dog ticks (*Dermacentor variabilis*) Deer ticks (*Ixodes* spp) and Lone Star ticks (*Amblyomma americanum*) for up to one month (4 weeks)
 Kills (Lone Star ticks) (*Amblyomma americanum*) for 4 weeks (for up to one month)
 Effective monthly application against ticks

[Mosquitoes]

Kills mosquitoes
 Kills mosquitoes for up to 28 days

[All others]

EFFIPRO PLUS Topical Solution for Dogs aids in (the) control of sarcoptic mange mite infestations
 Aids in (the) control of sarcoptic mange mite infestations
 Elimination of sarcoptic mange mites may require multiple monthly applications
 Chewing lice infestations are rapidly eliminated
 May be used on puppies from 8 weeks of age
 Only for dogs and puppies 8 weeks old or older (weighing up to 22.9 lbs 23 to 44.9 lbs weighing 45 to 88.9 lbs weighing 89 to 132 lbs)
 Easy spot on (topical) application
 Convenient topical application for dogs
 Easy to apply spot on (topical) application
 Quick drying non greasy
 Convenient easy to apply
 Easy and convenient application (applications)
 Convenient to use (easy to apply)
 Once monthly application
 Single application lasts up to 4 weeks (1 month) (one month)
 1 (3 6 or 36) applicator(s) [tube(s)] 0.023 fl oz (0.67 mL)
 1 (3 6 or 36) applicator(s) [tube(s)] 0.045 fl oz (1.34 mL)
 1 (3 6 or 36) applicator(s) [tube(s)] 0.091 fl oz (2.68 mL)
 1 (3 6 or 36) applicator(s) [tube(s)] 0.136 fl oz (4.02 mL)
 1 (3 6 36) month(ly) dose(s) (applications)
 1 (3 6 or 36) applicator(s) [tube(s)] (each) containing 0.023 fl oz (0.67 mL)
 1 (3 6 or 36) applicator(s) [tube(s)] (each) containing 0.045 fl oz (1.34 mL)
 1 (3 6 or 36) applicator(s) [tube(s)] (each) containing 0.091 fl oz (2.68 mL)
 1 (3 6 or 36) applicator(s) [tube(s)] (each) containing 0.136 fl oz (4.02 mL)
 1 applicator (tube) 1 month(ly) dose
 3 applicators (tubes) 3 monthly doses (applications)
 6 applicators (tubes) 6 monthly doses (applications)
 36 applicators (tubes) 36 monthly doses (applications)
 1 (3 6 36) applicator(s) containing 0.023 fl oz [0.67 mL] (0.045 fl oz [1.34 mL] 0.091 fl oz [2.68 mL] 0.136 fl oz [4.02 mL])
 Available from veterinarians
 Remains effective after exposure to sunlight
 Remains effective after bathing and swimming
 Remains effective even after bathing water immersion or exposure to rain or sunlight
 Remains effective even after bathing
 Remains effective after exposure to rain and sunlight
 Still works after bathing swimming or exposure to sunlight
 Still works after exposure to sunlight
 Maintains residual efficacy after bathing and swimming
 EFFIPRO PLUS Topical Solution for Dogs is effective after bathing shampooing water immersion or sunlight exposure
 Waterproof (remains effective after bathing and swimming)