



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 3, 2015

Michelle Foster
Research & Development/North America
Virbac AH, Inc.
3200 Meacham Boulevard
Fort Worth, TX 76137

Subject: Label Amendment – agency initiated action to add spot on mitigation label language
Product Name: Effipro Plus Topical Solution for Dogs
EPA Registration Number: 2382-189
Application Date: 5/21/2014
Decision Number: 491712

Dear Ms. Foster:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2
EPA Reg. No. 2382-189
Decision No. 491712

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Autumn Metzger at 703-305-5314, or via at metzger.autumn@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Kable Bo Davis', enclosed within a hand-drawn oval.

Kable Bo Davis, Product Manager 3
Invertebrate and Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

Virbac AH, Inc. Master Label

EPA Reg. No. 2382-189
 March 18, 2015
 Optional Text Appears In Brackets

Supersedes Pending Label 3/2/14
 Page 1 of 6

FRONT PANEL

EFFIPRO[®] Plus Topical Solution for Dogs

(Note: font size of Dogs will be 40% of the size of the largest letter in the brand name on the front panel)


FOR USE ONLY ON DOGS OR PUPPIES 8 WEEKS OF AGE OR OLDER WEIGHING (5 TO 22.9 LBS, WEIGHING 23 TO 44.9 LBS, WEIGHING 45 TO 88.9 LBS, WEIGHING 89 TO 132 LBS)

ACTIVE INGREDIENTS

Fipronil9.7%
 Pyriproxyfen.....2.9%

OTHER INGREDIENTS 87.4%

TOTAL 100.0%



**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

Large, clear picture of appropriate species of dog

Symbol on Front Panel (lower right hand corner)
 (Note: Do not use on cats pictogram will be 1.5 x 1.5 cm)



[Net Contents:] 1, 3, 6 or 36 [single-dose applicator(s)] [application(s)] [per package]. [Each applicator] [contains] 0.023 fl oz (0.67 mL), 0.045 fl oz (1.34 mL), 0.091 fl oz (2.68 mL), or 0.136 fl oz (4.02 mL) [of solution].

BACK PANEL

READ ENTIRE LABEL BEFORE EACH USE

INSERT (single presentation size)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs ONLY. Do not use on dogs or puppies less than 8 weeks of age, weighing less than 5 lbs. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Possible temporary irritation may occur at the site where EFFIPRO[®] Plus Topical Solution for Dogs was applied. Contact a veterinarian immediately if signs become persistent or become more severe during the first few days following application. If an unusual reaction is observed following initial application, a veterinarian should be consulted before repeating application. Certain medications can interact with pesticides.

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
Have product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including human and veterinary health concerns, medical emergencies or pesticide incidents), you may call 1-800-345-4735, twenty-four (24) hours per day, seven (7) days per week.	

Virbac AH, Inc. Master Label

EPA Reg. No. 2382-189
March 18, 2015
Optional Text Appears In Brackets

Supersedes Pending Label 3/2/14
Page 2 of 6

BACK PANEL (lower right hand corner)

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or contact Virbac at 1-800-338-3659.



Note: Do not use on cats pictogram will be 1.5 x 1.5 cm (Must be yellow box with black text)
DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.

SEE PACKAGE INSERT FOR PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

INSERT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.
FOR EXTERNAL USE ON DOGS AND PUPPIES ONLY. For use ONLY on DOGS and PUPPIES 8 weeks of age or older, weighing at least 5 lbs. TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Overdosing your dog can result in serious illness. Do not bathe your dog within the first 24 hours after the product has been applied. If your dog is exhibiting signs of and/or is being treated for skin problems, talk to your veterinarian before applying any topical flea and tick control product.

RESTRICTIONS:

Do not use on dogs or puppies less than 8 weeks of age, weighing less than 5 lbs. Do not allow children to apply product. **DO NOT USE ON CATS, KITTENS, OR RABBITS. DO NOT USE ON OTHER ANIMALS.** Do not allow your dog to ingest this product. Do not split tubes between dogs. Do not use multiple tubes on one dog. Do not use two applicators for dogs weighing more than 132 lbs. Do not use on pregnant or lactating dogs. Do not apply more often than once a [per] month [every 30 days]. Do not allow contact with treated area until completely dry.

For killing fleas, flea eggs, flea larvae, all stages of **Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks** [that may] [which may] transmit [carry] Lyme disease], [mosquitoes] and [chewing lice]; apply only to dogs or puppies as follows:

APPLICATION DIRECTIONS

1. Remove one applicator from packaging.
Hold applicator upright and remove cap.
2. Invert cap and place other end back onto applicator tip.
Push cap down to break seal.
Remove cap prior to treatment application.
3. Part dog's hair between shoulder blades until skin is visible.
Place applicator tip directly against exposed skin.
- 3a. **For use only on small dogs 8 weeks of age or older, weighing 5 to 22.9 lbs.-** Deposit entire contents by squeezing the entire applicator contents onto dog's skin, at a single site, between the shoulder blades as shown in diagram 3a.
- 3b. **For use only on medium dogs weighing 23 to 44.9 lbs. or large dogs weighing 45 to 88.9 lbs.-** Apply the product evenly to three spots on the dog's back, starting between the shoulder blades and continuing on to the second and third spots as shown in diagram 3b, squeezing the applicator until empty.
- 3c. **For use only on extra-large dogs weighing 89 to 132 lbs.-** Apply the product evenly to four spots on the dog's back, starting between the shoulder blades and continuing on to the second, third and fourth spots as shown in diagram 3c, squeezing the applicator until empty.

Ensure that EFFIPRO® Plus Topical Solution for Dogs is not applied superficially on dog's hair.



Virbac AH, Inc. Master Label

EPA Reg. No. 2382-189
March 18, 2015
Optional Text Appears In Brackets

Supersedes Pending Label 3/2/14
Page 3 of 6

INSERT

FREQUENCY OF APPLICATION

Research has shown that flea, tick and chewing lice infestations can be controlled with monthly applications of EFFIPRO® Plus Topical Solution for Dogs.

Fleas: Kills adult fleas for up to three months. Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis (FAD), or if reinfestation is likely. Controls flea eggs for up to [three months] [12 weeks] [90 days].

Ticks: Kills ticks for up to a month. Apply monthly where tick control is consistently needed.

Chewing Lice: Kills chewing lice for up to a month. Apply monthly where chewing lice control is consistently needed.

Mosquitoes: When applied monthly, kills mosquitoes within 24 hours (for up to 7 days) and within 48 hours (for up to 28 days).

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[LIMITED WARRANTY AND DISCLAIMER]

[To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this product not in accordance with directions. Buyer and user assume all risks of use and handling of this material when such use and handling are contrary to label instructions. To the extent consistent with applicable law, any damage arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.]

How supplied: For easy and convenient application, EFFIPRO® Plus Topical Solution for Dogs is available in sizes for small dogs and puppies 8 weeks of age or older, weighing 5 to 22.9 lbs. (0.023 fl oz)/(0.67 mL), medium dogs weighing 23 to 44.9 lbs. (0.045 fl oz)/(1.34 mL), large dogs weighing 45 to 88.9 lbs. (0.091 fl oz)/(2.68 mL), and extra-large dogs weighing 89 to 132 lbs. (0.136 fl oz)/(4.02 mL).

BACK PANEL

EPA Reg. No. 2382-189
EPA Est. No. 2382-FRA-1

Virbac AH, Inc.
PO BOX 162059
FORT WORTH, TX 76161
1-800-338-3659

Made in France

EFFIPRO® is a registered trademark of Virbac S.A. in the United States

Questions or comments? Call: 1-800-338-3659

[Front Panel, Back Panel or Side Panel]

See package insert(s) for [additional] precautionary statements [and directions for use]

See back panel for additional precautionary statements

See package insert(s) for frequency of application

See enclosed insert(s) for [additional] precautionary statements [and directions for use]

See enclosed insert(s) for directions for use

Lift here to open (LIFT HERE TO OPEN)

For Use on Dogs only

Use only on dogs and puppies

Foil of Blister package

Virbac logo

EFFIPRO® Plus Topical Solution for Dogs

Only for use on dogs and puppies 8 weeks of age or older weighing

5 to 22.9 lbs, (23-44.9 lbs, 45-88.9 lbs, 89-132 lbs)

0.023 fl oz [0.67 mL], 0.045 fl oz [1.34 mL], 0.091 fl oz [2.68 mL], 0.136 fl oz [4.02 mL]

Contains fipronil (9.7%) and pyriproxyfen (2.9%)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See label for Precautionary Statements and Directions for Use

EPA Reg. No. 2382-189

DO NOT USE ON CATS

CAT PROHIBITION ICON

Virbac AH, Inc. Master Label

EPA Reg. No. 2382-189
March 18, 2015
Optional Text Appears In Brackets

Supersedes Pending Label 3/2/14
Page 4 of 6

Applicator Tube

Virbac logo

EFFIPRO® Plus Topical Solution for Dogs

Only for use on dogs and puppies 8 weeks of age or older weighing

5 to 22.9 lbs (23-44.9 lbs, 45-88.9 lbs, 89-132 lbs)

0.023 fl oz [0.67 mL], 0.045 fl oz [1.34 mL], 0.091 fl oz [2.68 mL], 0.136 fl oz [4.02 mL]

Contains fipronil (9.7%) and pyriproxyfen (2.9%)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See label for Precautionary Statements and Directions for Use

EPA Reg. No. 2382-189

DO NOT USE ON CATS

CAT PROHIBITION ICON

MARKETING CLAIMS

[Multiple infestations]

- For [convenient], [quick-acting], [long-lasting], [effective] control of [fleas], [ticks], [mosquitoes] and [chewing lice].
- For [convenient], [quick-acting], [long-lasting], [effective] control of [fleas], [flea eggs], [flea larvae], [ticks], [mosquitoes] and [chewing lice].
- EFFIPRO® Plus Topical Solution for Dogs contains the active ingredient fipronil, which controls infestations caused by [fleas], [ticks], [mosquitoes] and [chewing lice] [on dogs] [dogs or puppies] [8 weeks old or older] [weighing 5 to 22.9 lbs, weighing 23 to 44.9 lbs, weighing 45 to 88.9 lbs, weighing 89 to 132 lbs].
- EFFIPRO® Plus Topical Solution for Dogs contains the active ingredient pyriproxyfen, which controls [re]infestations caused by fleas eggs and flea larvae [on dogs] [dogs or puppies] [8 weeks old or older] [weighing 5 to 22.9 lbs, weighing 23 to 44.9 lbs, weighing 45 to 88.9 lbs, weighing 89 to 132 lbs].
- For [easy] and [convenient] application, EFFIPRO® Plus Topical Solution for Dogs is available in sizes for small dogs or puppies 8 weeks old or older and 5 to 22.9 lbs (0.023 fl oz) (0.67 mL), medium dogs 23-44.9 lbs (0.045 fl oz) (1.34 mL), large dogs 45-88.9 lbs (0.091 fl oz) (2.68 mL), and extra-large dogs 89-132 lbs (0.136 fl oz) (4.02 mL).
- For killing fleas, [flea eggs, flea larvae], all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks [that [which] may transmit [carry] Lyme disease], mosquitoes and chewing lice; apply to dogs or puppies [8 weeks old or older] as follows: (followed by application directions).
- Persistent flea and tick efficacy for up to [one month] [4 weeks] on dogs and puppies
- Prevents flea and tick [re-]infestation for up to [one month] [4 weeks] on dogs and puppies
- Kills fleas and ticks for up to [one month] [4 weeks] on dogs and puppies
- Apply monthly for control and prevention of fleas and ticks on dogs and puppies
- Kills fleas and ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis, bartonellosis [and hepatozoonosis].
- Kills fleas, [flea eggs, flea larvae], [ticks], [mosquitoes] and [chewing lice]
- Kills fleas, [flea eggs, flea larvae], [ticks], [mosquitoes] and [lice]
- Effective monthly control of fleas and ticks on dogs and puppies
- Effective monthly application for fleas and ticks on dogs and puppies
- Effective monthly application for dogs against fleas and ticks on dogs and puppies
- Single application kills fleas and ticks
- Single application lasts [4 weeks] [one month] on dogs and puppies
- Research has shown that flea, tick and chewing lice infestations can be controlled on dogs and puppies with monthly applications [of EFFIPRO® Plus Topical Solution for Dogs].
Fleas: [EFFIPRO® Plus Topical Solution for Dogs can kill] [Kills] adult fleas, flea eggs and flea larvae for up to [three months] [90 days] [3 months] [12 weeks] on dogs and puppies. Apply monthly if your dog has fleas that may cause Flea Allergy Dermatitis (FAD), or if reinfestation is likely.
Ticks: [EFFIPRO® Plus Topical Solution for Dogs can kill] [Kills] ticks for up to a month on dogs and puppies. Apply monthly where tick control is consistently needed.
Chewing Lice: [EFFIPRO® Plus Topical Solution for Dogs can kill] [Kills] chewing lice for up to a month on dogs and puppies. Apply monthly where chewing lice control is consistently needed.
Mosquitoes: When applied monthly, [EFFIPRO® Plus Topical Solution for Dogs] [can kill] [Kills] mosquitoes within 24 hours (for up to 7 days) and within 48 hours (for up to 28 days) on dogs and puppies.

[Fleas]

- Kills newly emerged adult fleas prior to egg laying
- Kills fleas, flea eggs and flea larvae
- Sterilizes and kills [adult] fleas on dogs and puppies
- Prevents all flea stages [adult fleas, flea eggs, flea pupae and flea larvae] on dogs and puppies
- Prevents development of all flea stages [flea eggs, flea pupae and flea larvae] for up to [3 months] [90 days] on dogs and puppies
- With pyriproxyfen [IGR*] to break flea life cycle [* insect growth regulator]
- Dual Action[!]: fipronil and pyriproxyfen [IGR] effectively breaks the flea life cycle
- Kills fleas that may transmit bartonellosis
- Kills fleas that may transmit [bartonellosis], [tularemia] [and] [tapeworm]
- Kills fleas that may transmit [bartonellosis], [tularemia] [and] [tapeworm infestations].
- Kills fleas that may cause Flea Allergy Dermatitis (FAD) or flea-bite anemia

Virbac AH, Inc. Master Label

EPA Reg. No. 2382-189

March 18, 2015

Optional Text Appears In Brackets

Supersedes Pending Label 3/2/14

Page 5 of 6

- Effective monthly application against fleas on dogs and puppies
- Effective monthly control of fleas on dogs and puppies
- Kills adult fleas for up to one month [4 weeks] on dogs and puppies
- Kills fleas
- Easy to apply, control of [for] fleas that lasts [1 month] [4 weeks] on dogs and puppies
- Easy to apply, flea control that lasts up to [1] [one] [month] [4 weeks] on dogs and puppies
- EFFIPRO® Plus Topical Solution for Dogs kills fleas on your dog
- Kills adult fleas which may cause Flea Allergy Dermatitis (FAD)
- Kills fleas which [that] may cause flea-bite anemia
- Fleas do not have to bite to die
- EFFIPRO® Plus Topical Solution for Dogs rapidly kills fleas that may cause FAD (Flea Allergy Dermatitis)
- The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as Flea Allergy Dermatitis (FAD)
- Prevents flea eggs from hatching or developing into larvae or adult stages [for up to] [90 days] [12 weeks] [3 months] on dogs and puppies
- For the control and prevention of flea, flea egg, flea pupae, flea larvae, [and lice] infestations
- Effective against all states of the flea life cycle
- Kills adult fleas, flea eggs, and flea larvae for up to [three months] [12 weeks], however, if your dog is susceptible to Flea Allergy Dermatitis (FAD) it is recommended to use monthly
- Kills fleas, flea eggs, and flea larvae
- One application prevents further flea infestations for up to [12 weeks] [three months]. Apply monthly if your dog has fleas that may cause flea allergy dermatitis (FAD), or if reinfestation is likely.
- Stops existing flea infestations by killing adult fleas, flea eggs, and flea larvae

[Ticks]

- Kills all stages of Brown dog ticks, American dog ticks, Lone Star ticks, and Deer ticks [including those that may transmit Lyme disease, Rocky Mountain Spotted Fever, babesiosis, ehrlichiosis and anaplasmosis]
- Kills ticks including Deer ticks [that may transmit Lyme disease], American dog ticks [that may transmit Rocky Mountain Spotted Fever], Brown dog ticks [that may transmit ehrlichiosis], and Lone Star ticks [that may transmit hepatozoonosis] for up to [one month] [4 weeks] on dogs and puppies.
- Kills ticks including Deer ticks [that may transmit Lyme disease], American dog ticks [that may transmit Rocky Mountain Spotted Fever], and Brown dog ticks [that may transmit ehrlichiosis] for up to [one month] [4 weeks] on dogs and puppies.
- Kills Brown dog ticks [*Rhipicephalus* spp], American dog ticks [*Dermacentor variabilis*], Deer ticks [*Ixodes* spp] and Lone Star ticks [*Amblyomma americanum*] for up to [one month] [4 weeks].
- Kills (Lone Star ticks)[*Amblyomma americanum*] for up to [4 weeks] [[one month] on dogs and puppies.
- Effective monthly application against ticks on dogs and puppies.

[Mosquitoes]

- Kills mosquitoes
- Kills mosquitoes for up to 28 days

[All others]

- EFFIPRO® Plus Topical Solution for Dogs aids in [the] control of sarcoptic mange mite infestations.
- Aids in [the] control of sarcoptic mange mite infestations
- Elimination of sarcoptic mange mites may require multiple monthly applications.
- Chewing lice infestations are rapidly eliminated
- May be used on puppies from 8 weeks of age, weighing at least 5 lbs.
- Only for dogs and puppies 8 weeks old or older [weighing 5 to 22.9 lbs, 23 to 44.9 lbs, weighing 45 to 88.9 lbs, weighing 89 to 132 lbs]
- Easy, spot-on [topical] application
- Convenient topical application for dogs
- Easy to apply spot-on [topical] application
- [Quick drying], [non-greasy]
- [Convenient], [easy to apply]
- Easy and convenient application [applications]
- Convenient to use [easy to apply]
- Once monthly application
- Single application lasts up to [4 weeks] [1 month] [one month]
- 1 (3, 6 or 36) applicator(s) [tube(s)] 0.023 fl oz (0.67 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] 0.045 fl oz (1.34 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] 0.091 fl oz (2.68 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] 0.136 fl oz (4.02 mL)
- 1 (3, 6, 36) month(ly) dose(s) [applications]
- 1 (3, 6 or 36) applicator(s) [tube(s)] (each) containing 0.023 fl oz (0.67 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] (each) containing 0.045 fl oz (1.34 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] (each) containing 0.091 fl oz (2.68 mL)
- 1 (3, 6 or 36) applicator(s) [tube(s)] (each) containing 0.136 fl oz (4.02 mL)
- 1 applicator [tube] 1 month(ly) dose
- 3 applicator(s) [tubes] 3 monthly doses [applications]
- 6 applicator(s) [tubes] 6 monthly doses [applications]

Virbac AH, Inc. Master Label

EPA Reg. No. 2382-189

March 18, 2015

Optional Text Appears In Brackets

Supersedes Pending Label 3/2/14

Page 6 of 6

- 36 applicator(s) [tubes] 36 monthly doses [applications]
- 1 (3, 6, 36) applicator(s) containing 0.023 fl oz [0.67 mL], 0.045 fl oz [1.34 mL], 0.091 fl oz [2.68 mL], 0.136 fl oz [4.02 mL]
- Available from veterinarians
- Remains effective after exposure to sunlight
- Remains effective after bathing and swimming
- Remains effective even after bathing, water immersion or exposure to rain or sunlight
- Remains effective even after bathing
- Remains effective after exposure to rain and sunlight
- Still works after bathing, swimming or exposure to sunlight
- Still works after exposure to sunlight
- Maintains residual efficacy after bathing and swimming
- EFFIPRO® Plus Topical Solution for Dogs is effective after bathing, shampooing, water immersion, or sunlight exposure.
- Waterproof [remains effective after bathing and swimming]
- [Detachable] calendar [monthly application] reminder stickers [with illustration of dog or puppy]
- Illustration of flea life cycle
- Illustration of tick life cycle
- Illustration of mosquito life cycle
- Illustration of mite life cycle
- Illustration of louse life cycle
- Illustration of flea
- Illustration of tick
- Illustration of mosquito
- Illustration of mite
- Illustration of louse
- Picture or illustration of a dog or puppy
- Picture or illustration of the Virbac logo
- Picture or illustration of the primary package applicator tubes