NAME OF PESTICIDE PRODUCT Hopkins Warfarin Anticoagulant 0.5% Concentrate 7 5425184 6?5/22 J rom that accepted in connection with this registration must be to use of the labe. in commerce. In any correspondence on this ber. above named pesticide is hereby Registered/Reregistered under gistration/Reregistration is returned herewith. or approval of this product by this Agency. In order to protect
0.5% Concentrate 7 5425184 6?5/22 J rom that accepted in connection with this registration must be r to use of the labe, in commerce. In any correspondence on this ber, above named pesticide is hereby Registered/Reregistered under gistration/Reregistration is returned herewith.
to use of the labe, in commerce. In any correspondence on this ber, above named pesticide is hereby Registered/Reregistered under gistration/Reregistration is returned herewith.
to use of the labe, in commerce. In any correspondence on this ber, above named pesticide is hereby Registered/Reregistered under gistration/Reregistration is returned herewith.
gistration/Reregistration is returned herewith.
or approval of this product by this Agency. In order to protect
the Reregistration Eligibility the product listed above.
bel stamped "Accepted". This action of section 4(g)(2)(C) of the Federal odenticide Act, as amended. tion does not eliminate the need for ticides. EPA may require submission on the registration of your product.
ed below befcre you print the final
DSAL", delete ", spray mixture," , priate for this product.
NER DISPOSAL" instructions are If the container consists of bag (e.g., plastic pail, drum, Notice 83-3 regarding appropriate for such outer packaging.

Submit one copy of the final printed label before releasing the product for shipment with the revised labeling. Registrants of Warfarin products are allowed to sell or distribute products bearing old labeling until September 6, 1993.

)

)

Anne E. Lindsay, Director Registration Division (H7505C))

Hopkins WARFARIN ANTICOAGULANT 0.5% CONCENTRATE

For Formulating Only into Registered End-Use Rodenticides To Kill Norway Rats, Roof Rats and House Mice

ACTIVE INGREDIENT:

Warfarin (3-(alpha-Acetonylbenzyl)-4-hydroxycoumarin) 0.5%

INERT INGREDIENTS: TOTAL <u>99.5</u>

Under the Foderal Insecticide, Fungicide, and Rodenticide Act as amended, for the puncicide regists red under EPA Rog. No.

ACCEPTED with COMMENTS in Ei'A Letter Date:

SEP 1 8 1992

1

KEEP OUT OF REACH OF CHILDREN {12 pt¹}

CAUTION {18 pt¹}

STATEMENT OF PRACTICAL TREATMENT

If on Skin: Wash thoroughly with soap and water.

If Swallowed: Call a physician or Poison Control Center immediately. Induce vomiting by drinking 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If in Eyes: Flush with water.

NOTE TO PHYSICIAN: If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K, intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

> SEE RIGHT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

> > EPA Reg. No. 2393-19 EPA Est. No. 61282-WI-1

NET CONTENTS

MANUFACTURED FOR: HACO, INC. P.O. BOX 7190 Madison, WI 53707 U.S.A.

¹ Assumes a front panel of over 30 sq. in.

Warfarin Anticoagulant 0.5% Conc. Page 2 of 3 August, 1992

PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS

1.1

CAUTION: Keep away from humans, domestic animals and pets. Exposure during pregnancy should be avoided. Warfarin may cause harm to the fetus, including possible birth defects. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. When mixing baits, wear dust respirator and rubber gloves.

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Do not allow this product to contaminate water, swamps, bogs, or potholes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into a Rodenticide, for (1) the following uses: control of Norway rats, roof rats, and house mice in and around homes, agricultural and industrial buildings, and similar man-made structures, and in sewers; (2) uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and (3) uses for experimental purposes that are in compliance with USEPA requirements.

STORAGE AND DISPOSAL {12 pt¹}

Do not contaminate water, food or feed by storage or disposal

STORAGE: Keep product in tightly closed original container. Store in a dry area not accessible to children, pets, domestic animals or wildlife. Do not store near material with a strong odor. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance. CONTAINER DISPOSAL: Dispose of empty bag in a sanitary landfill or

by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

¹ Assumes a panel of over 30 sq. in.

Warfarin Anticoagulant 0.5% Conc. Page 3 of 3 August, 1992

· •

;

NOTICE OF WARRANTY

5 15,

Manufacturer and Seller make no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label.