2393 145

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS. For control of Norway rate, Roof rats and House mice in and around homes, buildings, and similar man-made structures, and in transportation

Treated baits must be placed in tamper proof bait boxes or in locations not accessible to children, pels, domestic animals and wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and consume the balt. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as

APPLICATION DIRECTIONS

RATS: Apply 4 to 16 ounces of bait per placement. Maintein an uninterrupted supply of fresh bait for at least 10 days.

MICR: Poply 1/4 to 1/2 ounce (1-2 level tablespoons) of bait at 8 to 12 foot intervals. Larger placements (up to 2 ounces) may be needed at points of very high mouse ac-tivity. Maintain an uninterrupted supply of fresh bait for at least 15 da/s.

RATS & MICE: Replace contaminated or spoiled bait imme fairely. Sollect and dispose of all dead animals and unconcurred bait properly. To prevent reinfestation, eliminate jood, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

DISPOSAL

DO NOT REUSE EMPTY CONTAINER. WRAP CONTAINER AND PUT IN TRASH COLLECTION.

> **20**0 M O て H

Under the Federal Fungicide, and find as amended for registered EPA Rep. 1 8 E A



PRECAUTIONARY SYATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

NOTE TO PHYSICIAN: If ingested, administer Vitamin Knintramuscularly or orally, as indicated in bishydroxycoumarin overdose. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARD

Keep Out of Lakes, Streams or Ponds.

READY MIXED, EASY TO USE — USE INDOORS AND OUTDOORS

PRODUCT DESCRIPTION

This rodenticide contains Warfarin, an anticoagulant chemical that reduces the clotting ability of the blood and upon repeated feedings, causes fatal hemorrhage in rats and mice.

NOTICE OF WARRANTY

Seller and manufacturer make no warranty of merchantability, litness for any purpose, express or implied, concerning this product or its use, which extend beyond the statement on this label.

EPA Reg. .to. 2393-145 EPA Est. No. 2393-IL-3[®], 2393-WI-1[®], 523-IL-1[©], 2393-WI-2[®], 33509-MO-1[®] recript refers to first letter of lot number CODE 2393-145 1 2 3 4 5 6 7 8 9 (9/82)

BEST AVAILABLE COPY