

Hopkins

1% LINDANE DUST

ACTIVE INGREDIENT:

Gamma Isomer of Benzene Hexachloride (from Lindane)	1.0%
INERT INGREDIENTS:	99.0%
TOTAL	100.0%

EPA Reg. No. 2393-171

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be absorbed through skin. Wash thoroughly after handling.
May cause irritation of nose and throat.
Avoid contamination of feed and foodstuffs.

Do not reuse empty container.
Destroy it by burying with waste or burning.
Stay away from smoke or fumes.

DIRECTIONS FOR USE

SWINE: To control lice, dust liberally over entire animal. Repeat as necessary to obtain control.

BEEF CATTLE: To control lice on beef cattle, apply directly from the container. Apply liberally over entire animal paying particular attention to around the head, ears, dewlap and base of tail. Use a stiff brush to work the dust into the hair. Repeat as necessary to obtain control. **DO NOT** use on lactating animals.

SHEEP AND GOATS: To control lice, apply liberally on animal. Repeat as necessary to obtain control. **DO NOT** use on lactating animals or milk goats.

NOTE: IN ALL CASES, DO NOT APPLY WITHIN 30 DAYS OF SLAUGHTER. DO NOT TREAT SICK ANIMALS. DO NOT APPLY IN CONJUNCTION WITH ORAL DRENCHES OR OTHER MEDICATIONS SUCH AS PHENOTHIAZINE.

NOTICE OF WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

NET WEIGHT

50 POUNDS

Manufactured for
Hopkins Agricultural Chemical Co.
Madison, Wisconsin 53701

PLACED IN 7.

