HOPKINS CNAIL AND SLUG PELLETS CONTAINING 2.75% METALDEHYDE

For the Control of Smails and Slugs

ACCEPTED

JAN - 3 1950

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide segistated under EPA Reg. No. 2593 153

ACTIVE INGREDIENT:

Motaldehyde (2,4,6,8-tetramethyl-1,3.5.3-

TOTAL:..... 100.00%

EPA Reg. No. 2393-183

EPA Est. No. 61282-WI-1

KEEP OUT OF THE REACH OF CHILDREN AND PETS (12 pt.) WARNING AVISO (18 pt.)

PRECAUCION AL USUARIO: Si used no lee ingles, no use este producto hasta que la etiqueta le haya sido expilicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT

In case of accidental exposure: Call a doctor (physician), clinic or hospital immediately. Explain the victim has been exposed to modulately and describe his condition. If swallowed contact the vician, forced Control Center, or emergency clinic before informing vomiting. Dive water or milh to frint and induce vomiting by touching back of throat with finger, or by eleministering syrup of iperio. Do not induce vomiting or give anything by mouth to an unconscious person. If medical advice cannot be obtained, take person and product container to the nearest emergency treatment facility. If in eyes wash eyes immediately with fresh water for at least 10 minutes. See a doctor if irritation persists. If on skin wath slin with plenty of soap and water. If inhaled, remove person from exposure area.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid breathing vapor or dust. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas, while bait is in evidence.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

This pesticide may be fatal to dogs or other pets if eaten. Reep pets out of treated areas. Do not apply to any area not specified on the label.

BEST AVAILABLE COPY

1

3/

GENERAL INFORMATION

Snails and slugs generally feed during the night. They attack many varieties of plants and are particularly damaging to seedlings. They inhabit damp or moist places such as underneath accumulations of decaying refuse or low-growing plants and in greenhouses. Their presence can often be detected by the trail of shiny slime which they leave.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until dusts have settled. Protective clothing means a long-sleeved shirt, long pants, shoes, socks, chemical-resistant gloves.

Because certain states may require more restrictive reentry intervals for various crops treated with the product, consult your State Department of Agriculture for further information.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to werters who are a meeted to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there was reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers.

Written or oral warnings must include the following information: WARNING

(Insert area or field description) treated with metaldehyde on (insert date of application.)

Do not enter without appropriate protective clothing until dusts have settled.

In case of accidental exposure SEE STATMENT OF PRACTICAL TREATMENT.

STORAGE AND DISPOSAL(12 FT.)

STORAGE: Store in cool, dry place in original container. STORAGE: Store in cool, dry place in original container. Store from excessive heat. Once opened, do not store bag for sprolonged period. In case of puncture, use overslip bag and securely close. Do not reuse container. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER: IDISPOSAL: Completely empty bag into application equipment. Then states of empty bag in a sanitary landfill or by incineration, for if allowed by State and local authorities, by burning. If shurned, stay out of smole.

BEST AVAILABLE COPY

This product is suitable to use for small and slug control around most vegetables including beans, beets, carrots, celery, cucumbers, endive, lettuce, peas, radishes, spinach, and tomatoes, flowers and other ornamentals, in greenhouses and in strawberry beds. The product should be scattered directly on the surface of the soil at the rate of 1 pound per 400 to 500 square feet (100 - 130 pounds per acre). In all instances exercise care so that pellets do not contact or adhere to foliage of treated plants, in particular avoid contamination of edible portion of vagetables. Do not apply to strawbern, beds within 6 days of harvesting.

Thoroughly wet area before or after pollicts are spread. Fellets will absorb moisture and expand into an effective pest-attracting mound of bait. Begin applications when pests first appear and before they cause damage. Repeat treatment at 2 week intervals or as necessary to control.

The removal of bricks, boards, large rocks, trash piles or other material which might aid in sheltering snails and slugs is helpful in their control.

heep children, pets and poultry away from treated areas while bait is in evidence. Do not use for any purpose not recommended on this label, since inturious effects and result.

NOTE: Make special effort to keep door out treated areas.

NOTICE OF WARRANTY

Seller makes no wiresaty. express or condited, conderning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured For HACO, INC. P.O. Box 7190 Madison, WI 53707

NET WT.

BEST AVAILABLE COPY