

BEST AVAILABLE COPY

Aug # 2, 1975 201  
P.M. 2  
17 201 5

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS  
CAUTION**

May be harmful if swallowed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

**Wear regular long-sleeved work clothing. Change to clean clothing daily. AVOID CONTAMINATION OF FOOD & FEED.**

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on crops or turf. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**RE-ENTRY STATEMENT**

Do not enter treated areas without protective clothing until dusts have settled.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral precautions must be given to workers engaged in agricultural hand labor who are expected to be in a treated area or in an area about to be treated with this product. These precautions are CAUTION, area treated with carbaryl on (date of application). Do not enter treated area the day of application without protective clothing and gloves. Protective clothing at a minimum should include clean long pants, long sleeved shirt, shoes and socks. For accidental exposure, including skin contact see Statements of Practical Treatments.

Oral precautions must be given if there is reason to believe that written precautions cannot be understood by workers. When oral precautions are given, precautions shall be given in a language customarily understood by workers.

**STORAGE AND DISPOSAL**


Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in cool, dry place in original container. Protect from excessive heat. Once opened, do not store bag for prolonged period. In case of puncture, use overslip bag and securely close. Do not reuse container.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Subsequent plantings of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).



HOPKINS 10Z SEVIN GRANULES  
EPA Reg. No. 2393-208

Typescript mockup label  
page 3

BEST AVAILABLE COPY

Reg # 2393-208  
PM 12  
pg 3 of 3

DIRECTIONS FOR USE (continued)

EUROPEAN CORN BORER

For the control of European Corn Borer on Corn, use HOPKINS 10Z SEVIN GRANULES at the rate of 15 to 20 pounds per acre (or 3 to 4 pounds per 1/5 acre). Make first application when insects or their damage appear. Repeat as necessary. DO NOT apply within seven days of harvest. Consult your state agricultural experiment station for proper timing of treatments.

TURF INSECTS: Treat the turf evenly and thoroughly at the rate of two pounds of Hopkins 10Z Sevin Granules for each 1,000 square feet to control ants, bluegrass billbug, chinch bugs, cutworms, earwigs, fall armyworm, leafhoppers, millipedes, mosquitoes and sod webworm (lawn moths).


SPECIAL INSTRUCTIONS: For best results cut lawn close, remove clippings, and water thoroughly before treatment. Apply with a spreader for uniform coverage. Work granules in with a coarse water spray after treatment. Repeat two to three weeks later if necessary.

Use two pounds of Hopkins Sevin Granules per 1,000 square feet of recreational area, lawn, roadway or path borders infested with ticks. Work granules into vegetative cover with a coarse spray. Repeat two to three weeks later if necessary.

NOTICE OF WARRANTY

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

HOPKINS AGRICULTURAL CHEMICAL CO.  
Madison, Wisconsin 53707.



File # 2393-408

1 m 2

17 1984

1 23 1984 001

APR 29 1985

**BEST AVAILABLE COPY**

Ms. J. A. Thompson  
Hopkins Agricultural Chemical Co.  
P.O. Box 7532  
Madison, WI 53707

Dear Ms. Thompson:

Subject: Garden Dust  
EPA Registration 2393-408  
Your Submission Dated March 21, 1985

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

In your "Environmental Hazards" paragraph change the statement "Keep out of lakes, streams or ponds. Do not apply..." to read "This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes."

Sincerely yours,

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

RD/IRB:JOB:85093:Ellenberger:RD:85/19:eg:Kendrick & Co:898-1270:4/19/85:Del.4/25/85

CONCURRENCES


201 (4-81)

OFFICIAL