

Hopkins SEVIN®

CARBARYL BAIT

FOR THE CONTROL OF INSECT PESTS NAMED BELOW

Active Ingredient:

(carbaryl, 1-naphthyl methylcarbamate) 5% by wt.

Inert Ingredients: 95% by wt.

E. P. A. Reg. No. 2393-209

U. S. Pat. Nos. 2,903,478 and 3,009,855

SEVIN is the registered trade mark of Union Carbide Corporation for carbaryl insecticide.

EPA Est. 2393-WI-1

CAUTION

KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

HARMFUL IF INHALED OR SWALLOWED. Avoid Breathing of Dust.

Do Not Take Internally. Avoid Contact with Skin.

Wear regular long-sleeved work clothing. Change to clean clothing daily.

Wash hands and face before eating. Wash thoroughly after handling.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor.

Atropine is antidotal.

AVOID CONTAMINATION OF FOOD, FEED, WATER SUPPLIES, STREAMS AND PONDS.

KEEP PETS OFF TREATED AREAS.

READ ENTIRE LABEL. USE IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND CAUTIONS.

IMPORTANT PRE-HARVEST AND GRAZING USE INFORMATION

Tolerances established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable SEVIN residues when SEVIN is used in accordance with label directions.

If SEVIN insecticide is used in accordance with label directions, these crops including bean vines, carrot tops, pea vines, sugar beet tops, corn forage and cotton forage may be grazed or harvested for use as feed for dairy and meat animals without resulting in residues in milk or meat in excess of established tolerances.

DIRECTIONS FOR USE

Broadcast application may be made with either ground equipment or aircraft. Treatments may be repeated as necessary. Dosages from 20 to 48 pounds per acre of Bait will control cutworms, armyworms, field crickets, darkling ground beetles, grasshoppers, sowbugs and ants.

ACCEPTED

2393-209

NOV 1 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. _____ SUBJECT
TO ATTACHED COMMENTS.

CROP	DOSAGE RATE	DAYS BETWEEN FINAL APPLICATION AND HARVEST
Cucumber, squash, melons, peanuts	20 pounds per acre	NONE
Alfalfa, cotton, peas	30 pounds per acre	NONE
Beans, carrots, corn, eggplants, okra, peppers, potatoes, tomatoes and sweet corn	40 pounds per acre	NONE
Asparagus, strawberries	40 pounds per acre	1 day
Broccoli, brussels sprouts, cabbage, cauliflower, head lettuce, garden beets (roots), horseradish, parsnips, radishes, rutabagas, and turnips (roots).....	40 pounds per acre	3 days
Sugar beets, collards, endive (escarole), garden beets (tops), kale, leaf lettuce, parsley, spinach, swiss chard and turnips (tops).....	40 pounds per acre	14 days
Tobacco - Field.....	20-40 pounds per acre	NONE
Bed.....	1/2-1 lb. per 1,000 sq. ft.	NONE
Apples, apricots, cherries, citrus, grapes, nectarines, peaches, pears, plums, annual plants - herbaceous plants and shrubs, trees, woody plants (ornamental).....	40-48 pounds per acre	NONE
Dandelions.....	40 pounds per acre	14 days

DISPOSAL OF CONTAINERS

Do Not Reuse Empty Container
Destroy it by burying with waste or burning.
Stay away from smoke or fumes.

NOTICE OF WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label.
Buyer assumes all risk and/or handling of this material when such use and/or handling is contrary to label instructions.

NET WEIGHT

Manufactured by

50 POUNDS

HACCO 5M 574

HOPKINS AGRICULTURAL CHEMICAL CO.

MADISON, WISCONSIN 53701

<u>CROP</u>	<u>DOSAGE RATE</u>	<u>DAYS BETWEEN FINAL APPLICATION AND HARVEST</u>
Broccoli, brussels sprouts, cabbage, cauliflower, head lettuce, garden beets (roots), horseradish, parsnips, radishes, rutabagas, and turnips (roots)	40 pounds per acre	3 days
Sugar beets, collards, endive (escarole), garden beets (tops), kale, leaf lettuce, parsley, spinach, swiss chard and turnips (tops)	40 pounds per acre	14 days

ADDITIONAL USES ADDED

<u>CROP</u>	<u>DOSAGE RATE</u>	<u>DAYS BETWEEN FINAL APPLICATION AND HARVEST</u>
Apples, apricots, cherries, citrus, grapes, nectarines, peaches, pears, plums, annual plants - ornamental herbaceous plants and shrubs, trees, woody plants	40-48 pounds per acre	None
Dandelions	40 pounds per acre	14 days