LEFT BACK PANEL

DIAZINON SEED PROTECTANT

To protect garminating corn seed and seedlings against seed corn beetles and seed corn maggot. This product contains graphite to assist in accurate planting.

DIRECTIONS FOR USE

CORN - To protect germinating seeds and seedlings against seed corn beetles and seed corn maggot, apply contents of this packet to 1 bushel seed at planting time by dusting it over the seed as it is dumped into the planter box. Thoroughly stir the product with a paddle or lath onto the seed so that each seed is coated with the seed protectant. If temperature is high and soil moisture is low, reduce dosage to one-half, especially for mid-season planting. DO NOT USE BARE HANDS. PEAS, SOTHEANS AND BEANS (LIMA, SNAP, WHITE AND KIDNEY) SEED CORN MACKOTS: Apply contents of this packet to 1 1/2 - 3 bushels of seed as a dry mixture in the planter box as a seed treatment prior to planting.

Diazinon Seed Protectant should be applied in conjunction with or over an approved functicidal seed treatment, but do not use on seed already treated with an insecticide. Plant within one month of treatment.

Under some circumstances Diazinon Seed Protectant may affect the rate of seeding. It is necessary for the user to check planting rate frequently to assure himself that the desired planting rate is being obtained.

ACCENTED 2/4/71 UNDER THE FEDERAL IN ECTIVIDE

FUNDICIDE AND RUDCHTICIDE ACT FOR ECONOMIC POISON GLOIS (P) ED UNDER NO 3993-199

DIAZINON-CAPTAN SEED PROTECTANT

Diazinon-Captan Seed Protectant gives temporary protection of germinating seed and seedlings of corn, peas, soybeans and beans (lima, snap, white and kidney) from injury by seed corn maggots and seed corn beetles and gives temporary prctection to seed from seed-borne and soilborne fungi which cause seed decay and seedling blights.

This product contains graphite to assist in accurate planting.

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Keep out of reach of domestic animals. Do not use on livestock, household pets, or humans.

Toxic to fish and wildlife. Do not contaminate any body of water by cleaning of equipment or disposal of wastes and containers. Treated seed exposed on soil surfaces will be hazardous to birds and wildlife. Treated seed should be labeled as follows:

TREATED SEED DO NOT USE FOR FOOD, FEED OR OIL

When container is empty, immediately destroy. **NEVER REUSE**

NOTICE OF WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 2393-217

1 ·

, ,#

MEASURING CUP ENCLOSED.

PROPERTY OF THE REAL PROPERTY		
ACTIVE INGREDIENTS: O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidir Captan (N-trichloromethylthio-4-cyclohexene-1 NERT INGREDIENTS:	1,2-dicarboximide){ 25.0%	
Trademark CIBA-GEIGY Corporation		
WARNING	G	
KEEP OUT OF REACH O See Side Panels for complete warning statemen of warranty.		
NET WEIGHT	1 POUND 2 OZ.	

DIAZINON-CAPTAN SEED PROTECTANT

Diazinon-Captan Seed Protectant gives temporary protection of germinating seed and seedlings of corn, peas, soybeans and beans (lima, snap, white and kidney) from injury by seed corn maggots and seed corn beetles and gives temporary protection to seed from seed-borne and soilborne fungi which cause seed decay and seedling blights.

This product contains graphite to assist in accurate planting.

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe dust. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Keep out of reach of domestic animals. Do not use on livestock, household pets, or humans.

Toxic to fish and wildlife. Do not contaminate any body of water by cleaning of equipment or disposal of wastes and containers. Treated seed exposed on soil surfaces will be hazardous to birds and wildlife. Treated seed should be labeled as follows:

TREATED SEED DO NOT USE FOR FOOD, FEED OR OIL


When container is empty, immediately destroy. **NEVER REUSE**

NOTICE OF WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 2393-217

MEASURING CUP ENCLOSED.



THE PROPERTY OF THE PROPERTY O

CTIVE INGREDIENTS		· · · · ·
O.O-diethyl O-(2-isopropyl-6-me	ethyl-4-pyrimidin <u>yl) ph</u>	osphorothioate 25.0%
Captan (N-trichloromethylthio-	4-cyclohexene-1,2-dic	arboximide)25.0%
NERT INGREDIENTS:		50.0%
Fraderark CIBA-GEIGY Corpora	tion ·	
W	ARNING	(
KEEP OUT OF	REACH OF C	HILDREN
See Side Panels for complete wa	arning statement, use	instructions and notice
NET WEIGHT	1	