

ACCEPTED
OCT 20 1972
UNDER THE FEDERAL
INSECTICIDE ACT
FOR FEDERAL
ED UNDER NO
TO ATTACHED COMMENT

Hopkins

TO
GRANULATED INSECTICIDE

2393 257

AN INSECTICIDE

ACTIVE INGREDIENT
Triphenylethylene
CYRIPERDIN

CAUTION

KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED. DO NOT GET IN EYES, OR ON CLOTHING. CAN BE ABSORBED THROUGH SKIN. WASH THOROUGHLY AFTER USING. DO NOT BREATHE DUST. AVOID CONTAMINATION OF FEED OR FOODSTUFFS. For more information, see label or contact your distributor.

Do not use on crops or animals unless specifically labeled for such use. Do not use on lawns or ornamentals unless specifically labeled for such use. Do not use on food crops unless specifically labeled for such use. Do not use on animals unless specifically labeled for such use. Do not use on crops or animals unless specifically labeled for such use. Do not use on lawns or ornamentals unless specifically labeled for such use. Do not use on food crops unless specifically labeled for such use. Do not use on animals unless specifically labeled for such use.

INTERNAL USE ONLY
vomit is clear. Call doctor immediately.

DO NOT GET ON SKIN, IN EYES, OR ON CLOTHING. CAN BE ABSORBED THROUGH SKIN. WASH THOROUGHLY AFTER USING. DO NOT BREATHE DUST. AVOID CONTAMINATION OF FEEDSTUFFS AND DAIRY BARN. Do not use on cucurbits.

ANTIDOTE

INTERNAL - If swallowed, give plenty of water. If symptoms persist, call a doctor immediately.

EXTERNAL - Wash with soap and water.

DIRECTIONS FOR USE

EUROPEAN CORN BORER CONTROL ON FIELD CORN. Apply 20 pounds per acre by either ground equipment or by airplane. A second application may be necessary. A third application may be required for a total weight of 60 pounds per acre. For most effective application results.

Do not feed or allow access to treated areas to livestock. Do not use in areas where livestock are present.

NET WEIGHT

50 POUNDS

Hopkin, Agricultural Chemical Co

1000 1/2 Street, St. Louis, Mo.