

Hopkins

SNAIL AND SLUG PELLETS Z-2 KILLS SOWBUGS (PILLBUGS) TOO

Contains 2% Zectran*


For Use in Flower Gardens, Other Ornamental Plantings and on
Ground Covers Including Grass and Dichondra Lawns

ACTIVE INGREDIENT:

4-(dimethylamino)-3,5-xylol methylcarbamate 2.0%

INERT INGREDIENTS: 98.0%

TOTAL 100.0%



U.S. Patent No. 3,084,098

* Trademark of the Dow Chemical Company

EPA Reg. No. 2393-239

CAUTION

KEEP OUT OF REACH OF CHILDREN

MAY BE HARMFUL IF SWALLOWED

Wash thoroughly after handling. Avoid contamination of food, feedstuffs and domestic water supplies. If swallowed, induce vomiting by giving an emetic such as two tablespoonfuls of salt in a glass of warm water. Call a physician immediately.

NOTE TO PHYSICIAN: Active ingredient has cholinergic effects. Treat symptomatically. Atropine is an antidote.

This product is toxic to fish, wildlife and birds. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Bury waste in non-cropland away from water supplies. Dispose of

CAUTION

KEEP OUT OF REACH OF CHILDREN

MAY BE HARMFUL IF SWALLOWED

Wash thoroughly after handling. Avoid contamination of food, feedstuffs and domestic water supplies. If swallowed, induce vomiting by giving an emetic such as two tablespoonfuls of salt in a glass of warm water. Call a physician immediately.

NOTE TO PHYSICIAN: Active ingredient has cholinergic effects. Treat symptomatically. Atropine is an antidote.

This product is toxic to fish, wildlife and birds. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Bury waste in non-cropland away from water supplies. Dispose of empty container by burning or by burying with waste.

Apply this product only as specified on this label.

USE DIRECTIONS

Apply Hopkins Snail and Slug Pellets Z-2 at the rate of 1 pound per 1,200 square feet of treatment area. Water the infested area thoroughly before application, then spread the pellets evenly over the area or place in piles where pests travel and congregate. Special care should be taken to treat bedding plants or other low growing plants where pests feed and hide. Pests stop feeding soon after treatment but kill may be delayed for 3 to 5 days. Re-treat every 3 weeks or as needed.

NOTICE OF WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

NET WEIGHT

POUNDS

HOPKINS AGRICULTURAL CHEMICAL CO.

MADISON, WISCONSIN 53701