

Hopkins

CUCUMBER AND MELON DUST

Contains 3% Methoxychlor, 5% Copper Dust

ACTIVE INGREDIENTS

Copper (from Basic Copper Sulfate) (as copper) 5.00

Methoxychlor Technical 3.00

INERT INGREDIENTS 92.00

100.00

This product is a technical equivalent to the 4-2-2 formulation of the same name as shown on the label. Other names and reaction products.

EW-100-70-2-03-211

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED. Avoid contact with skin. In case of skin contact, wash with soap and water. Avoid breathing of dust.

Avoid contamination of food, feed, water supplies, streams and ponds.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from pipes or chimneys.

DIRECTIONS FOR USE

Apply to spotted and striped cucumber beetles, anthracnose, downy mildew, angular leaf spot on cucurbit, bacterial wilt, squash and pumpkins. Use at the rate of 35 pounds per acre on small areas apply 1 to 1.5 lbs. per 1,000 square feet depending on size of vines. Best application at first signs of disease or insect feeding. Repeat at 7 to 10 days or as necessary to obtain control.

DO NOT APPLY WITHIN ONE DAY OF HARVEST.

NOTICE OF WARRANTY

This product is warranted to be free from gross or major defects in material or workmanship at the time of purchase. It is sold as shown on the label. Buyer assumes the risk of use and of the kind of the material when same is used in any manner contrary to the warranty herein.

NET WEIGHT

50 POUNDS

HOPKINS AGRICULTURAL CHEMICAL CO.

MADISON, WISCONSIN 53701