

TO ATTACHED COMMENTS.



LAWN GRANULES

Contains Dursban*Insecticide

CONTROLS CHINCH BUGS AND SOD WEBWORMS (LAWN MOTHS) AND CERTAIN OTHER INSECTS INFESTING HOME LAWNS AND OTHER ORNAMENTAL TURF AREAS.

ACTIVE INGREDIENT:	
Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	0.5%
INERT INGREDIENTS:	<u>99,5%</u>
rk of the Dow Chamical Company	100.0%

*Dursban Trademark of the Dow Chemical Company U.S. Patent No. 3,244,586 EPA Reg. No. 2393-245

CAUTION

KEEP OUT OF REACH OF CHILDREN

MAY BE HARMFUL IF SWALLOWED

Do not take internally. Avoid eye contact. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs and domestic water supplies.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

USE PRECAUTIONS

Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

Apply this product only as specified on this label.

USE DIRECTIONS

To control Chinch Bugs, Sod Webworms (Lawn Moths), Ants, Brown Dog Ticks, Crickets, Cutworms, Earwigs and Sowbugs (Pillbugs) apply Hopkins Lawn Granules at the rate of 200 pounds per acre. Apply uniformly to home lawns and other ornamental and recreational turf grass areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear. To help obtain uniform distribution apply one-half the required amount of product in one direction than apply the balance at a right angle.

Immediately after application sprinkle the turf with 1,300 gallons of water per acre so as to wash the granules into the zone of insect infestation. Consult the table below to determine amounts of Hopkins Lawn Granules and water needed to treat smaller areas. Repeat as necessary.

To control Hyperodes (Turf Grass) Weevils use twice the rate of Hopkins Lawn Granules as shown in the table below. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

RATES TO USE

GALLONS OF WATER AREA TO BE POUNDS OF HOPKINS TO SPRINKLE ON TURF AFTER TREATMENT TREATED LAWN GRANULES 1,000 sq. ft. 5 30 5,000 sq. ft. 25 150 10,700 sq. ft. 50 325

NOTICE OF WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

NET WEIGHT

50 POUNDS

HOPKINS AGRICULTURAL CHEMICAL CO.

Madison, Wisconsin 53701