

NOTE: The California Department of Agriculture requires that all persons engaged in any activity involving the use of pesticides must be properly trained and certified. Persons who are not properly trained and certified are prohibited from using pesticides. Persons who are not properly trained and certified are prohibited from using pesticides. Persons who are not properly trained and certified are prohibited from using pesticides.

[illegible][illegible]

GRAPEFRUIT LEMONS Limes ORANGES TANGILOS TANGELOs *persea indica* (L.) Merril
AND HYBRIDS OF THESE: Citrus Aphids, Fruit Thrips, Red Rings, Citrus Greening, Citrus
Scale Crawlers (1st, 2nd, 3rd, 4th, 5th, 6th, 7th, 8th, 9th, 10th, 11th, 12th, 13th, 14th, 15th, 16th, 17th, 18th, 19th, 20th, 21st, 22nd, 23rd, 24th, 25th, 26th, 27th, 28th, 29th, 30th, 31st, 32nd, 33rd, 34th, 35th, 36th, 37th, 38th, 39th, 40th, 41st, 42nd, 43rd, 44th, 45th, 46th, 47th, 48th, 49th, 50th, 51st, 52nd, 53rd, 54th, 55th, 56th, 57th, 58th, 59th, 60th, 61st, 62nd, 63rd, 64th, 65th, 66th, 67th, 68th, 69th, 70th, 71st, 72nd, 73rd, 74th, 75th, 76th, 77th, 78th, 79th, 80th, 81st, 82nd, 83rd, 84th, 85th, 86th, 87th, 88th, 89th, 90th, 91st, 92nd, 93rd, 94th, 95th, 96th, 97th, 98th, 99th, 100th, 101st, 102nd, 103rd, 104th, 105th, 106th, 107th, 108th, 109th, 110th, 111th, 112th, 113th, 114th, 115th, 116th, 117th, 118th, 119th, 120th, 121st, 122nd, 123rd, 124th, 125th, 126th, 127th, 128th, 129th, 130th, 131st, 132nd, 133rd, 134th, 135th, 136th, 137th, 138th, 139th, 140th, 141st, 142nd, 143rd, 144th, 145th, 146th, 147th, 148th, 149th, 150th, 151st, 152nd, 153rd, 154th, 155th, 156th, 157th, 158th, 159th, 160th, 161st, 162nd, 163rd, 164th, 165th, 166th, 167th, 168th, 169th, 170th, 171st, 172nd, 173rd, 174th, 175th, 176th, 177th, 178th, 179th, 180th, 181st, 182nd, 183rd, 184th, 185th, 186th, 187th, 188th, 189th, 190th, 191st, 192nd, 193rd, 194th, 195th, 196th, 197th, 198th, 199th, 200th, 201st, 202nd, 203rd, 204th, 205th, 206th, 207th, 208th, 209th, 210th, 211st, 212nd, 213th, 214th, 215th, 216th, 217th, 218th, 219th, 220th, 221st, 222nd, 223rd, 224th, 225th, 226th, 227th, 228th, 229th, 230th, 231st, 232nd, 233rd, 234th, 235th, 236th, 237th, 238th, 239th, 240th, 241st, 242nd, 243rd, 244th, 245th, 246th, 247th, 248th, 249th, 250th, 251st, 252nd, 253rd, 254th, 255th, 256th, 257th, 258th, 259th, 260th, 261st, 262nd, 263rd, 264th, 265th, 266th, 267th, 268th, 269th, 270th, 271st, 272nd, 273rd, 274th, 275th, 276th, 277th, 278th, 279th, 280th, 281st, 282nd, 283rd, 284th, 285th, 286th, 287th, 288th, 289th, 290th, 291st, 292nd, 293rd, 294th, 295th, 296th, 297th, 298th, 299th, 300th, 301st, 302nd, 303rd, 304th, 305th, 306th, 307th, 308th, 309th, 310th, 311st, 312nd, 313th, 314th, 315th, 316th, 317th, 318th, 319th, 320th, 321st, 322nd, 323rd, 324th, 325th, 326th, 327th, 328th, 329th, 330th, 331st, 332nd, 333rd, 334th, 335th, 336th, 337th, 338th, 339th, 340th, 341st, 342nd, 343rd, 344th, 345th, 346th, 347th, 348th, 349th, 350th, 351st, 352nd, 353rd, 354th, 355th, 356th, 357th, 358th, 359th, 360th, 361st, 362nd, 363rd, 364th, 365th, 366th, 367th, 368th, 369th, 370th, 371st, 372nd, 373rd, 374th, 375th, 376th, 377th, 378th, 379th, 380th, 381st, 382nd, 383rd, 384th, 385th, 386th, 387th, 388th, 389th, 390th, 391st, 392nd, 393rd, 394th, 395th, 396th, 397th, 398th, 399th, 400th, 401st, 402nd, 403rd, 404th, 405th, 406th, 407th, 408th, 409th, 410th, 411st, 412nd, 413th, 414th, 415th, 416th, 417th, 418th, 419th, 420th, 421st, 422nd, 423rd, 424th, 425th, 426th, 427th, 428th, 429th, 430th, 431st, 432nd, 433rd, 434th, 435th, 436th, 437th, 438th, 439th, 440th, 441st, 442nd, 443rd, 444th, 445th, 446th, 447th, 448th, 449th, 450th, 451st, 452nd, 453rd, 454th, 455th, 456th, 457th, 458th, 459th, 460th, 461st, 462nd, 463rd, 464th, 465th, 466th, 467th, 468th, 469th, 470th, 471st, 472nd, 473rd, 474th, 475th, 476th, 477th, 478th, 479th, 480th, 481st, 482nd, 483rd, 484th, 485th, 486th, 487th, 488th, 489th, 490th, 491st, 492nd, 493rd, 494th, 495th, 496th, 497th, 498th, 499th, 500th, 501st, 502nd, 503rd, 504th, 505th, 506th, 507th, 508th, 509th, 510th, 511st, 512nd, 513th, 514th, 515th, 516th, 517th, 518th, 519th, 520th, 521st, 522nd, 523rd, 524th, 525th, 526th, 527th, 528th, 529th, 530th, 531st, 532nd, 533rd, 534th, 535th, 536th, 537th, 538th, 539th, 540th, 541st, 542nd, 543rd, 544th, 545th, 546th, 547th, 548th, 549th, 550th, 551st, 552nd, 553rd, 554th, 555th, 556th, 557th, 558th, 559th, 560th, 561st, 562nd, 563rd, 564th, 565th, 566th, 567th, 568th, 569th, 570th, 571st, 572nd, 573rd, 574th, 575th, 576th, 577th, 578th, 579th, 580th, 581st, 582nd, 583rd, 584th, 585th, 586th, 587th, 588th, 589th, 590th, 591st, 592nd, 593rd, 594th, 595th, 596th, 597th, 598th, 599th, 600th, 601st, 602nd, 603rd, 604th, 605th, 606th, 607th, 608th, 609th, 610th, 611st, 612nd, 613th, 614th, 615th, 616th, 617th, 618th, 619th, 620th, 621st, 622nd, 623rd, 624th, 625th, 626th, 627th, 628th, 629th, 630th, 631st, 632nd, 633rd, 634th, 635th, 636th, 637th, 638th, 639th, 640th, 641st, 642nd, 643rd, 644th, 645th, 646th, 647th, 648th, 649th, 650th, 651st, 652nd, 653rd, 654th, 655th, 656th, 657th, 658th, 659th, 660th, 661st, 662nd, 663rd, 664th, 665th, 666th, 667th, 668th, 669th, 670th, 671st, 672nd, 673rd, 674th, 675th, 676th, 677th, 678th, 679th, 680th, 681st, 682nd, 683rd, 684th, 685th, 686th, 687th, 688th, 689th, 6

FILEBERTS Fibers Leaf Reporters. Apr 1961. 100 pages. 10¢.

GRAPES Pacific Grape Marketing Extension Program. (Trans. Mar. 1961. 100 pages. 10¢.)

Apr. 1961. 100 pages. 10¢.

[illegible]

PLACES AND NECTARINES. *THE BEE* 1912, p. 59.

[illegible]

$\mathcal{C} = \{c_1, \dots, c_n\}$ is a set of n classes, $\mathcal{C} \subseteq \mathcal{Y}$, and $\mathcal{C} \cap \mathcal{C}' = \emptyset$ for $\mathcal{C}' \in \mathcal{C}$. The set of all possible partitions of $\mathcal{Y}$ is denoted by $\mathcal{C}^{\mathcal{Y}}$.

FILE AND INDEXED BY THE NATIONAL ARCHIVES

[illegible][illegible]

1. *Adaptation* - The process by which an organism becomes better suited to its environment.

CONFIDENTIAL

...the ...

MELONS AND GOVERN MENTAL, INCLINING ABAS CHINESE CONFIDENCE MELONS, MUSI
MELONS, FISH AND MELONS, MELONS, MELONS, MELONS, MELONS, MELONS, MELONS, MELONS

FBI WATERMELLOONS AND THEIR HYBRIDS

1. The first group of people who are not in the majority are the people who are not in the majority.

1. The first part of the paper is devoted to the study of the asymptotic behavior of the solutions of the system (1) as $t \rightarrow \infty$. It is shown that the solutions of the system (1) are bounded and tend to zero as $t \rightarrow \infty$.

...the
... ..

$\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{4}$

[illegible][illegible]

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

[illegible]

side,
Act,
side

24 A

Linear feet of	Rate per acre	Post	Linear feet of	Rate per acre	Post
-------------------	------------------	------	-------------------	------------------	------

NOTE: For new springs not tested, calculate the appropriate 5-year adjusted rate and set forth low figure.

amounts were intended per acre. Cover treated band with 2-3 inches of mulch, a 60% buffer of small immediate, after irrigation. Apply mulch with broadcast spreader or hand spreader, 20-30 lbs. per acre. After the

COWPEAS - Curworms (Surface and Subterranean) Broadcast 2-4 qu. per acre just prior to planting. Wire and

presented). Begin application when small larvae appear. Two or three applications at three week intervals may be necessary. Do not apply within 21 days of planned harvest. Livestock may be fed and milked 12 months after application.

SUGAR BEETS—Wireworms. Broadcast 3.4 lbs. per acre, or 1 lb. per 100 sq. yd. in rows, or 1.8 lb. per 100 sq. yd. in rows, immediately 2-3 inches for surface sowings, 3-6 inches for subterranean sowings.

TOBACCO - Cutworms. Broadcast 2 1/2 qts. per acre before transplanting and work into the soil 2-4 inches. Immediately. **Green June Beetle Larvae.** Mix 1 pt. in 50 gals. of water and apply as a drench (100 gals. per 100 sq. ft.) to the plants.

6. 9 inches, immediately

BURMUDA GRASS AND FORAGE GRASSES (Other than Range and Pasture Grasses): Thrives Well; tall

Grasshoppers *Akty* - 1st set of 6 watercolor illustrations of grasshoppers in various poses, including jumping, resting, and eating.

To avoid these impacts, the following actions are recommended: Review the proposed project and its impacts on the environment and the community. The project should be designed to avoid or minimize impacts on the environment and the community. The project should be designed to avoid or minimize impacts on the environment and the community. The project should be designed to avoid or minimize impacts on the environment and the community.

	per 3	per 100
	calz. water	calz. water
1950	1.0	1.0
1951	1.0	1.0
1952	1.0	1.0
1953	1.0	1.0
1954	1.0	1.0
1955	1.0	1.0
1956	1.0	1.0
1957	1.0	1.0
1958	1.0	1.0
1959	1.0	1.0
1960	1.0	1.0
1961	1.0	1.0
1962	1.0	1.0
1963	1.0	1.0
1964	1.0	1.0
1965	1.0	1.0
1966	1.0	1.0
1967	1.0	1.0
1968	1.0	1.0
1969	1.0	1.0
1970	1.0	1.0
1971	1.0	1.0
1972	1.0	1.0
1973	1.0	1.0
1974	1.0	1.0
1975	1.0	1.0
1976	1.0	1.0
1977	1.0	1.0
1978	1.0	1.0
1979	1.0	1.0
1980	1.0	1.0
1981	1.0	1.0
1982	1.0	1.0
1983	1.0	1.0
1984	1.0	1.0
1985	1.0	1.0
1986	1.0	1.0
1987	1.0	1.0
1988	1.0	1.0
1989	1.0	1.0
1990	1.0	1.0
1991	1.0	1.0
1992	1.0	1.0
1993	1.0	1.0
1994	1.0	1.0
1995	1.0	1.0
1996	1.0	1.0
1997	1.0	1.0
1998	1.0	1.0
1999	1.0	1.0
2000	1.0	1.0
2001	1.0	1.0
2002	1.0	1.0
2003	1.0	1.0
2004	1.0	1.0
2005	1.0	1.0
2006	1.0	1.0
2007	1.0	1.0
2008	1.0	1.0
2009	1.0	1.0
2010	1.0	1.0
2011	1.0	1.0
2012	1.0	1.0
2013	1.0	1.0
2014	1.0	1.0
2015	1.0	1.0
2016	1.0	1.0
2017	1.0	1.0
2018	1.0	1.0
2019	1.0	1.0
2020	1.0	1.0
2021	1.0	1.0
2022	1.0	1.0
2023	1.0	1.0
2024	1.0	1.0
2025	1.0	1.0
2026	1.0	1.0
2027	1.0	1.0
2028	1.0	1.0
2029	1.0	1.0
2030	1.0	1.0
2031	1.0	1.0
2032	1.0	1.0
2033	1.0	1.0
2034	1.0	1.0
2035	1.0	1.0
2036	1.0	1.0
2037	1.0	1.0
2038	1.0	1.0
2039	1.0	1.0
2040	1.0	1.0
2041	1.0	1.0
2042	1.0	1.0
2043	1.0	1.0
2044	1.0	1.0
2045	1.0	1.0
2046	1.0	1.0
2047	1.0	1.0
2048	1.0	1.0
2049	1.0	1.0
2050	1.0	1.0
2051	1.0	1.0
2052	1.0	1.0
2053	1.0	1.0
2054	1.0	1.0
2055	1.0	1.0
2056	1.0	1.0
2057	1.0	1.0
2058	1.0	1.0
2059	1.0	1.0
2060	1.0	1.0
2061	1.0	1.0
2062	1.0	1.0
2063	1.0	1.0
2064	1.0	1.

Linnaeus Leaf Inj. Pineapple Grain Crickets (Giant) Cushion Yucca
San Noodle San Jose Soft Scale Thru Top Warty Mites Aphids

* 1990 4 1523-14-2

... ..

Insecticides are sold in many different recommended rates. For control of Ants, Brown Dog Ticks, Clover Mites, Cockroaches, Earwigs, Flies, Mosquitoes, Sowbugs, and CollaredBlacks (Spring tails) which are commonly found near the house, and many other household pests, spray a 5 ft. band of soil around the house as well as the house foundation wall to a height of 2 ft. Repeat application if necessary. **Boraxed Bugs:** Spray bugs outside the home with 1 1/2-2 1/2 fl. oz. (2-5 tablets) dissolved in 1 gal. of water. At the same time thoroughly spray around foundation, windows, doors, tree trunks, and furniture and other places where the insects hide.

*Alternately, make dry' water in 3 gals. of water per 1 000 sq. ft. and thoroughly water immediately following.

BILLBUGS JAPANESE BEETLE LARVA, EUROPEAN CHAFER LARVA AND SOUTHERN CHAFER LARVA: Apply 4 fl. oz. per 1,000 sq. ft. of lawn in sufficient water to give uniform coverage. Water grass thoroughly after application.

FOREST INSECTS

NOTICE OF WARRANTY

44

FOR AGRICULTURAL USE ONLY
OR ONLY FOR SALE TO, USE
AND STORAGE BY SERVICE
PERSONS.

THE TERM SERVICE PERSON IN-
CLUDES BUT IS NOT LIMITED TO
A JANITOR, PEST CONTROL OPERA-
TOR, MAINTENANCE PERSON, LAWN-
CARE AND LANDSCAPING PERSONNEL.

Hopkins

DIAZINON 4 LB. E.C.

FOR CONTROL OF CERTAIN INSECTS ON FRUITS, NUTS,
VEGETABLES, FIELD CROPS, AND ORNAMENTALS.

SEE ATTACHED FOLDER FOR COMPLETE INSTRUCTIONS
AND NOTICE OF WARRANTY

ACTIVE INGREDIENTS:

O,O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate . 48.0%
Xylene-range aromatic solvent . 39.0%

INERT INGREDIENTS: . 13.0%

TOTAL: . 100.0%

EPA Reg. No. 2393-258 AA

EPA EST. NO. 2393-WI-1

WARNING

KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Avoid contamination of food. Do not use on humans or permit children to go onto sprayed grass until spray has completely dried.

Keep out of reach of domestic animals. Do not contaminate feed or use on household pets or livestock. Do not permit pets to go on sprayed grass until spray has completely dried.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated or where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of waste. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Apply this product only as specified on this labeling.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Acidic Disposal: Pesticide, spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Container Disposal: Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place. Containers 30 gals. or larger may be resealed and offered for reconditioning.

General: Consult federal, state or local disposal authorities for approved alternative procedures.

FLAMMABLE MIXTURE

Do not use, pour, spill or store near heat or open flame.


IMPORTANT: Read the entire Directions for Use before using this product.

NET CONTENTS

GALLONS



BOX 7532



CODE 1.4.79 1 2 3 4 5 6 7 8 9 10-79