# DIRECTIONS

## NON-CROP LAND

For use on non-crop land such as Right-of-Ways, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas and Parking Lots for control of most annual and perennial grasses and broad-leaved weeds. Control will usually last 8 months or longer. The effectiveness and length of time control will last depend on type of soil, amount of rain and other conditions.

RATE: Under ordinary conditions use at the rate of 100 to 200 pounds per acre. Under conditions where weeds are difficult to control increase the rate to 300 pounds per acre. For spot treatment, use 1/4 to 1/2 pound per 100 square feet. For uniform control spread the material evenly over the area to be treated. HOW TO APPLY: Use a mechanical spreader or other device which will spread the required amount evenly over the area to be treated. It may be applied when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

WHEN TO APPLY: Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control. Do Not apply when ground is frozen.

## FLORIDA <u>CITRUS</u> GROVES

For Use in Drainage Ditches For Control of Most Annual and Perennial Grasses and Broad-Leaved Weeds such as Paragrass, Arrowhead, Guineagrass and Water Primrose.


RATE: Use at the rate of 100 to 200 pounds per acre. (See chart)

Amount to Apply Per 100 Linear Feet of Ditch					
Width of Ditch (feet)	2	4	6	8	10
Pounds Urox 22	½ to 1	1 to 2	$1\frac{1}{2}$ to 3	2 to 4	21/2 to 5

ARCADIA **NET WEIGHT 50 POUNDS UROX® 22** WEED KILLER

For General Weed Control on Non-Crop Lands 2393-291 USD., Reg. No. 218-340

#### CODE 9940






### CAUTION --- Keep out of reach of children For Additional CAUTION Information See Right Panel

Made in USA

9940-5 A1311G





ALLIED CHEMICAL CORPORATION DEPARTMENT AG 40 SECTOR STREET MESS YORK, N.Y., U.S.A.

Printed in USA

HOW TO APPLY: Use a mechanical spreader or other device which will spread the required amount evenly over the area to be treated. Treat only bottom not banks. WHEN TO APPLY: Apply when ditch is not in use but soil is moist. If ditch bottom is not moist, wet it down before treating. If less than 4 inches of rain falls between time of treatment and time of intended use, run water into the ditch and let stand for 3 days. Drain off and waste the water before using ditch. NOTE: Do Not use in ditches into which tree or other desirable plant roots extend. Do Not contaminate domestic water supplies, farm ponds or water to be used for livestock.

## CAUTION!

# HARMFUL IF SWALLOWED IRRITATING TO SKIN EYES, NOSE AND THROAT.

Do not get on skin, in eyes or on clothing. In case of contact, immediately wash skin with plenty of water; for eyes, wash with water for at least 15 minutes and get medical attention.

NOTE: Do not allow to drift onto desirable plants or cropland.

Do not apply near lawns, valuable trees or other desirable plants or to areas where their roots may extend. Equipment used for application should be thoroughly cleaned to prevent corrosion or contamination of other materials used in it later.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.