

ACCEPTED  
OCT 1, 1971  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC PESTICIDE CONTROL  
ED UNDER NUMBER 57 SUBJECT  
TO ATTACHED COMMENTS

23512-215

35



# UROX-D

## GRANULAR WEED KILLER

For General Weed Control on Non-Crop Lands

**CAUTION** — Keep out of reach of children

For Additional Caution Information See Below  
EPA Reg. No. 218-518  
Code 9945

**NET WEIGHT 50 POUNDS**

**ACTIVE INGREDIENT:**  
Duron [3,3,4-trichlorophenyl-1,1-dimethylurea] 8.0%  
**INERT INGREDIENTS:** 92.0%  
U.S. Pat. 2,655,445

**DIRECTIONS**

For use on ~~non-crop~~ land, such as Utility, Highway, Pipeline, and Railroad Right-of-Ways, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas and Parking Lots for control of most annual and perennial grasses and broad-leaved weeds. Effects are slow to appear and will not become apparent until the chemical has been carried into the root zone of the weeds by moisture. Control will last for an extended period. The effectiveness and length of time control will last depend on type of soil, amount of rain and other conditions.

**HOW TO APPLY:** Use a mechanical spreader or other device which will spread the required amount evenly over the area to be treated. It may be applied when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

**WHEN TO APPLY:** Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control. Do Not use when ground is frozen.

**NON-CROP WEED CONTROL**

To control most annual weeds use 100 to 200 pounds per acre. For both annual and perennial weed control use 200 to 600 pounds per acre. Use up to 800 pounds per acre for control of hard-to-kill, deep-rooted perennial weeds, such as Johnson grass.

**NOTE** — In areas of low rainfall, Urox-D may not provide satisfactory control of hard-to-kill, deep-rooted perennial weeds.

**DO NOT RE-USE THIS CONTAINER**

Destroy by burying in a safe place. Do not burn.

**Irrigation and Drainage Ditches:** Apply 9 to 25 lbs. per 1,000 sq. ft. (400 to 1000 lbs. per acre). For irrigation ditches apply during the non-crop season, and when ditch is not in use. To minimize movement of Urox-D with irrigation water and avoid crop injury, it is essential that it be fixed in the treated soil by moisture. Apply before expected seasonal rainfall, if possible when soil in the ditch is still moist. If rainfall has not totaled at least 4 inches following treatment and before intended use of irrigation ditch, fill with water and allow to stand for 72 hours; drain off and waste remaining water before using ditch. Do not treat any ditch area into which roots of trees or other desirable plants may extend.

**CAUTION!**

**MAY CAUSE IRRITATION OF EYES, NOSE, THROAT AND SKIN.**

**Avoid breathing dust or vapor.**

**Avoid contact with skin, eyes, and clothing.**


**NOTE:** Do Not allow to drift onto desirable plants or cropland. Do Not apply near lawns, valuable trees or other desirable plants or to areas where their roots may extend. Equipment used for application should be thoroughly cleaned after use.

Do Not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides, and seeds.

Do Not use equipment with which Urox-D has been applied for other pesticides, since plant injury may occur.

Apply this product only as specified on the label.

Follow directions carefully. Timing and method of application, weather and crop conditions in relation to other chemicals not specifically recommended, and other local factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.



AGRICULTURAL DIVISION BEST DOCUMENT AVAILABLE  
MORRISTOWN, N. J., U. S. A.

28