
HOPKINS® UROX® LIQUID WEED KILLER with 2,4-D



Contains1/4 pound of Urox per Gallon

For General Weed Control on Non-Crop Lands and Paved Areas



COUPTED

NG / 2 3 1984

(United to Foderal Insectivity Paragrams, and Rod and the second as a monded, for the paragraph of registered under EPA Reg. No. 3393-300

ACTIVE INGREDIENTS: Monuron trichloroacetate [3-(p-Chlorophenyl)- 1,1-dimethylurea trichloroacetate]
acid*
Aromatic petroleum derivative 89.90%
INERT INGRÉDIENTS:
TOTAL
*Equivalent to 0.55% 2,4-Dichlorophenoxyacetic acid** **Isomer specific by AOAC Method No. 6.DO1-5
@Registered Trademark of Hopkins Agricultural Chemical Co.

KEEP OUT OF REACH OF CHILDREN 12 pt. CAUTION 18 pt.

See Side Panel for Statement of Practical Treatment and for 3 Additional Precautionary Statements

GALLONS

NET CONTENTS

STATEMENT OF PRACTICAL TREATMENT

BEST AVAILABLE COPY

If Swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting unless directed by physician. Vomiting may cause aspiration pneumonia and/or irritation of mouth, throat and esophagus. Give large quantities of water to dilute stomach contents. Do not induce vomiting or give anything by mouth to an unconscious person.

If In Eyes: Flush with plenty of water. Get medical attention immediately. If On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If Inhaled: Assist respiration as needed. Get medical attention for breathing difficulty or discomfort.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HARMFUL IF SWALLOWED OR INHALED.

IRRITATING TO SKIN AND EYES.

Do not get on skin, in eyes or on clothing.

Avoid breathing vapors or spray mist.

ENVIRONMENTAL HAZARDS

Toxic to Fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or by disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL 12 pt.

Do not contaminate water, food or feed by storage or disposal.

Storage: Do Not store above 100°F (37.8°C). Store in a cool, dry place away from heat or open flame. Keep container sealed when not in use. Vapors may be toxic to susceptible plants.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposad of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EFA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for re-, cycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE continued on right panel

BEST AVAILABLE COPY

DIRECTIONS FOR USE continued

· NON-CROP AREAS

For use on Non-crop land such as Rights-of-Way, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, and Parking Lots for control of most annual and perennial grasses and broadleaved weeds. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

RATE: Under ordinary conditions use at the rate of 2 to 4 gallons per 1000 square feet (1 3/5 to 3 1/5 pints per 100 square feet). Under conditions where the weeds are difficult to control, use at the rate of 6 gallons per 1000 square feet. (4 4/5 pints per 100 square feet). HOW TO APPLY: Use a sprayer which will distribute the required amount evenly over the area to be treated. Use a coarse spray to reduce drift. Application may be made when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

WHEN TO APPLY: Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control. Control may be delayed if there is inadequate soil moisture.

DO NOT allow this product to contact in any manner cotton, grapes, fruit trees, vegetables, flowers, ornamentals or other desirable plants either in the growing or dormant periods.

Under certain conditions, such as high temperature and humidity, vapors of this product may injure susceptible plants growing in areas near treated fields; therefore, use only where there is no chance of injury from such vapors.

NOTE: Do Not-apply, allow to drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend.

Do Not allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

NOTICE

Follow directions carefully. Fiming and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 2393-300 EPA Est. No. 2393-IL-30, 2393-WI-10, 523-IL-10, 2393-WI-20, 33509-MO-10 Superscript refers to first letter of lot number.

