

(1 of 2)

**DIRECTIONS FOR USE**

**HOUSEFLIES**

**Residual Wall Sprays:** For the control of houseflies including resistant strains, in dairy barns, hog pens, calf barns, poultry houses and other farm buildings, apply a 1% residual spray to the ceilings, walls, stanchions, etc. Prepare the spray by mixing 1 pint Flygon 2-E in 3 gallons of water. Thoroughly wet all fly resting areas to the point of run-off. One gallon of spray will cover 500 to 1,000 square feet of surface. Repeat applications should be made when necessary.

Remove all animals from buildings when applying residual wall sprays.

Flygon 2-E is acceptable for use as a residual-type insecticide in and around federally inspected meat packing plants except where meat food products are processed or handled.

Flygon 2-E controls flies up to 3 weeks or longer.

**For Localized Housefly Control:** apply a spray containing 1/2 pint of Flygon 2-E in 5 quarts of water with a knapsack or similar type sprayer to areas frequented by flies, such as doorways, around windows, etc.

Repeat applications should be made when necessary. Good sanitation is a necessary part of any effective fly control program.

**Maggot Sprays:** For the control of housefly maggots, mix 1/2 pint of Flygon 2-E in 5 quarts of water and apply as a coarse spray or with a sprinkling can to fly-breeding areas, such as poultry droppings in caged-layer houses, garbage dumps and manure piles. Repeat application as additional manure or garbage is added.

**General Outside Use:**

For the control of houseflies around homes and recreation areas, garbage cans, animal quarters, food-processing plants, warehouses, loading docks and refuse areas, thoroughly spray exposed surfaces, such as walls, fences, garbage and refuse containers with 1 pint of Flygon 2-E in 3 gallons of water. Repeat applications should be made when necessary.


**DO NOT** Contaminate Feed and Foodstuffs, Drinking Fountains, Litter, and Feed Troughs.

**DO NOT** use in Milk-Processing Rooms, including Milk Houses and Milk Storage Rooms.

**DO NOT** use in Homes.



# FLYGON 2-E



## Systemic Insecticide

### CONTROLS HOUSEFLIES

For control of Insects and Mites on Ornamental Plants  
Refer to Attached Leaflet

**ACTIVE INGREDIENTS**

Diazinon, (O-Ethylmethyl S-Nitrosodithiocarbamate)	23.4
Pyrethrin	3.4
Pyrethrin	3.2
Pyrethrin	1.0

### WARNING

## KEEP OUT OF REACH OF CHILDREN

See Side Panel for Antidote and Other Cautions

NET CONTENTS      GALLONS

VAPOR HARMFUL  
SWALLOWED  
CAUSES EYE IRRITATION

Avoid breathing

Avoid contact with

Use only with a

Wash thoroughly

Do not contain

Do not use, po

open flame.

In case of cont

plenty of water

medical attentio

**NOTE TO PHYSICIAN:**

cholinesterase

fatal.

**DO NOT STORE**

**TUBES.**

Rinse spills on

When empty, w

taining a house

card bottle. Ne

This product is

life. Keep out o

not apply where

not apply when

from areas trea

by cleaning of e

Apply this prod

label.

NOT

**ROBERTS LABOR**

merchantability

otherwise, exp

product or its

statements on t

**ROB**

**RO**

100



# FLYGON 2-E

ACCEPTED  
10-9-74  
GENERAL HOUSEHOLD INSECTICIDE  
EPA REG. NO. 100-100-01  
EPA EST. NO. 100-100-01

Systemic Insecticide

CONTROLS HOUSEFLIES

For control of Insects and Mites on Ornamental Plants  
Refer to Attached Leaflet

ACTIVE INGREDIENTS  
Dimethoate (O,O-dimethyl S-Nitro-  
carbamoylmethyl phosphorodithioate)  
Xylene  
INERT INGREDIENTS

## WARNING

**KEEP OUT OF REACH OF CHILDREN**  
See Side Panel for Antidote and Other Cautions

NET CONTENTS      GALLONS

## WARNING

VAPOR HAZARDOUS TO HUMANS - IRRITANT TO EYES  
WALLCRAWLER - CONTACT WITH WATER  
CAUSES EYE IRRITATION - IRRITANT TO BEE

Avoid breathing vapors or spray mist.  
Avoid contact with skin or eyes.  
Use only with adequate ventilation.  
Wash thoroughly after handling.  
Do not contaminate food or feed products.  
Do not use in proximity of fire, heat or open flame.  
In case of contact with eyes, flush eyes with plenty of water for at least 15 minutes; get medical attention.

NOTE TO PHYSICIANS: This product may cause cholinesterase inhibition. Atropine is Antidote.

DO NOT STORE BELOW FREEZING TEMPERATURES

Rinse spillover outside of bottle after use. When empty, wash thoroughly with water containing a household detergent. Recap and discard bottle. Never re-use.

This product is toxic to birds and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Only this product only as specified on this label.

## NOTICE OF WARRANTY

ROBERTS LABORATORIES makes no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label.

Manufactured by  
**ROBERTS LABORATORIES**  
ROCKFORD, IL 61101