

NET CONTENTS



5 GALLONS

2393-317

# DOUBLE-M ALFALFA SPRAY

Contains 2 Pounds of Methoxychlor  
and 2 Pounds of Malathion per Gallon

**CAUTION** — Keep out of reach of children

For Additional Caution Information See Other Panel

USDA Reg. No. 218-581

ACCEPTED  
June 9, 1967  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
ECONOMIC POISON REGISTER.  
FOR MORE INFORMATION SUBJECT  
TO ATTACHED COMMENTS.

## DIRECTIONS

The following general directions are supplied by us gratuitously and are believed to be reliable, but are in no way guaranteed.

### MIXING

Add the recommended amount to about one-half the required volume of water with agitation. When well mixed, add the remainder of water and mix until uniform.

**For Control of Alfalfa Weevil and Spittlebugs on Alfalfa and Clover.**

Spring treatment: Use 2 to 3 quarts in enough water for good coverage (about 25 gallons of water) per acre.

Apply to the first crop or stubble if half the alfalfa tips show alfalfa weevil feeding damage. Otherwise, treat the second and further cuttings when half to 3/4 of the tips show some injury. **Do Not** use within 7 days of feeding or cutting hay.

### COMPATIBILITY

**Do Not** use with materials containing sulfur. Alkaline materials such as lime and Bordeaux may reduce the effectiveness of this product.

### CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin.

**Do Not** breathe spray mist or vapor. May cause skin irritation. **Do Not** get on skin.

Wash with soap and water after using and before eating or smoking. **Do Not** contaminate feed or foodstuffs. Keep out of reach of children and domestic animals.

This product is toxic to fish. Keep out of any body of water. Apply this product only as specified on the label.

Seller makes no warranty of any kind, express or implied, concerning the results obtained by the use of this material. Buyer assumes all risk of use or handling whether or not in accordance with any suggestions, recommendations or directions of seller.

#### ACTIVE INGREDIENTS:

*Methoxychlor, Technical .....	23.30%
**Malathion .....	23.37%
Xylol .....	48.10%

#### INERT INGREDIENTS:

5.23%  
\*23.3% Methoxychlor, Technical is equivalent to 20.5% 2,2-bis (p-methoxyphenyl)-1, 1, 1-trichloroethane and 2.8% other isomers and reaction products.

\*\*0,0 — dimethyl dithiophosphate of diethyl mercaptosuccinate



*Serving Agriculture from Coast to Coast*

**NITROGEN DIVISION**

**40 RECTOR STREET, NEW YORK, N. Y., U.S.A.**

# FLEA TAG

Do not open until ready for use.

**CAUTION:** Do not allow children to play with this tag.

ACTIVE INGREDIENTS:	
2,2-dichlorovinyl dimethyl phosphate . . .	18.6%
Related Compounds . . . . .	1.4%
INERT INGREDIENTS:	<u>80.0%</u>
TOTAL	100.0%

For full cautions and directions for use,  
see accompanying ~~carton~~ label. P528-B

2724-196

ACCEPTED

AUG 16 1972

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENT GIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. ~~2724-196~~ SUBJECT  
TO ATTACHED COMMENTS.