PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Poisonous if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes or on skin Wear protective clothing, natural rubber gloves, and goggles. In case of poisoning, call a physician immediately. Have patient lie down and keep quiet.

Do not breathe dust. Wear a mask or respirator similar to those used for protection against organicarbamate insecticides. Respirators should be equipped with combination organic vapor finer cartridges. Information as to suitable types of masks or respirators is available from the U.S. Bureau of Mines.

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area. Wash hands, arms, and face thoroughly with snap and warm water before eating or smoking. V/ash all contaminated clothing with soap and hot water before

SYMPTOMS OF POISONING: A sense of "tightness" in the chest Sweating. Contracted pupils Stomach pains Vomiting and diarrhea.

TO PHYSICIAN: ANTIDOTE — Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the pacisympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

STORAGE AND DISPOSAL

PROHIBITIONS:

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

PESTICIDE DISPOSAL:

Pesticide, or rinsate, that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL:

Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL:


Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

ENVIRONMENTAL HAZARDS

Treated seed must not be used for feed, food, or oil purposes. Do not use on other crops used for food or forage. Use only according to tabel directions. Applications at rates above those shown may result in illegal crop residues.

This pesticide is toxic to fish and other wildlife. Birds feeding on treated corn may be killed. Keep out of lakes, ponds and streams. Dispose of excess treated seeds or wastes by burial, away from water supplies. Do not allow treated seeds to be exposed on soil surface. Apply only as specified on the label.

2393-337



It is a violation of Feder inconsistent with its ADDITIONAL INSTRUC

IMPORTANT: Read these before using MESREPELT

CONDITIONS OF SALE:
mined through research to
duct. This product has bee
similar to those weather co
the geographic area where
directions or the occurrer
ordinary or unusual for ti
performance of the produbuyer accepts and uses, ti
conditions which are beyor
responsibility of the buyer

DIREC

MESREPELIM bird repelle damage to newly planted of all states east of the Miss from treated fields before seedlings. Birds feeding however, the majority rec

Apply MESREPELTM at plar seed corn (9 ounces per MESREPELTM in the filled the hopper contents to tho Check equipment frequen

Under cool, wet growing c

NOT

Seller makes no warranty
tells product other than in
d Accordance Binding
tending is centery to la
2393-3

Under the Pederal Ince Fungicide, and the not an amended, for the parregistered under, and Ben. No. 1887

38