PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

AVOID BREATHING DUST. May cause irritation of eyes, nose, throat and skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste.

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Avoid contam-ination of feed and foodstuff.

2. PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

3. CONTAINER DISPOSAL

Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

4. GENERAL

Consult Federal, State or local disposal authorities for approved alternative procedures such as limited open burning.

NOTICE OF WARRANTY

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

GRANULAR WEED KILLER

ROUT G-8

Hop! 'ns



ACTIVE INGREDIENTS:

Bromacil (5-Bromo-3-sec-butyl-6-methyluracil Diuron [3-(3,4-Dichlorophenyi)-1,1-dimethylure)	4%
INERT INGREDIENTS:		4% 92%
TOTAL		100%
EPA Reg. No. 2393-358	EPA Est. No. 23	93-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENTS

If On Skin: In case of contact, wash skin with soap and water. If in Eyes: Flush with water for 15 minutes and get medical attention.

Sue Side Panels For Additional Precautionary Statements And Use Directions



んと

POUNDS

Code 2393.35

Chemical Co

Rout G-8 Gr controlling weeds and

NON

It is a viola in a mannei

D

non-croplar and industr Rout G-8 Gr with a seed with any e chemical u

For short-te cropland are and plant si extended co perennials s apply 70 to hard-to-kill bouncingbe and saltgras

Use higher soils (high in better cont absorbed by application i

or in early st RETREATME annual wee where weed

SMALL ARE mately 150 l may be red

weeds are pr Users should ment Station ists for rec particular ar


· . . .

NET CONTENTS

`

,





ACTIVE INGREDIENTS:

Bromacil (5-Bromo-3-sec-butyl-6-methyluracii)	4%
Diuron [3-(3,4-Dichlorophenyl)-1,1-dimethylurea]	4%
INERT INGREDIENTS:	92%
TOTAL	100%

EPA Reg. No. 2393-358

EPA Est. No. 2393-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENTS

If On Skin: In case of contact, wash skin with soap and water. If in Eyes: Flush with water for 15 minutes and get medical attention.

See Side Panels For Additional Precautionary Statements And Use Directions



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

-

NON-CROP WEED CONTROL

Rout G-8 Granular is a non-selective herbicide for controlling a wide range of annual and perennial weeds and grasses. It is recommended only for non-cropland areas such as railroad rights-of-way and industrial areas.

Rout G-8 Granular should be applied as furnished with a seed spreader, a shaker-type applicator, or with any equipment which will distribute the chemical uniformly over the area to be treated.

For short-term control of annual weeds on noncropland areas such as roadsides, storage areas, and plant sites, apply 40 to 60 lbs. per acre. For extended control of annuals and partial control of perennials such as bermudagrass and nutseuge. apply 70 to 180 lbs. per acre. For control of hard-to-kill perennials such as bermudagrass, bouncingbet, dogbane, johnsongrass, nutsedge and saltgrass, apply 190 to 400 lbs. per acre.

Use higher levels of dosage rates on adsorptive soils (high in organic matter or carbon). To obtain better control, Rout G-8 Granular should be absorbed by the roots. Best results occur when application is made just before weed emergence or in early stages of weed growth.

RETRE \TMENT: Apply 40 to 60 lbs. per acre when annual weeds and grasses reappear on sites where weed growth has been controlled.

SMALL AREAS: 1/3 lb. per 100 sq. ft. is approximately 150 lbs. per acre. Repeat spot treatment may be required when deep-rooted perennial weeds are present.

Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use in their particular area or write to Hopkins Agricultural Chemical Co.

Code 2393.358 123456789 (4/80)

NET CONTENTS

