

CAUTION

Do not apply in areas where animals have received direct application of DDVP within 8 hours.

Do not contaminate water or foodstuffs.

Avoid contact with skin. Avoid breathing spray mist. Harmful if swallowed, inhaled or absorbed through the skin.

If swallowed, do not induce vomiting. Get immediate medical attention. NOTE TO PHYSICIAN: Atropine is antidotal.

Wash thoroughly with soap and water after handling and before eating or smoking.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

Do not reuse empty drum. Return drums to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

DO NOT SPRAY OR STORE NEAR FIRE OR FLAME

Do not contaminate milk or milk equipment

NOTICE OF WARRANTY

Manufacturer and Seller make no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label

GIN 8 22 79(1) 123456789

Hop. n. Fly-Die™

LIVESTOCK SPRAY WITH VAPONA®



ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate	0.465%**
Related compounds	0.035%**
Piperonyl butoxide, technical*	0.250%
Pyrethrins	0.025%
Mineral Seal Oil	49.563%
Petroleum distillate	49.662%
TOTAL	100.000%

*Equivalent to 0.200% (Butylcarbityl) (6-propylpiperonyl) ether and 0.050% related compounds.

**Equivalent to 0.500% Vapona® Insecticide

®Registered trademark of Shell Chemical Co.

®FLY-DIE® is a TM of Hopkins Agricultural Chemical Co.

CAUTION KEEP OUT OF REACH OF CHILDREN

See additional precautions on side panels.

NET CONTENTS ONE GALLON (3.785 LITERS)

FOR
AND
from
flies
gnat
ow
the
at
and
on
so
FOR
S
spr
up
a
co
fl
fac
w
dec
w
kin
in
are

Hopkins Fly-Die™

LIVESTOCK SPRAY WITH VAPONA®



ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate	0.465%**
Related compounds	0.035%**
Piperonyl butoxide, technical*	0.250%
Pyrethrins	0.025%
Mineral Seal Oil	49.563%
Petroleum distillate	49.662%
TOTAL	100.000%

*Equivalent to 0.200% (Butylcarbityl) (6-propylpiperonyl) ether and 0.050% related compounds.

**Equivalent to 0.500% Vapona® Insecticide

*Registered trademark of Shell Chemical Co.

®FLY-DIE® is a TM of Hopkins Agricultural Chemical Co.

CAUTION KEEP OUT OF REACH OF CHILDREN

See additional precautions on side panels.

NET CONTENTS ONE GALLON (3.785 LITERS)



DIRECTIONS FOR USE

FOR DAIRY CATTLE, BEEF CATTLE AND HORSES: To protect livestock from face flies, houseflies, stable flies, horse flies, mosquitoes and gnats, spray the animal daily using one to two ounces per head. Cover the animal with spray with particular attention to the back, flanks, legs and shoulders. Do not use in excess of 2 ounces per adult animal. Do not soak the skin or wet the hides.

FOR BARNS, MILK ROOMS AND STABLES: When used as a space spray, direct power sprayer toward upper portion of the enclosure until area is filled with a fine mist. If a coarse spray is used, apply wherever flies congregate or alight, until surfaces are moistened. Avoid contact with food or milk utensils. Close doors and windows before treatment when possible. This treatment will kill resting adult flies. Do not remain in treated areas and ventilate the area after treatment is complete.



Hopkins

EPA Reg. No. 2393-387

EPA Est. No. 2393 IL 37 2393 WI 37

52 IL 1 2393 WI 2 33509 MO 1

52 WI 1 2393 IL 37 33509 MO 1

52 MO 1 2393 IL 37 33509 WI 2