

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician immediately. Do not induce vomiting. Induced vomiting may cause aspiration pneumonia.

IF INHALED — Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN — Wash contaminated skin with soap and water.

IF IN EYES — Flush eyes with plenty of water. Get medical attention immediately.

NOTE TO PHYSICIAN — Empty stomach if material was taken internally. Gastric lavage may be indicated. If symptoms of cholinesterase inhibition are present, atropine is antidote. 2-PAM is also antidote and may be administered in conjunction with atropine.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin. Avoid breathing spray mist.

Wash thoroughly with soap and water after handling and before eating or smoking.

Do not contaminate water or foodstuffs.

Do not apply in areas where animals have received direct application of DDVP within 8 hours.

Do not contaminate milk or milk equipment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife.

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARD

Do not use near heat or open flame.

NOTICE OF WARRANTY

Manufacturer and Seller make no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label.



Hopkins

agricultural chemicals

1000 N. Main St. • P.O. Box 1000 • St. Paul, Minn. 55101

Code 1 2 3 4 5 6 7 8 9 1 821

Hopkins Fly-Di LIVESTOCK SPRAY WITH VA



ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate	0.465%
Related compounds	0.035%
Piperonyl butoxide, technical*	0.250%
Pyrethrins	0.025%
Mineral Seal Oil	49.563%
Petroleum distillate	49.662%
TOTAL	100.000%

*Equivalent to 0.200% (Butylcarbityl) (6-propylpiperonyl) ether and 0.050% related compounds.

**Equivalent to 0.500% Vapona® Insecticide

Registered trademark of Shell Chemical Co.

®FLY-DIE® is a TM of Hopkins Agricultural Chemical Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautions on side panels.

NET CONTENTS

GALLONS

Hopkins

Fly-Die™

LIVESTOCK SPRAY WITH VAPONA®



ACTIVE INGREDIENTS:	
2,2-Dichlorovinyl dimethyl phosphate	0.465%**
Related compounds	0.035%**
Piperonyl butoxide, technical*	0.250%
Pyrethrins	0.025%
Mineral Seal Oil	49.563%
Petroleum distillate	49.662%

TOTAL 100.000%

*Equivalent to 0.200% (Butylcarbityl) (6-propylpiperonyl) ether and 0.050% related compounds.

**Equivalent to 0.500% Vapona® Insecticide

*Registered trademark of Shell Chemical Co.

'FLY-DIE' is a TM of Hopkins Agricultural Chemical Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautions on side panels.

NET CONTENTS

GALLONS

TAKE TIME



OBSERVE LABEL
DIRECTIONS

DIRECTION FOR USE

Read and follow directions carefully. Do not use if label is torn or faded. Do not use if label is not in English.

For application of Fly-Die, see label. Do not use if label is not in English.

FOR DAIRY CATTLE, BEEF CATTLE AND HORSES

For protection of livestock from house flies, stable flies, horn flies, mosquitoes and gnats, spray the animal daily using Fly-Die. Apply 1/2 ounce per head. Cover the animal with spray with particular attention to the back, flanks, legs and head. Do not use in excess of 1/2 ounce per head of animal. Apply only to the animal's skin. Do not spray the skin or wet the hides. Care should be taken that the spray does not come in direct contact with the lactating dairy cow's teats. If teats are washed with an approved cleansing solution and dried before milking. Brahman and Brahman crosses should not be treated as they may be hypersensitive to the organophosphates.

FOR BARN, MILK ROOMS AND STABLES

When used as a space spray, direct power sprayer toward upper portion of the enclosure until area is filled with a fine mist. If a coarse spray is used, apply wherever flies congregated or alight on surfaces and misted. Avoid contact with food or milk utensils. Close doors and windows before treatment when possible. This treatment will kill resting adult flies. Do not re-enter treated areas and ventilate the area after treatment is complete.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not use or store near heat or open flame.

PESTICIDE DISPOSAL: Pesticide spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Federal Insecticide, Fungicide and Rodenticide Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by other approved State and local procedures.

EPA Reg. No. 2393-367

EPA Est. No. 2393 IL 3, 2393 WI 1, 523 IL 1, 2393 WI 2, 23509 MO 1

Superscript refers to first letter of lot number