JAN 24 100.

Mr. J. Allen Dunlap III HACO, Inc. P.O. Box 7190 Madison, WI 53707

Dear Mr. Dunlap:

Subject: Amendment - Confidential Statement of Formula/Revised

Labeling

Fly Die Livestock Spray with Vapona EPA Registration Number 2393-367 Your Letter Dated September 6, 1990

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

1. Under Environmental Hazards, the second sentence should read:

Do not contaminate water when disposing of equipment washwaters.

- Under the Statement of Practical Treatment, insert the 2. words by injection in the statement, "atropine by injection is antidotal."
- 3. For space spraying, add the following precaution:

Remove animals prior to treatment.

Add the following precautionary under Precautionary Statements:

"Wear a pesticide respirator jointly approved by the National Institute for Occupational Safety and Health (NIOSH) or the Mine Safety and Health Administration (MSHA) when applying indoors as a space spray or fog."

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling for the subject product is enclosed for your records.


The revised Confidential Statement of Formula (CSF) dated September 9, 1990 for the subject product is acceptable. A copy has been inserted in your file for the subject product.

Sincerely,

George T. LaRocca Product Manager 15 Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure





ACTIVE INGREDIENTS:

Piperaryl butoxide, technical: 0.250% Dynath dos

VERT INGREDIENTS? 0.025% 99.225%

Equivalent to 0.200% (Butylcarbityl) (6-propylpiperonyl) ether and 0.050% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDRENT See Statement of Practical Treatment and Additional Precautions on Back and Side Panels

NET CONTENTS7: 21/2 GALLONS

Ψ

USE

28/



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED— Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED— Remove victim to fresh air. Apply respiration if indicated.

IF IN EYES— Flush eyes with plenty of water. Get medical attention immediately.

NOTE TO PHYSICIAN: Empty stomach it material was taken internally. Gastric lavage may be indicated. If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin. Avoid breathing spray mist.

Wash thoroughly with soap and water after handling and before eating or smoking.

Do not contaminate water or foodstuffs.

Do not apply in areas where animals have received direct application of DDVP within 8 hours. Do not contaminate milk or milk equipment.

Continued on back panel.

USE 28/2 x 7

with COMMENTS in EPA Letter Dated

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife.

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARD

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply in areas where animals have received direct application of DDVP within 8 hours.

FOR DAIRY CATTLE, BEEF CATTLE AND HORSES: To protect livestock from face flies, houseflies, stable flies, horse flies mosquitoes and gnats, spray the animal daily using one to two ounces per head. Cover the animal with spray with particular attention to the back, flanks, legs and shoulders. Do not use in excess of 2 ounces per adult animal. Apply proportionately less to smaller animals. Do not soak the skin or wet the hides. Care should be taken that the spray does not come in direct contact with the lactating dairy cow's tests unless they are washed with an approved cleansing solution and dried before milking. Brahman and Bahman cross cattle should not be treated as they may show hypersensitivity to organic phosphales.

FOR BARNS, MILK ROOMS AND STABLES: When used as a space spray, direct power sprayer loward upper portion of the enclosure until area is filled with a fine mist. If a coarse spray is used, apply wherever flies congregate or alight, until surfaces are moistened. Avoid contact with food or milk utensils. Close doors and windows before treatment when possible. This treatment will kill resting adult flies. Do not remain intreated areas and ventilate the area after treatment is complete.

STORAGE AND DISPOSAL

On not contaminate water, food or feed by storage or disposal.

STORAGE: Do not use or store near heat or open flame. Keep product in original container. Keep container tightly closed. High temperatures may shorten shelllife of product.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ONMENTAL HAZARDS

r wijdlife.

minate water by cleaning of equipment or disposal of wastes.

L OR CHEMICAL HAZARD

RECTIONS FOR USE

oduct in a manner inconsistent with its labeling, received direct application of DDVP within 8 hours.

) HORSES: To protect livestock from face flies, houseflies, stable ray the animal daily using one to two ounces per head. Cover the to the back, flanks, legs and shoulders. Do not use in excess of 2 nately less to smaller animals. Do not soak the skin or wet the ly does not come in direct contact with the factating dairy cow's roved cleansing solution and dried before milking. Brahman and d as they may show hypersensitivity to organic phosphates.

LES: When used as a space spray, direct power sprayer toward is filled with a fine mist. If a coarse spray is used, apply wherever are moistened. Avoid contact with food or milk utensils. Close a possible. This treatment will kill resting adult flies. Do not remain in treatment is complete.

IAGE AND DISPOSAL

/ storage or disposal.

neat or open flame. Keep product in original container. Keep es may shorten shetflife of product.

g from the use of this product may be disposed of on site or at an

nse (or equivalent). Then offer for recycling or reconditioning, or landfill, or by other procedures approved by state and local alent). Then offer for recycling or reconditioning, or puncture and ration, or, if allowed by state and local authorities, by burning. If




NOTICE OF WARRANTY

Manufacturer and Seller make no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extend beyond the statements of this label.

 Registered trademark of Shell Chemical Co. 'FLY-DIE' is a TM of HACO, Inc.

EPA REG. NO. 2393-367
EPA EST. NO. 2393-IL-3(3), 61282-WI-1(9), 61282-WI-2(9)
Superscript refers to first letter of lot number.



HACO, inc

MADISON, WISCONSIN 53707 U.S.A.

24554

14/19INC HORSEST