

DIRECTIONS

CATTLE (Beef and Dairy) to control Hornflies, Stable Flies, Face Flies. Apply 1 to 2 pints of Roberts Vapona Plus Spray Solution as a mist spray daily with hand or mechanical spray. Apply spray so as to wet the hair. Do not apply in excess of 2 fl. ounces per animal.

FOGGING Control of Flies, Gnats and Mosquitoes in animal buildings, Horse Barns, Shelter Sheds. Use 1 pint of Roberts Vapona Plus Spray Solution per 8,000 cu. feet. When applying, reduce air movements as much as possible by closing doors, windows, and other openings. DO NOT contaminate water, feed or milking utensils. DO NOT use for fogging purposes in areas where people are present. Direct applications within 8 feet of people in restaurants, warehouses and other buildings, the treatment should be made by pest control operators only.

Do not remove or cover during treatment. All feed processing surfaces should be cleaned during treatment or thoroughly cleaned before using. When using the product in these areas, only when the facility is not in use.

ANIMAL BUILDINGS—(Horse Barns, Dairy Barns, Shelter Sheds, Milk Sheds, Outdoor areas) to control Flies, Gnats, Mosquitoes, Roaches, Fleas, Ticks, Brown Dog Ticks, Wasps, Bees, and other small flying insects, Ants, Spiders, and Silverfish.

Use Roberts Vapona Plus insecticide as a coarse mist spray at the rate of 1 pt. of 1.0% solution per 100 sq. ft. for milk sheds, stables, livestock buildings, pig pens, and outdoor areas, animal doorways, feed storage rooms, and window sills. DO NOT contaminate water or milking utensils. For control of fly maggots in maggot breeding areas apply at the rate of 1 to 2 pts. per 100 sq. feet.

For cockroaches and silverfish, spray in crevices and other hiding places. For ants, spray trails and places where ants enter premises. For brown dog ticks and fleas, spray floor areas, cracks, crevices and sleeping quarters. Bedding should be allowed to dry thoroughly before use or replaced with fresh bedding. As many insects as possible should be killed by spray.


IN COUNTRY HOUSES. For Fly control use a coarse wet spray to exterminate flies outside of premises, animal pens, and feed storage.



VAPONA[®] PLUS

SPRAY SOLUTION

FOR USE IN FOGGERS, MIST SPRAYERS AND HAND SPRAYERS



2393-282

Ready to use solution for the control of insects attacking livestock — Face Flies, Horn Flies, Stable Flies, House Flies, Fleas, Ticks, Gnats, Mosquitoes, Wasps, Insect Control in Horse Barns, Dairy Barns, Shelter Sheds, Milk Sheds and Outdoor Areas

ACTIVE INGREDIENTS	BY WEIGHT
Disinfectant, D-Dimethyl Phosphorotriethylamine	0.92%
Pyrethrin	0.08%
Pyrethrin	10%
Pyrethrin	0.1%
Pyrethrin	49.76%
Pyrethrin	49.13%
Pyrethrin	100.00%

WARNING


KEEP OUT OF REACH OF CHILDREN



VAPONA[®] PLUS SPRAY SOLUTION

FOR USE IN FOGGERS, MIST SPRAYERS
AND HAND SPRAYERS

Ready to use solution for the control of insects attacking livestock - Face Flies, Horn Flies, Stable Flies, House Flies, Flies, Ticks, Gnats, Mosquitoes, Wasps, Insect Control in Home, Barn, Dairy Barns, Shelter Sheds, Milk Sheds, and Other Areas.



WARNING

DIRECTIONS (Continued)

FOR OUTDOOR USE: To control Flies and Mosquitoes Use 1 pint per 1,000 sq. ft. as a spray mist to treat areas such as Loafing Racks, Outdoor Leaning, Refuse Areas, around Drains, etc. For Collection of Insects...

In treating... increase of Roberts Vapona Plus Solution...

Treat infested areas, baseboards, doors. DO NOT allow children in treated areas until dry.

WARNINGS

May be fatal if swallowed, inhaled or absorbed through the skin or eyes. Wash thoroughly with soap and water after handling and before eating, drinking or using cosmetics. Do not use on foodstuffs. Keep out of reach of children. If swallowed induce vomiting immediately and get medical attention. Do not get into eyes or on clothing. Rapidly absorbed through skin and eyes. Do not breathe vapors or spray mist. In case of contact immediately remove contaminated clothing and flush skin and eyes with plenty of water, for eyes get medical attention. Wear clean natural rubber gloves, protective clothing and goggles. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for protection against DDVP. Wash contaminated clothing with soap and hot water before reuse. Do not reuse shoes or boots until free of all contamination.

This product is toxic to fish, wildlife and birds. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Return drums to drum conditioner or destroy by perforating or crushing and bury in a safe place.

NOTICE OF WARRANTY

ROBERTS LABORATORIES, INC. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE EXPRESS OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USE, WHICH EXTEND BEYOND THE STATEMENTS ON THIS LABEL.

Manufactured by
ROBERTS LABORATORIES, INC.
Pockford, Illinois

PA Reg No. 52367