

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0080. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number  
226482

Application for Pesticide - Section I

1. Company/Product Number 2393-393	2. EPA Product Manager George T. Larocca	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Roberts Dust'M	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Haco, Inc. Send all Correspondence to: P.O. Box 7190 P.O. Box 667 Madison, WI 53707 Greeley, CO 80632-0667 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated	<b>NOTIFICATION</b>  JAN 10 2002
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)  
Added litter beetles under floor management in poultry houses in accordance with PR Notice 98-10.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass
					<input type="checkbox"/> Paper
					<input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Scott Baker	Title Registration Manager	Telephone No. (Include Area Code) 970-346-C242
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Manager	
4. Typed Name Scott Baker	5. Date January 3, 2002	

283

# Robert's

# DUST'M

## CONTAINS RABON®

**A ready-to-use insecticide to control Hornflies and Lice and aid in the control of Face Flies on Beef Cattle and Dairy Cattle and to control Lice on Swine and Northern Fowl Mites, Chicken Mites, Lice and litter beetles on or around Poultry.**

**ACTIVE INGREDIENT:**

Tetrachlorvinphos: (z)-2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate .....	3%
INERT INGREDIENTS .....	97%
<b>TOTAL</b>	<b>100%</b>

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### FIRST AID

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**NOTE TO PHYSICIANS AND VETERINARIANS**

**Poison Symptoms:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

**Treatment:** Tetrachlorvinphos is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Atropine is antidotal only if symptoms of cholinesterase inhibition are present.

**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-228-5635, EXT. 136, OR CALL COLLECT, 612-851-8180, EXT. 136.**

See Below for additional precautionary statements.

**EPA REG. NO. 2393-393**

**EPA EST. NO. 34704-NB-1**

**NET WEIGHT 12½ LBS. (5.67 KG)**

IHT

EXP 10/01

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

## CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequent contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling.

**Personal Protective Equipment (PPE):** All handlers must wear long-sleeved shirt and pants; shoes and socks; chemical-resistant gloves.

**User Safety Requirements:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### USER SAFETY RECOMMENDATIONS

Users should:  
Wash thoroughly with soap and water after handling. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.  
Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.  
Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Drift and runoff may be hazardous to aquatic organisms in adjacent areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-water.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Application Restrictions:** Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.  
**STORAGE:** Store product in original container, tightly closed. High temperatures may shorten shelflife of product. Do not reuse container.  
**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### APPLICATIONS

DUST'M containing Rabon is a ready-to-use insecticide dust which can be applied by hand or through the use of self-treating dust bags. There is no withholding period from last application to slaughter.

Animal	Insect	
Beef	Horn	HAND DUSTING—Apply approximately 2 oz. (.06 oz. Al) of dust by shaker can, rotary duster or by spoon to the upper portions of the back, neck and poll and to the face as an aid in the control of face flies. Rub in lightly to carry the dust beneath the hair. Repeat as necessary but not more often than once every 7 days.
Cattle	Flies	
Dairy	Face	
Cattle	Flies	
	Lice	

#### SELF-TREATING DUST BAG:

**FORCED USE—**Put DUST'M in cotton cloth or double burlap bags or use pre-packed weatherproof cattle dust bags and hang in barn door exits or alleyways leading from animal buildings, salt or mineral blocks, or watering holes. Protect cloth or burlap bags from weather.

**FREE CHOICE USE—**Use the same dust bags as above but place in loafing sheds, holding pens, feed lots, near watering holes or other areas where cattle gather. The free choice use aids in the control of lice.

## NOTIFICATION

JAN 10 2002

3 8 3

**DUST' M**  
**EPA REG. NO. 2393-393**

Animal	Insect	
Swine	Lice	HAND DUSTING—Apply 3 to 4 oz. (.09 to .12 oz. AI) of dust by conventional hand or powder duster to each animal with special attention given to the neck and around the ears. Repeat as necessary but not more often than once every 14 days. In severe infestations, both individual animals and bedding may be treated. One lb. (.48 oz. AI) of 3% dust should be applied per 150 sq. ft. of bedding.

**POULTRY**

Type Housing	Application	Remarks
Wire Cages	1 lb. (.48 oz. AI)/300 birds Plunger, rotary type duster or shaker can duster.	For individual treatment direct dust to vent and fluff area. Group treatment may be preferred. Dust should reach skin. Do not repeat more often than every 14 days. Wire rungs and corners should also be treated.

**NOTE:** For Northern Fowl Mites on roosters, thorough individual application of the dust will assure long-lasting control and reduce reinfestation of breeding flocks.

Floor Management	Applications	Remarks
Litter	1 lb. (.48 oz AI)/100 sq. ft.	Treat evenly and thoroughly.
Litter Beetles	use 3 to 8 oz. 100 sq.ft. Plunger or rotary type duster.	Also treat roosts, cracks and crevices where pests may hide.
Dust Box	2 lbs. (.96 oz AI)/100 birds	Use box about 2 ft. by 2 ft. by 1 ft. deep.
Roost Paint	1 lb. (.48 oz. AI)/100 ft. Make thick slurry by mixing 1 lb. (.48 oz. AI) of dust with 1 pt. of water, continually stirring.	Treat roosts thoroughly, particularly the cracks and crevices.

**NOTICE**

IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF HACO, THE MANUFACTURER OR SELLER. IN NO CASE SHALL HACO, THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. EXCEPT AS EXPRESSLY PROVIDED HEREIN, HACO, THE MANUFACTURER OR SELLER MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND HACO'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.



MANUFACTURED FOR  
**HACO, inc.**  
 BOX 7190  
 MADISON, WISCONSIN 53707 U.S.A.