

2393-393

3/22/2002

United States Environmental Protection Agency

1/2

Mr. Scott Baker, Registration Manager
Haco, Inc.,
P.O. Box 667
Greeley, CO 80632-0667

MAR 22 2002

Subject: Submission of an amendment to add "litter beetles" under floor management in poultry houses.

Registration Number: 2393-393
Product Name: Roberts DustM
Date of Submission: October 26, 2001


Dear Mr. Baker,

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. The insect identifier "litter beetle" should be changed to read "Darkling Beetles (litter beetles). " to reflect the correct common name of these pests. you may qualify the term Darkling Beetles with bracketed "(litter beetles)" as an option.

If you have any questions, you may contact Richard J. Gebken, at (703) 305-6701.

Sincerely,



George LaRocca
Product Manager 03
Insecticide Branch
Registration Division (7505C)

Enclosure

002393-00393 S609523.wpd

CONCURRENCES

SYMBOL ▶	H7505C							
SURNAME ▶	RGBKEN							
DATE ▶	Mar 25, 2002							

Robert's

2/2

DUST[®]M

CONTAINS RABON[®]

A ready-to-use insecticide to control Hornflies and Lice and aid in the control of Face Flies on Beef Cattle and Dairy Cattle and to control Lice on Swine and Northern Fowl Mites, Chicken Mites, Lice and Ittler beetles on or around Poultry.

ACTIVE INGREDIENT:

Tetrachlorvinphos: (z)-2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphata	3%
INERT INGREDIENTS	97%
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIANS AND VETERINARIANS

Poison Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

Treatment: Tetrachlorvinphos is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Atropine is antidotal only if symptoms of cholinesterase inhibition are present.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-228-5635, EXT. 136, OR CALL COLLECT, 612-851-8180, EXT. 136.

See Below for additional precautionary statements.

EPA REG. NO. 2393-393

EPA EST. NO. 34704-NB-1

NET WEIGHT 12½ LBS. (5.67 KG)

IHT

EXP 10/01

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequent contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE): All handlers must wear long-sleeved shirt and pants; shoes and socks; chemical-resistant gloves.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

Wash thoroughly with soap and water after handling. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Drift and runoff may be hazardous to aquatic organisms in adjacent areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-water.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Application Restrictions: Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store product in original container, tightly closed. High temperatures may shorten shelflife of product. Do not reuse container.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

APPLICATIONS

DUST[®]M containing Rabon is a ready-to-use insecticide dust which can be applied by hand or through the use of self-treating dust bags. There is no withholding period from last application to slaughter.

Animal	Insect	
Beef	Horn	HAND DUSTING—Apply approximately 2 oz. (.06 oz. Al) of dust by shaker can, rotary duster or by spoon to the upper portions of the back, neck and poll and to the face as an aid in the control of face flies. Rub in lightly to carry the dust beneath the hair. Repeat as necessary but not more often than once every 7 days.
Cattle	Flies	
Dairy	Face	
Cattle	Flies	
	Lice	

SELF—TREATING DUST BAG:

FORCED USE—Put DUST[®]M in cotton cloth or double burlap bags or use pre-packed weatherproof cattle dust bags and hang in barn door exits or alleyways leading from animal buildings, salt or mineral blocks, or watering holes. Protect cloth or burlap bags from weather.

FREE CHOICE USE—Use the same dust bags as above but place in loafing sheds, holding pens, feed lots, near watering holes or other areas where cattle gather. The free choice use aids in the control of lice.

ACCEPTED
with COMMENTS
In EPA Letter Dated:
MAR 22 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2393-393