


RESTRICTED USE PESTICIDE

Hopkins



KILLS
LICE • FLEAS • TICKS


NET WT. 1.0000 LBS. (453.592 G)
GROSS WT. 1.0000 LBS. (453.592 G)
NET WT. 1.0000 LBS. (453.592 G)
GROSS WT. 1.0000 LBS. (453.592 G)
NET WT. 1.0000 LBS. (453.592 G)
GROSS WT. 1.0000 LBS. (453.592 G)
TOTAL NET WT. 1.0000 LBS. (453.592 G)

Keep out of reach of children
CAUTION

ACCEPTED

OCT 4 1984

2393-136



11770C
EPA Reg. No. 100-10000
Page 1
August 16, 1984
10 ft 1000

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep container tightly closed. Store in original container.

Outside Disposal: Outside wastes are toxic. Proper disposal of excess product is a violation of Federal law. If these wastes cannot be disposed of by you according to label instructions, contact your State pesticide or Environmental Control Agency, or the National Waste representative at the nearest EPA Regional office for guidance.

Container Disposal: Do not reuse empty container. Recycle only as directed in label.

Wear: Wear long sleeve shirt, long trousers, dust mask and clean plastic or rubber gloves during application.

LICE - FLIES - TICKS

On beef cattle, hogs, sheep, horses and dogs, dust directly on animals and into hair. Make certain of good coverage on infested areas. Use on stable, bedding, runways, and other places where insects may hide or breed. Dust should be applied in a well ventilated area. Repeat at 20 day intervals if needed. Do not apply to cats, or humans. Do not apply within two weeks of farrowing or for at least three weeks thereafter.

SARCOPHIC WANGE

Sprinkle dust generously along the infested areas and rub in with a brush. Make first treatment when symptoms first appear. Repeat at 20 day intervals through winter and early spring. Do not apply to animals under 3 months of age. Do not use this product on dairy animals. Dust should be applied in a well ventilated area. Avoid treating overheated or sick animals.

STATEMENT OF FIRST AID

IF SWALLOWED

Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by reaching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.



Printed on

If on Skin: Remove contaminated clothing and wash affected area with soap and water.
If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

PERIODICALLY REAPPLIED
FOR USE ON PLANTS AND
DOMESTIC ANIMALS
CADDIS


Avoid breathing of dust. Fatal if swallowed. Avoid inhalation. May cause irritation of nose and throat. Avoid contact with skin. May be absorbed through skin. Wash thoroughly after handling and before eating or smoking. Do not dust on feed or feed containers. Do not apply to animals under 3 months of age. Do not apply to lactating animals. Do not use on sick or convalescing animals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE OF WARRANTY

MANUFACTURER AND SELLER MAKE NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USE, WHICH EXTEND BEYOND THE STATEMENT ON THIS LABEL.



0 DE

