

HOPKINS POTATO STORAGE & EQUIPMENT DISINFECTANT

An Odorless Potato Storage & Handling Equipment Disinfectant

ACTIVE INGREDIENTS

Methyldodecylbenzyl trimethyl ammonium  
chloride - 80% and Methyldodecylxybylene  
bis (trimethyl ammonium chloride) - 20% ..... 10%

INERT INGREDIENTS ..... 90%  
TOTAL ..... 100%

KEEP OUT OF REACH OF CHILDREN - 12 pt.

DANGER - 18 pt.

See Left Panel for Statements of Practical  
Treatment and for Additional Precautions

NET CONTENTS

1 GALLON

Left Panel

STATEMENTS OF PRACTICAL TREATMENT

If in eyes: Flush immediately with water. Get medical attention. If on skin: Wash with plenty of soap and water. Get medical attention. If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention. NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS  
DANGER

Causes Eye Damage, Causes Severe Skin Irritation,  
Harmful if Swallowed.

2393-461

Corrosive. Causes burns. Do not get on skin or on clothing. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Back Panel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dilute as Directed.

Do not mix with soap or synthetic detergents.

DISINFECTION OF POTATO HANDLING EQUIPMENT - Surfaces to be treated should be precleaned. Wash thoroughly and mop or spray a solution containing one fluid ounce of this product per two gallons of water, or 400 ppm of active ingredient, on all handling equipment.\* A fresh solution should be made for each use.

DISINFECTION OF POTATO STORAGE EQUIPMENT AND AREAS - Surfaces to be treated should be precleaned. Wash thoroughly and mop or spray a solution of one fluid ounce of this product per two gallons of water, or 400 ppm of Active Ingredient, on all surfaces.\* A fresh solution should be made for each use.

DISINFECTION OF USED SEED POTATO BAGS ONLY - Soak used bags in a solution containing one fluid ounce of this product per two gallons of water, or 400 ppm of Active Ingredient, for one hour. Approximately 250 bags can be disinfected in 40 gallons of this solution. Change the solution if dirt and other foreign matter accumulation becomes excessive. Dry bags before use.

\* NOTE: Handling equipment and storage areas treated with this product must be rinsed with potable (drinkable) water if table stock (food potatoes) is to be handled or stored. Do not rinse treated surfaces for at least 10 minutes following application.

ppm = parts per million

STORAGE AND DISPOSAL - 12 pt.

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep Container closed when not in use. If stored below 32°F., allow product to thaw and mix before use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

2393-461

NOTICE OF WARRANTY

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with this product. Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials, or the manner of use or application, all of which are beyond the control of seller. In no case shall the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer. Seller makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

MANUFACTURED BY



HOPKINS  
agricultural chemical co.

6753/ MADISON, WISCONSIN 53707  
U.S.A.

EPA Reg. No. 2393 461

ACCEPTED  
with conditions  
in 1971

2393 461

13 JUN 1984

Hopkins Agricultural Chemical Co.  
P.O. Box 7532  
Madison, WI 53707

Attention: Ms. Judith A. Thompson

Gentlemen:

Subject: F & B Tuberseptic  
EPA Registration No. 2393-461  
Your Application Dated April 13, 1984  
EPA Received April 17, 1984

The amendment referred to above, submitted in connection with registration under FIFRA is acceptable, provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
  - a. On the back panel, paragraphs 1 & 2, replace: 1) The word "should" with the word "Must" in the sentence "Surfaces to be treated must be precleaned." 2) The word "and" with the word "then" in the sentence "Wash thoroughly, then mop or spray."
  - b. On the center panel note the correct spelling of "Methyldodecylxylylene"

Submit five (5) copies of your final printed labeling, before you release the product for shipment.


If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

-2-

Future revisions may be required based on interpretations of warranty/disclaimer statements as declared on your label by our General Counsel for Program Support, Office of General Counsel. In lieu of future revisions, we prefer you delete the warranty/disclaimer statements from your label (last paragraph).

Sincerely yours,



John H. Lee  
Product Manager (31)  
Disinfectants Branch  
Registration Division (TS-767C)

RD/DIS:DCR-44739:J.Lee:eg:Raven:557-2226:CHI-05:6/8/84:Del.6/23/84

BEST DOCUMENT AVAILABLE