



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed, inhaled, or absorbed through skin or eyes. Rapidly absorbed through skin and eyes. Do not get into eyes, on skin or on clothing. Do not breathe vapor or dust. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, food, bedding, milk, or milking utensils.

Wear clean, natural rubber gloves, protective clothing, and goggles, face shield or equivalent. Wear a pesticide respirator jointly approved by MSHA (Mine Safety and Health Administration) and NIOSH (National Institute for Occupational Safety and Health) under the provisions of 30 CFR Part 11. Wear impervious boots or protective covers as shoes, boots and other exposed parts of leather or similar porous materials may be dangerously contaminated. Wash contaminated clothing with soap and hot water before reuse.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove victim to fresh air. Apply respiration if indicated.

If on Skin: Wash contaminated skin with soap and water. Launder contaminated clothing in detergent and HOT water before reuse.

If in Eyes: Flush eyes with plenty of water. Get medical attention immediately.

Note to Physician: Empty stomach if material was taken internally. Gastric lavage may be indicated. If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE, STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Do not use or store near heat or open flame. Keep product upright in original container, tightly closed. High temperature may shorten shelf-life of product.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE OF WARRANTY

Seller and Manufacturer make no warranty of merchantability, fitness for any purpose, or otherwise, express or implied, concerning this product or its use, which extends beyond the statements on the label.

RESTRICTIONS

Do not contaminate water or foodstuffs.

Do not contaminate milk or milk equipment.

Do not apply in areas where animals have received direct application of DDT within 8 hours. Care should be taken that the spray does not come in direct contact with the lactating dairy cow's udder unless they are washed with an approved cleaning solution and dried before milking. Brahman and Brahman cross cattle should not be treated as they may show hypersensitivity to organic phosphates.

Do not apply to calves under six months of age.

Do not contaminate food crops.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Food should be removed and food handling equipment covered during application, or thoroughly cleaned before using. Do not treat food processing areas of food processing plants while in operation. Thoroughly wash food contact surfaces with soap and water if they become contaminated by application of this product.

CATTLE (Beef and Dairy): To control Hornflies, Houseflies, Stable Flies, Face Flies: Apply 1 to 2 fl. ounces of Vapona Live-stock Spray per animal as a mist spray daily with hand or automatic sprayer. Apply spray so as to wet the hair. Cover the animal with spray with particular attention to the back, flanks, legs and shoulders. Do not use in excess of 2 fl. ounces per adult animal. Apply proportionately less to smaller animals. Do not soak the skin or wet the hides.

FOGGING OUTDOORS: To Control Flies, Gnats and Mosquitoes: Outdoor fogging with this product should be limited to use by or under the direction of trained personnel. Apply 5 to 10 pints per acre (0.05 to 0.1 lbs. actual dichlorvos) as a dense fog when wind is calm. Do not contaminate food crops. Avoid wetting foliage as plant injury may occur.

FOGGING INDOORS: To Control Flies, Gnats and Mosquitoes: Indoor fogging in food processing plants, restaurants and warehouses is limited to application by pest control operators. Households should be treated by a pest control operator. Do not use this solution for fogging areas where animals have received direct application within 8 hours. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Before applying, reduce air movements as much as possible by closing doors, windows and other openings. Eliminate ignition sources such as pilot lights, fires and open flames. Disconnect electrical power. Fog for 1 to 5 seconds per 1000 cubic feet, but use no more than one gallon per 64,000 cubic feet. Do not fog into or near an open flame. Occupants should vacate premises before treatment and should not reoccupy the premises until it has been ventilated. Leave treated area closed for at least 15 to 30 minutes and then open windows and doors to ventilate.

ANIMAL BUILDINGS (Horse Barns, Dairy Barns, Shelter Sheds, Milk Sheds): To control Flies, Gnats, Mosquitoes, Roaches, Fleas, Ants, Sowbugs, Brown Dog Ticks, Spiders and Silverfish: Apply as a coarse wet spray using 1 pint per 1000 square feet. Treat around doorways, feed storage rooms, alleyways and windowills. For control of Fly Maggots in maggot breeding areas, apply at the rate of 1 to 2 pints per 100 square feet.

OUTDOOR AREAS INCLUDING OUTDOOR LIVING AREAS, PICNIC GROUNDS, BACKYARD AREAS, PATIOS, LOADING DOCKS, OUTDOOR LATRINES, PARKING AREAS, REFUSE AREAS AROUND SERVICE STATIONS, OPEN-AIR DRIVE-INS, ICE CREAM STANDS, GARBAGE COLLECTION AND DISPOSAL AREAS, RESTAURANTS, THEATERS, FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS AND WAREHOUSES: To Control Flies, Gnats, Mosquitoes, Roaches, Fleas, Ants, Sowbugs, Brown Dog Ticks, Spiders and Silverfish: Apply a coarse wet spray using 1 pint per 1000 square feet. Avoid contact with desirable plants as plant injury or loss may occur.

In treating **DOG KENNELS**, apply to outside dog runways, window-sills and ledges. For control of fleas and brown dog ticks increase dosages to 1 quart per 1,000 square feet. Treat infested area, baseboards, cracks, walls and doors. Do not allow children in treated areas until dry. Do not use this product on dogs. Use an approved product registered for direct application to dogs.

• †Registered trademark of Shell Chemical Co.

EPA REG. NO. 2393-480

EPA EST. NO. 2393-IL-3^A, 61282-WI-1^A, 61282-WI-2^A

Superscript refers to first letter of lot number



MANUFACTURED FOR

HACO, inc.

BOX 7190

MADISON, WISCONSIN 53707 U.S.A.

May be fatal if swallowed, inhaled, or absorbed through skin or eyes. Rapidly absorbed through skin and eyes. Do not get into eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, foodstuffs, milk or milking utensils.

Wear clean, natural rubber gloves, protective clothing, and goggles, face-shield or equivalent. Wear a pesticide respirator jointly approved by MSHA (Mine Safety and Health Administration) and NIOSH (National Institute for Occupational Safety and Health) under the provisions of 30 CFR Part 11. Wear impervious footwear or protective covers as shoes, boots and other articles made of leather or similar porous materials may be dangerously contaminated. Wash contaminated clothing with soap and hot water before reuse.

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove victim to fresh air. Apply respiration if indicated.

If on Skin: Wash contaminated skin with soap and water. Launder contaminated clothing in detergent and HOT water before reuse.

If In Eyes: Flush eyes with plenty of water. Get medical attention immediately.

Note to Physician: Empty stomach if material was taken internally. Gastric lavage may be indicated. If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not use or store near heat or open flame.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not contaminate water, food or feed by storage.
STORAGE: Do not use or store near heat or open flame. Store product upright in original container, tightly closed. Extreme temperatures may shorten shelflife of product.

PESTICIDE DISPOSAL: Wastes resulting from this product may be disposed of on site or at an approved disposal facility.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or for disposal in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or for disposal in a sanitary landfill, or incineration, or, if approved by state and local authorities, by burning. If burned, stay out of smoke.

Seller and Manufacturer make no warranty of merchantability for any purpose, or otherwise, express or implied, for this product or its use, which extends beyond the information on this label.

Do not contaminate water or foodstuffs.

Do not contaminate milk or milk equipment.

Do not apply in areas where animals have received a dose of DDVP within 8 hours. Care should be taken to ensure that does not come in direct contact with the lactating doe unless they are washed with an approved cleanser and dried before milking. Brahman and Brahman crosses should not be treated as they may show hypersensitivity to pyrethroids.

Do not apply to calves under six months of age.

Do not contaminate food crops.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially processed. Do not use in serving areas while food is being processed. Food should be removed and food handling equipment thoroughly cleaned before application, or thoroughly cleaned before food processing areas of food processing operation. Thoroughly wash food contact surfaces with water if they become contaminated by application of this product.



FOR USE IN FOGGERS, MIST SPRAYERS AND HAND SPRAYERS.
READY-TO-USE SOLUTION FOR THE CONTROL OF INSECTS ATTACKING LIVESTOCK —
FACE FLIES, HORNFLIES, STABLE FLIES, HOUSEFLIES, GNATS, MOSQUITOES.
INSECT CONTROL IN HORSE BARN, DAIRY BARN, SHELTER SHEDS, MILK SHEDS, RESTAURANTS,
WAREHOUSES, FOOD PROCESSING PLANTS AND OUTDOOR AREAS SUCH AS PATIOS.

