Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The orea being treated must be vacated by unprotected persons.

until spray has dried

RE-ENTRY STATEMENT

Do not enter treated areas level hours unless appropriate protective clothing is worn. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings should specify protective clothing (see below), areas or fields that cannot be entered without this clothing, period of time area is to be vacated, and statement of practical treatment (see following) in case of exponents. When any warnings should be given in a language. sure. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers.
Warnings must include the following information: "Danger, Area treated with Effe and Methyl Furnishan on (date of application). Do not enter without appropriate protective clothing for delicured (Insert hele action to take in case of accidental exposure - see following.

until spray has dried,

STORAGE AND DISPOSAL

- 1. PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal.
- 2. PESTICIDE DISPOSAL: Pesticide wastes are newely hozardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a viciation of Federal law. If these wastes cannot be disposed of by use according to label Instructions, contact your State Pesticide or Environmental Control Agency, or The Hazardous Waste representative at the nearest EPA Regional office for guidance.
- 3. CONTAINER DISPOSAL: Triple rinse for equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities
- 4. GENERAL: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving openning, clasing, or pouring this product. Do not use, pour, spill or store near heat or open flame.

Applicators must wear the following protective clothing during the application process: a light-weight protective autt or coveralls: water-resistant hat; unlined, waterproof gloves; and unined, lightweight boots. Mixers and loaders must also wear goggles or a face shield, waterproof gloves and a waterproof apronPRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye domage and skin irritation. Do not get in eyes, on skin, or on clothing. May be latal il swallowed or absorbed through skin. Do not breathe vapor or spray mist. Use waterproof gloves, face shield or goggles, and protective clothing when handling. Wash hands, arms, and face thoroughly with soap after handling and before eating or smaking. Do not use on humans or damestic animals. Keep children and animals away from treated areas until spray has dried. Not for be fed to dairy animals or a name of the fed or lorage to be fed to dairy animals or to animals being finished for slaughter.

ENVIRONMENTAL PRECAUTIONS

This product is toxic to lish, birds, and other wildlife. Do not apply directly to takes, streams, or pands. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This pesticide is highly taxe to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible Interval between treatment and the next period of bee activity

PHYSICAL-AND_CHEMICAL-HAZARDS-

Do-not use or store near heat or-open flame.

1017 2

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

1. Prohibitions: Do not contaminate water, food or feed by starage or ดำรอวเสร

2. Posticide Disposal: Pesticide, spray rotature, or inservider that can not be used according to label instructions must be disposed of according to applicable Federal, state, a local procedures.

1 Container Disposal Yriple rince for equivalent. They offer for recycling or reconductining, or puncture and dispose of in an approved sonitary landlist, or by other procedures approved by Federal, state and local authorities

not apply when weather conditions favor diff from area treated.

dilution rate for all vegetable crops shown Is 30 to 250 gallons of water by ground and 3 to 10 gallons of water by olin

Applicator'

b (

For retail s their direct

ACTIVE INGREDIE Lindane (gar Xylene Range Ar INERT INGREDIEN

Contains 1.7 lbs.1 EPA Reg. No.-293

> KEE ALVIS

If Swallowed - a back of three anything by If In Eyes - flush

If On Skin - wast If Inhaled - remo

SEE LEFT P

191 V

Aenal application of lindane is prohibited.

BEST DOCUMENT AVAILABLE

ne rice ed livectly over "wilmor suis"

RESTRICTED USE PESTICIDE:

For retail sale to and use ony by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. May be fatal it swallowed or absorbed through skin. Do not breathe vapor or spray mist. Use waterproof gloves, face shield or goggles, and protective clothing when handling. Wash hands, arms, and face thoroughly with soap after handling and before eating or smaking. Do not use on humans or domestic animals, Keep children and animals away from treated areas until spray has dried. Not for use or storage in or around homes. Do not use on feed or forage to be fed to dairy animals or to animals being finished for slaughter.

ENVIRONMENTAL PRECAUTIONS

This product is taxic to lish, birds, and other wildlife. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This pesticide is highly taxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop or weeds blooming in the treatment a ea. Applications, should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL- AND-CHEMICAL-HAZARDS-

o-not use or state near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product In a manner inconsistent with its labeling

STORAGE AND DISPOSAL

- 1. Prehibitions: Do not contaminate water, food or feed by storage or disposal
- 2. Pesticide Dispesal: Pesticide, spray misture, or rinse water that can not be used according to label instructions must be dispeted of according to applicable federal, state, a local procedures
- 3. Centativer Disposally Triple rinke for equivalent. Thep after for recycling or reconditioning, as puncture and dispose of in an approved sonitary landity, or by other procedures approved by Federal, state and local authorities.

o not apply when weather conditions favor drift from area treated, he dilution rate for all vegetable crops shown is 30 to 250 gallons of water by ground and 3 to 10 gallons of water

Wilbur-Ellis TM

LINDANE 1.7 SPRAY

FOR AGRICULTURAL/COMMERCIAL USE ONLY

ACTIVE INGREDIENTS:

Lindane (gamma isomer of benzene hexachloride)

Zylene Range Aromatic Solvent

INERT INGREDIENTS:

Contains 1.7 lbs. Lindane per gallon

EPA Reg. No.-2935-377-AA

EPA Est. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN! ALVISO - WARNING:

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed drink t or 2 glasses of water and Induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
- If In Eyes flush with plenty of water and get medical attention.
- If On Skin wash immediately with soap and water. Get medical attention,
- If Inhaled remove vetim to fresh air. Apply respiration If Indicated.

SEE LEFT PANE. FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Wilbur-Ellis "

191 West Show Avenue, #107 . Fresno, CA 93704

Aenal application of limitane is prohibited


PRECAUTION; ALUSUARIO: Si usted no lee ingles, no use este producto hasta age le en queta haya + do explica do ampliamente.

CEL

EG

LET

ON



BARK BEETLES: For the control of DOUGLAS FIR BEETLE, WESTERN PINE BEETLE, AND MOUNTAIN PINE BEETLE on Douglas-Fir, White Fir California Red Fir, Panderosa Pine, Sugar Pine, Coulter Pine, Monterey Pine and Digger Pine Mix 1 gallon in 15 gallons of diesel fuel oil or water and apply at the rate of 1½ gallons diduted mixture to approximately 235 sq. ft. of total bark surface area Apply 1 week before adult beetles begin to emerge. Accurate, uniform application is most important to the success of the control effort. Application to runoff is wasteful and unnecessary Hold the nozzle between 1 and 1½ feet from the bark while applying the spray.

BROCCOLL BRUSSELS SPROUTS, CATLAGE, CAULIFLOWER & KALE Use 1 of per acre to control APHIDS, SOUTHERN CABBAGE WORMS & THRIPS to not apply after edible ports start to form.

CELERY, PEPPERS & TOMATOES: Use 1 ½ pts per acre to control AFHIDS, THRIPS, CLIMBING CUTWORMS, LEAFMINERS, FLEA BEETLES & CUCUMBER BEETLES. Do not apply after the Celery is half grown or after it begins to bunch. Do not apply to Peppers after the edible parts start to form. Do not apply to Tomatoes after the fruit starts to form.

EGGPLANTS: Use 2 pts. per licre to control AFHIDS, LEAF MINERS & FLEA BEETLES. Do not apply ofter the edible parts start to form.

LETTUCE & SPINACH: Use 2 pts per acre to control AFH DS, CUTWITHS, IFAFMINERS, THRIPS, WEBWORMS & FLEA BEETLE. Do not apply to leaf lettuce after the seeding stage. Do not apply to head lettuce after the heads start to form. Do not apply to Spinach after seedling stage.

ONIONS: Use 4 pts. per oure to control THRIPS. Do not opply to green or spring enlans.

MOTICE: The statements made on this label, are believed to be true and scarrets, but because of conditions of near only are beyond any central, WILBUR-CELUS COMPANY does not make, nor does it authorize any agent or representative to make, any marrenty, containty or expressorative express or largued asserted the material or the use thereof, except in experiently—the the statements on the label Neutron MILBUR ELLIS COMPANY oner the uniter shall be held responsible in any manuar for any personal followy or properly damples or less resulting the business of the state general form the state of the business of the state general form the state of the state of the state general form the state of the state of the state general state of the state general state general state general state material on those conditions.



FLAMMABLE LIQUIDS, N.O.S.

BEST DOCUMENT AVAILABLE

CO.

435/11745

300/118552

30 M/W

Millur-Mili: Company 101 U. Shay Avenue, Suite 107 Presne, Ch. 93704-2876 301 122576

Attention: Perry Piller

Contlemen:

Subject: Amendment - Adde 1 trees and Comply with Lindane Intent to Cancel Ped-mop Findane 1.7 Opray
UPA Registration No. 2395-377

Application nated January 10 and Tay 11, 1974

The amendment referred to above, submitted in connection with redistration under the Pederal Insecticide, functions, and Pederalcide for (PIPPA), is acceptable, provided that you make the labeling changes listed below lefore you release the product for chickent learning the amended labeling:

1. Device the If Scalloved portion of the Statement of Practical Treatment to real as follows. To suggest this statement; however, if your toxicological data suggest otherwise, please subsit a draft Statement of Practical Greatment for trior approval:

If rwollower - Cali a physician or Poicon Control
Conter invediately. Prink one or two
clarges of water and induce verifine
Fortunching the back of threat with a
fincer. Percit until usmin fluid is
clear. On not induce verifies or give
anything by couth to a surcencious
or convoluing corner.

I in the factor, it is a revised first printed labeline tefore to release the property of the property and aboling.

The first power of the total resemble of for your records.

to per test? It would residentially a superferential resistration, or a contact to each test produce now stacks of real tests, which the test to contact to produce now stacks of real tests, which is there is a test to perfect the test of the perfect of the contact of the cont

		NO CHREN ET	
5+MBC1 B		r	
· Taisles)	† i	
5 30174	Ĭ ŧ	Ī	
EPA Form 1320 1 4 81	•	*	 OFFICIAL FILE COPY

In regard to your supplemental label (intrastate label) under EPA Req. No. 2935-8116, we will keep this intrastate file active provided you either submit amended labeling and indicate you intend to add the new uses to your Federal label or apply for Federal registration of a new lindane product hearing these intrastate uses. If you do not respond in either fashion within thirty days the intrastate product will be administratively denied. Please refer to our October 28, 1983, letter regarding intrastate posticide products.

Sincerely yours,

Ceorge T. LaRocca Product Hanager (15) Insecticide-Rodenticide Branch Registration Division (TS-767)

PD/IRP:DCP-05525:LaRocca:pjb:Raven:557-2226:RD-3A:5/10/84:Del.5/27/84
REVISED:DCR-04427:LaPocca:Raven:557-2226:KIM:RD-07:5/29/84:Del.6/11/84