

JAN 11 1993

300/5433566
17/9

Ms. Roslyn F. Powers
Del Pharmaceuticals, Inc.
565 Broad Hollow Road
Farmingdale, NY 11735

Dear Ms. Powers:

Subject: Amendment - Revised Labeling for Pronto Complete Lice Killing System
Pronto Lice, Tick and Flea Killing Spray
EPA Registration No. 2398-7
Pronto Concentrate Lice Killing Shampoo
EPA Registration No. 2398-8
Your Letter Dated August 10, 1992

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling.

- 1. For EPA Reg. No. 2398-8, delete the phrase "Advanced Formula" since the basic formulation of the product has not changed. Words or phrases implying that a product possess unique characteristics because of its composition are not acceptable.

Submit five copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager 13
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

CONCURRENCES

SYMBOL	MSA						
SURNAME							
DATE	1/11/93						

2 of 3

Pronto



FAST-ACTING Lice, Tick & Flea Killing Spray

Kills lice and their eggs on garments, bedding and furniture. Also kills ticks and fleas.

NOT FOR USE ON HUMANS OR ANIMALS

ACTIVE INGREDIENTS:
3-phenoxybenzyl (PHN) 2.0% W/W 2.7
d-methoprene 1.1% W/W 1.4
propoxycarbonyl

94%
99.6%
100.0%

INERT INGREDIENTS:

**KEEP OUT OF REACH OF CHILDREN
CAUTION** See center panel for additional precautions

EPA Reg. No. 7388-7 EPA Est. No. 5893 MA 1

Net Wt. 5 oz (142 g)

Distributed by
DEL PHARMACEUTICALS, INC.
(formerly Common Drug Co., Inc.)
a subsidiary of DuPont Pharmaceuticals Inc.
565 Broad Center Rd., Farmingdale, NY 11737



PRECAUTIONARY STATEMENTS:
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION: HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. AVOID BREATHING VAPORS OR SPRAY MIST. AVOID CONTACT WITH SKIN AND EYES. IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER. OBTAIN MEDICAL ATTENTION IF IRRITATION PERSISTS. IF SWALLOWED, DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY.
DO NOT APPLY DIRECTLY TO FOOD. COVER OR REMOVE ANY FOOD AND FOOD PROCESSING EQUIPMENT DURING APPLICATION. DO NOT APPLY WHILE FOOD PROCESSING IS UNDER WAY. AFTER SPRAYING, WASH ALL EQUIPMENT WITH POISSABLE WATER (DISHES, SPOONS, ETC.). WHERE EXPOSED FOOD WILL BE HANDLED, ALL FOOD PROCESSING SURFACES AND UTENSILS SHOULD BE COVERED DURING TREATMENT OR THOROUGHLY WASHED BEFORE USE. REMOVE PETS AND BIRDS, AND COVER FISH AQUARIUMS BEFORE SPRAYING.
This product is not for use on humans. If any irritations should occur on humans, consult your physician or pharmacist for a product for use on humans.

PHYSICAL OR CHEMICAL HAZARDS
EXTREMELY FLAMMABLE. Do not use or store near fire, sparks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After using, turn pilot lights on, replace pilot lights and reconnect electrical circuit. Do not smoke in the use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. Incineration of container may cause explosion.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Shake well before each use. Remove protective cap. Also spray opening only from person. Push button to spray.
To kill lice and lice eggs: Spray in an insecticide-free area to test for possible staining or discoloration. Inspect again after drying. Then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for 5 seconds or until damp. Spray only those garments, parts of bedding, including mattresses and furniture that cannot be other treated or dry cleaned. Allow sprayed articles to dry thoroughly before use.

To kill ticks and fleas: Spray sleeping quarters, bedding, etc. and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

STORAGE AND DISPOSAL
Store in a cool area away from heat or open flame. Do not reuse empty container. Recycle cap, securely wrap original container in several layers of newspaper and discard in trash. Do not incinerate or puncture.



10-225-24

7021 MADE IN U.S.A. 777821002

ACCEPTED with COMMENTS in EPA Letter Dated

JAN 11 1993

BEST AVAILABLE COPY



Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

2398-7

393

347027003

PRONTO
OF THE



Complete Lice Killing System

- ① Shampoo Net 4 fl oz (118 ml)
- ② Spray Net Wt 5 oz (142 g)
- ③ 100% Effective Egg Removal Comb
- ④ Disposable Gloves
- ⑤ Creme Rinse Packet Net 0.33 fl oz (9.7 ml)
- ⑥ Lice Magnifier
- ⑦ 4 Hair Strand Separators



7-PIECE SYSTEM

KEEP OUT OF REACH OF CHILDREN
CAUTION See box and back panels for additional instructions.



Lice Killing Shampoo

Pronto is a Highly Effective Shampoo Concentrate.

ACTIVE INGREDIENTS
Pyrethrin 0.22%
Piperonyl Butoxide 4.85%
Other Inert Ingredients 94.93%

Directions: See box. Shampoo 1-2 times daily. Use 1-2 times daily. Use 1-2 times daily.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. May irritate skin. Wash hands thoroughly with soap and water after handling. Keep out of children's reach.

Use as directed. Do not use on children. Do not use on children. Do not use on children.

Do not use on children. Do not use on children. Do not use on children.

STORAGE AND DISPOSAL:

Do not reuse empty container. Rinse thoroughly. Securely wrap original container in several layers of newspaper and discard in waste container.

See box for 2000-7 2000-7 2000-7
DELL PHARMACEUTICALS, INC.
10000 S. W. 10th St., Suite 100
Miami, FL 33156
Tel: (305) 555-1111
Fax: (305) 555-1111

Lice Killing Shampoo

A Pediculicide
Kills Head, Body and Pubic Lice and Their Eggs on Contact

Directions: See box. Shampoo 1-2 times daily. Use 1-2 times daily. Use 1-2 times daily.

USAGE INSTRUCTIONS:

Apply Pronto Shampoo Concentrate to wet hair. Massage into hair. Rinse thoroughly. Repeat as directed.

Use as directed. Do not use on children. Do not use on children.

Do not use on children. Do not use on children. Do not use on children.

STORAGE AND DISPOSAL:

Do not reuse empty container. Rinse thoroughly. Securely wrap original container in several layers of newspaper and discard in waste container.

See box for 2000-7 2000-7 2000-7
DELL PHARMACEUTICALS, INC.
10000 S. W. 10th St., Suite 100
Miami, FL 33156
Tel: (305) 555-1111
Fax: (305) 555-1111

Lice, Tick & Flea Killing Spray

Kills lice and their eggs on garments, bedding, furniture and other inanimate objects. Also kills ticks and fleas.

Directions: See box. Spray 1-2 times daily. Use 1-2 times daily. Use 1-2 times daily.

USAGE INSTRUCTIONS:

Apply Pronto Spray to infested areas. Allow to dry. Repeat as directed.

Use as directed. Do not use on children. Do not use on children.

Do not use on children. Do not use on children. Do not use on children.

STORAGE AND DISPOSAL:

Do not reuse empty container. Rinse thoroughly. Securely wrap original container in several layers of newspaper and discard in waste container.

See box for 2000-7 2000-7 2000-7
DELL PHARMACEUTICALS, INC.
10000 S. W. 10th St., Suite 100
Miami, FL 33156
Tel: (305) 555-1111
Fax: (305) 555-1111

Lice, Tick & Flea Killing Spray

Kills lice and their eggs on garments, bedding, furniture and other inanimate objects. Also kills ticks and fleas.

Directions: See box. Spray 1-2 times daily. Use 1-2 times daily. Use 1-2 times daily.

USAGE INSTRUCTIONS:

Apply Pronto Spray to infested areas. Allow to dry. Repeat as directed.

Use as directed. Do not use on children. Do not use on children.

Do not use on children. Do not use on children. Do not use on children.

STORAGE AND DISPOSAL:

Do not reuse empty container. Rinse thoroughly. Securely wrap original container in several layers of newspaper and discard in waste container.

See box for 2000-7 2000-7 2000-7
DELL PHARMACEUTICALS, INC.
10000 S. W. 10th St., Suite 100
Miami, FL 33156
Tel: (305) 555-1111
Fax: (305) 555-1111



BEST AVAILABLE COPY