

Read directions before use



LICE KILLING SHAMPOO KIT
Kills Lice and Their Eggs... On Contact

NEW



LICE KILLING SHAMPOO KIT

A Pediculicide
Kills Head, Body and Pubic Lice and Their Eggs on Contact

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Instruct child to close eyes and cover eyes with a clean wet towel. Apply Pronto Shampoo Concentrate cautiously to dry hair, scalp or any affected areas. Add a generous amount of water to work Pronto Shampoo Concentrate into a rich lather. Allow the shampoo to remain on area for 10 minutes, but no longer. Rinse treated areas thoroughly with warm water. Rinse eyes out with water following use. A fine-toothed comb (included) may be used to help remove dead lice and their eggs (nits) from hair. Handy applicator gloves are provided for your convenience in applying the shampoo to avoid contact with lice.

ACTIVE INGREDIENTS:
Pyrethrins 0.33%
*Piperonyl Butoxide Technical 4.03%
INERT INGREDIENTS 95.67%
TOTAL 100.00%

*Equivalent to 3.2% (Butylcarbitol), (6 propylpiperonyl) ether; and 0.80% related compounds.

STATEMENT OF PRACTICAL TREATMENT: IF IN EYE, flush with plenty of water and get medical attention.

EPA Reg No. 2398-8 EPA Est. 2398-NY-1

LICE KILLING SHAMPOO KIT



Used as directed
It's effective...
It's easy to use

CHILD-RESISTANT CAP

DO NOT REUSE EMPTY CONTAINER. RINSE THOROUGHLY. SECURELY WRAP ORIGINAL CONTAINER IN SEVERAL LAYERS OF NEWSPAPER AND DISCARD IN WASTE CONTAINER.


To kill lice and their eggs on garments, bedding, furniture and other inanimate objects use:

Pronto[®]
LICE KILLING SPRAY

Fast-Acting LICE KILLING SHAMPOO KIT



One Treatment
KILLS LICE & THEIR EGGS
ON CONTACT (Head, Body, Pubic)



INSIDE: Pronto[®] Concentrate, Special Fine-Toothed Egg Removal Comb, Handy Disposable Gloves to avoid contact with Lice

Pronto[®] is a highly effective shampoo concentrate.

KEEP OUT OF REACH OF CHILDREN WARNING

See side panel for additional precautions.

2 Fl. Oz. (59 ml)

PRONTO IS A HIGHLY EFFECTIVE SHAMPOO CONCENTRATE. PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals

WARNING: MAY CAUSE EYE INJURY. DO NOT use in or near eyes or permit contact with eyes or nose. May cause skin irritation. Wash thoroughly with soap and water after handling. IF PRODUCT SHOULD GET INTO EYES, IMMEDIATELY FLUSH WITH WATER. Follow directions carefully.

Not to be used by persons allergic to ragweed. Harmful if swallowed. In case of infection or skin irritation, discontinue use and consult a physician. In order to prevent reinfestation with lice, all clothing and bedding must be sterilized or treated concurrent with the application of this preparation. Do not exceed two consecutive applications within 24 hours.

Commerce Drug Co., Inc.
Division Del Laboratories, Inc.
565 Broad Hollow Road
Farmingdale, NY 11735

Printed in USA
© 1986 Commerce Drug Co., Inc.
349440100

7020

REGISTERED UNDER
EPA REG. NO. 2398-8
OCT 15 1986
ACCEPTED





LICE KILLING SHAMPOO

Kills Head, Body and Pubic Lice and Their Eggs on Contact

Pronto is a highly effective choline concentrate.

KEEP OUT OF REACH OF CHILDREN WARNING

ACTIVE INGREDIENTS:	
Pyrethrins	0.33%
*Piperonyl Butoxide Technical	4.00%
INERT INGREDIENTS	95.67%
TOTAL	100.00%

*Equivalent to 3.2% (Butylcarbyl), (S-propyl-piperonyl) ether and 0.6% related compounds.

STATEMENT OF PRACTICAL TREATMENT: IF IN EYES.

Rinse with plenty of water and get medical attention.

SEE CARTON FOR ADDITIONAL PRECAUTIONARY STATEMENTS

2 Fl Oz (59 ml)

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals
WARNING: MAY CAUSE EYE INJURY. DO NOT use in or near eyes or permit contact with eyes or nose. May cause skin irritation. Wash thoroughly with soap and water after handling. IF PRODUCT SHOULD GET INTO EYES, IMMEDIATELY FLUSH WITH WATER. Follow directions carefully.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not to be used by persons allergic to pyrethrin. To comb, wash down on cap and front counter-clockwise. Instruct child to close eyes and cover eyes with a clean, wet towel. Apply Pronto Shampoo Concentrate liberally to dry hair, scalp or any affected areas. Add a generous amount of water to work Pronto Shampoo Concentrate into a rich lather. Allow shampoo to remain on hair for 13 minutes, but no longer. Rinse treated areas thoroughly with warm water. Rinse eyes out with water following use. Use comb and gloves provided.

DO NOT REUSE EMPTY CONTAINER. RINSE THOROUGHLY. SECURELY WRAP ORIGINAL CONTAINER IN SEVERAL LAYERS OF NEWSPAPER AND DISCARD IN WASTE CONTAINER.

Commerce Drug Co., Inc., Div. Del Laboratories, Inc.
565 Broad Hollow Road, Farmingdale, NY 11735
©1986 Commerce Drug Co., Inc. (333)7012
EPA Est. 2398-NY-1 EPA Reg. No. 2398-8 7020

How To Treat Lice Infestation



Pronto
CONCENTRATE

LICE KILLING SHAMPOO KIT

Now, you can kill and control lice, the dreaded parasites.

When you find yourself continuously scratching your head even though you shampoo regularly—look out! It could mean an infestation of head lice.

In some areas, entire local school systems have been shut down because of outbreaks of lice infestations. And it could happen to anyone—including you, or someone in your family.

Being a victim of a lice infestation is nothing to be ashamed of. Rich or poor, young or old, male or female—lice can infect anyone. Our modern way of living... our social habits...our style of getting around from one place to another—all these can be contributing factors of anyone being infected with lice through no fault of their own.

The key to it all is the fact that lice are so easily transmitted. They can spread through an entire family in no time at all; they can infect a whole school, involving thousands of victims.

Human beings can be the victims of 3 different species of lice: head lice, crab lice, body lice.



Head lice live mainly on the scalp, can be spread easily by sharing combs, hair brushes, hair ribbons, or hats...by sharing the same bedding, towels.

Crab lice live mainly in the pubic area and are usually picked up through sexual contact or from toilet seats.

Body lice live primarily in the trunk or limb area and are often the result of sharing clothing with someone who is infested, since their favorite habitat is in the seams of clothing.

Gravid females of head lice lay from 50-150 eggs.

Once a single louse makes contact with you—look out! Gravid female head lice lay from 50-150 eggs. Crab lice lay relatively few eggs—not more than 30. Before you know it, you can have lice on your head...under your arms...on many parts of your body...and in your pubic hair. The itching is unbearable. The only thing worse than the itching is the embarrassment! And scratching only makes things worse, because it can lead to secondary infections. But while scratching won't help—PRONTO® will.

Pronto®—a single treatment medication that kills and controls head lice, crab lice and their nits (lice eggs).

PRONTO® Concentrate Lice Killing Shampoo is a scientific lice-killing formula. PRONTO® contains a powerful medication that kills lice and their eggs on contact in just one application.

Can lice infestations be prevented?


Medical science tells us that no person—man, woman or child—is totally immune from lice. The best you can do is avoid contact with anyone you suspect may be infested with these persistent parasites. That includes their clothing and their bedding. In addition, careful sanitary habits should be practiced to reduce the possibility of infestation.

- Bedding should be changed and washed thoroughly with regular frequency.
- Toilet seats must be scrubbed and kept scrupulously clean.
- Upholstered furniture, rugs and carpeting must be vacuum-cleaned frequently.
- Clothing—including night clothing—and undergarments should be changed every day. When washing clothes, use very hot water, with temperature of 130° minimum. Items that cannot be washed or dry cleaned can be treated with PRONTO® Lice Killing Spray, available at your pharmacy.
- Children must be cautioned never to use brushes and combs that belong to anyone else. The same should apply to wearing clothing belonging to anyone else.
- The hair of all members of the family—especially children—should be checked regularly for any sign of lice.
- WHENEVER THERE IS ANY DOUBT, CONSULT YOUR HEALTH PROFESSIONAL.**

It is recommended that an additional follow-up treatment be made with a pediculicide shampoo within 7-10 days. The reason for this second treatment is the possibility of self-reinfestation from the hatching of lice eggs that may have been missed during the initial treatment. In addition, there is a possibility of reinfestation resulting from other infested people and from various outside sources in the environment.

To kill lice eggs on garments, bedding, furniture and other inanimate objects that cannot be dry cleaned, use

Pronto
LICE KILLING SPRAY



PRONTO® LICE KILLING SPRAY is available at your pharmacy.