



10-17-67
2435-4



READY TO USE


AIDS IN CONTROLLING

HORN FLIES LICE

MOSQUITOES AND

GNATS ON BEEF CATTLE

DIRECTIONS FOR USE: Use 1/2 pint of reservoir or apply to animal's body covering until saturated. Repeat the unit with suitable amounts of the insect solution as necessary. Regular spraying of the animals for about 10 days usually necessary for satisfactory control.



HYDE TOXAPHENE BEEF CATTLE OIL RUB

ACTIVE INGREDIENTS ----- 100%

Toxaphene¹ ----- 5.0%
Mineral Oil ----- 95.0%

¹Toxaphene (Chlorinated Cyclophene) contains 7.5% Chlorine

CAUTION!

Keep out of the reach of children



WARNING: Do not use for young calves or dairy animals. Do not use within 4 weeks of slaughter of beef cattle. Do not use in automatic orders which allow an excessive amount of oil on the rubbing surface. Avoid contamination of feed, foodstuffs, waterers or feeders or food equipment. Do not get in eyes, on skin, or on clothing. If spilled on skin, wash off with soap and water immediately. May be fatal if swallowed. Avoid contamination of natural waters. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material.

CAUTION: Be sure unit is free of dirt or other sediment when using mechanically operated equipment. Check mechanical equipment before filling to be sure it is operating properly. Reservoirs should be clean, faulty or dirty valves and mechanisms should be cleaned or replaced.

INTERNAL: Give sodium chloride 15 grains or tablespoonful of table salt in glass of warm water and repeat until vomit is clear. Call a doctor immediately.

EXTERNAL: Wash with soap and water.

U.S. GALLONS

HYDE OIL COMPANY
PIPESTONE, MINNESOTA

USDA REG NO 2435-4