ELKODINE HAS A BUILT-IN INDICATOR OF GERMICIDAL ACTIVITY. WHEN THE COLOR DISAPPEARS, A FRESH SO-LUTION SHOULD BE PREPARED.

DIRECTIONS FOR USE:

- 1. FOR CLEANING AND DISINFECTING BUILDINGS AND EQUIPMENT ON THE FARM: Clean and disinfect in one easy step with ELKODINE. Use 1/2 ounce per gallon of water. Scrub surfaces to be cleaned and disinfected with a good brush or with a power sprayer. Start at the highest point of the building or equipment being cleaned, and work down. Let solution drain dry without rinsing.
- 2. FOR CLEANING SOWS: Before placing sows in farrowing pens or crates, scrub down flanks and udder with a lukewarm solution of 1 ounce of disinfectant per gallon of water. Use a soft-bristled brush. Let sow drain dry and do not rinse until just before farrowing.
- 3. SANITIZING POULTRY DRINKING WATER: Add 1 ounce of disinfectant to every 10 gallons of drinking water. The regular use in the drinking water also helps keep the waterers free of slime and mineral deposits.
- 4. FOR SANITIZING BUILDINGS AND EQUIPMENT ON THE FARM: To sanitize surfaces of buildings, equipment or utensils which have previously been thoroughly cleaned, use 1 ounce of disinfectant in 5 gallons of water. Spray or swab solution on surfaces to be sanitized. Allow to drain dry without rinsing.

continued...

NET CONTENTS: ONE U.S. GAL.

FOR CLEANING, DISINFECTING AND SANITIZING ANIMAL HOU **EQUIPMENT; CLEANING SOWS PRIOR TO FARROWING; SANITIZ** TRY DRINKING WATER; AS A SHOE BATH FOR BARNS AND HOUSES; AS A DEODORANT; SANITIZING FOOD - PRO **EQUIPMENT.**

ACTIVE INGREDIENTS:

a-(p-Nonylphenyl)-omegahydroxypoly (oxyethylene)iodine complex* 18.05%

(Providing 1.75% titratable iodine)

Phosphoric Acid

INERT INGREDIENTS:

16.00%

PRODUCTS

ELKHORN CHEMICAL CO One Elko Lane Elkhorn, Wisconsin 53121

DANGER KEEP OUT OF REACH OF CHI Total 100.00% See right hand panel for First Aid and additional

ELKO

EKOCINE

LEANING, DISINFECTING AND SANITIZING ANIMAL HOUSING AND MENT; CLEANING SOWS PRIOR TO FARROWING; SANITIZING POUL-RINKING WATER; AS A SHOE BATH FOR BARNS AND POULTRY ES; AS A DEODORANT; SANITIZING FOOD - PROCESSING MENT.



DANGER KEEP OUT OF REACH OF CHILDREN

5% See right hand panel for First Aid and additional precautions.

- 5. SHOE BATH: To help prevent tracking disease organisms into poultry houses, farrowing houses and hog barns, place a shoe bath with 3 ounces of disinfectant per gallon of water inside the doorway. Scrape off shoes outside doorway and stand in shoe bath for 30 seconds prior to entering. Change shoe bath daily.
- 6. DEODORANT: ELKODINE destroys many odors as it sanitizes and disinfects. For general deodorant applications (garbage pails, refuse containers, etc.), swab or spray on a solution of 1 ounce of disinfectant per gallon of water.
- 7. FOOD PLANT SANITIZATION: Use 1 ounce of ELKO-DINE in each 5 gallons of water as the final sanitizing rinse on previously cleaned food-processing equipment and utensils. Drain, but do not rinse. When used as so directed, ELKODINE does not require a final potable water rinse, as prescribed in Federal Food Additive Regulation 121.2547.

WARNING: Avoid contamination of food. Use of this product may cause skin irritation or damage to eyes. Avoid contact with skin and eyes. May be harmful if swallowed. In case of contact, flush immediately with plenty of water. For eyes, get medical attention.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

EPA REG. NO. 2437-13

EPA Establishment No. 2437-WI-I