

ELKO

DISINFECTANT - DEODORIZER - SANITIZER

DIRECTIONS

For sanitizing and disinfecting floors, walls, and inanimate hard surfaces in homes, schools, hospitals, offices. Use in locker rooms, corridors, classrooms, on sink tops, garbage pails, etc., applying solution with mop or cloth. Sanitize with solution of 1 ounce Gen. Purpose Sanitizer to 4 gallons water. Disinfect with 3 ounces Gen. Purpose Sanitizer to 5 gallons water. For heavily soiled or contaminated areas, pre-cleaning is recommended.

HOSPITALS AND NURSING HOMES: For use on all hard surfaces. Use solution of 3 1/2 ounces Gen. Purpose Sanitizer per 5 gallons water. At this level, Gen. Purpose Sanitizer will be effective against *Pseudomonas aeruginosa*, PRD-10, *Staphylococcus aureus*, and *Salmonella choleraesuis*.

FOOD PROCESSING EQUIPMENT: For sanitizing previously cleaned food processing equipment, dilute 1 ounce Gen. Purpose Sanitizer with 4 gallons of water. At this level, no potable water rinse is required.

DAIRIES: To sanitize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse equipment thoroughly, then apply above solution of Gen. Purpose Sanitizer.

RESTAURANTS AND BAR RINSE: For dishes, glassware, silverware, cooking utensils. Wash and rinse thoroughly, then immerse in above sanitizing solution.

DISINFECTION: For previously cleaned surgical instruments, dental equipment, barber tools, submerge for 10 minutes in solution of 1 1/2 ounce Gen. Purpose Sanitizer to 1 gallon water.

FOR ROOM FOGGING: Remove all human, animal, and plant life from the room, and open closed doors and drawers. Mount fog equipment delivering spray of 3000 in center of room and fill room with solution of 1 1/2 ounces Gen. Purpose Sanitizer to 1 gallon water. Fog for 15 minutes for an average 1000 cu. ft. room. (For use on large rooms, fog for 30 minutes.)

GENERAL PURPOSE Sanitizer

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	5%
dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) ethylbenzyl ammonium chlorides	5%
INERT INGREDIENTS:	70%
	100%

- D A N G E R -
KEEP OUT OF REACH OF CHILDREN
See right side panel for First Aid and additional precautions



ELKHORN CHEMICAL CO., INC.
One Elko Lane
Elkhorn, Wisconsin 53121

KEEP OUT OF REACH
Causes eye damage and get in eyes, on skin, goggles or face shield. Rinse empty container and discard it.

- F I R -
In case of contact, skin with plenty of water for 15 minutes. For eyes, and wash contaminated

If swallowed, drink of milk, egg whites, these are not available of water. Avoid immediately.

- N O T E -
Probable mucosal damage use of gastric lavage, circulatory shock, convulsion may be

ACCEPTED
UNIVERSITY OF WISCONSIN
LABORATORY
2437-17

ELKO

GENERAL PURPOSE

Sanitizer

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	5%
n-Alkyl (60% C ₁₂ , 32% C ₁₄) ethylbenzyl ammonium chlorides	5%

INERT INGREDIENTS:

90%
100%

- D A N G E R -

KEEP OUT OF REACH OF CHILDREN

See right side panel for First Aid and additional precautions



ELKHORN CHEMICAL CO., INC.

One Elko Lane

Elkhorn, Wisconsin 53121

- D A N G E R -

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

Rinse empty container thoroughly with water and discard it.

- F I R S T A I D -

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

- N O T E T O P H Y S I C I A N -

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Reg. No. 2437-17 EPA Est. #2037-WI-1

ANITIZER

Sanitize hard surfaces in locker rooms, etc., applying 1 ounce Gen. Pur.

Sanitize areas,

Sanitize all hard surfaces. 1 gallon water. Active against Pseudomonas and Salmonella

Sanitizing previously used 1 ounce Gen. Purpose. Stable water time is

Sanitize socks, lines, pads, and goggles; then apply

Sanitize glassware, silver, etc.; then immerse in

Sanitize instruments, dental, etc. in solution of 1%

Sanitize animal and plant life. Sanitizers. Mount top of room and fill sanitizer to 1 gallon. (For disinfection, wait 2 hours)

Sanitize equipment

2437-17