

. . . . . . . .

T 50 LBS.	
ាកាស	
T 8 /2 57	
UST	
ON INSECTS	
BY WEIGHT	
nethanon <b>aphthalene)</b> 2.09% 98.00%	L
TOTAL 100.00%	
AINS on Fleahoppers, Tarnished Plant	<u> </u>
rates: 3 per acre.	
UG, RAPID PLANT BUG AND inds per acre.	
will be necessary to control an a late infestations warrant.	
s being finished for feed treated gin	
Do not contaminate rea not specified on water. Do not apply	
from areas treated. eas occupied by	
mals. Humans or t of treated areas	
t. When workers must	1
lust application they act only for recommended	, , ,
oy it by burying with toke or fumes.	
	ίt.
OF CHILDREN	
ough the skin. Repidly absorbed thing. Do not breathe dust or spray isk or respirator of a type passed	
ntection. Ing and before cating or smoking; r eyes, Aush with plenty of water;	<b>X</b>
	<b>V</b> .

COTTON FLEAHOPPER, TARNISHED PLANT BUG, RAPID PLANT BUG AND THRIPS: Early and mid-season control: Apply 5 pounds per acre. Late Season: Apply 10 pounds per acre. Uusually 2 to 3 applications at 5 to 7 day intervals will be necessary to control an

CAUTION

Do not graze dairy animals or animals being finished for slaughter in treated fields. Do not feed treated gin trash.


Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Humans or beneficial animals should be 'cept out of treated areas for at least one hour after treatment. When workers must enter fields within five days of a dust application they should be protected. Use this product only for recommended purposes and at recommended dosages. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

## WARNING KEEP OUT OF THE REACH OF CHILDREN

Hazardous if swallowed, injuled or absorbed through the skin. Rapidly absorbed through the skin. Do not get it eyes, on skin or on clothing. Do not breathe dust or spray mist. Wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Bureau of Mines for Endrin protection. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

#### NOTICE

Stevens Industries, Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use- but neither this warranty nor any other warranty of MERCHANTIBILITY or FITNESS for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably forseeable to Stevens Industries, Inc., and buyer assumes the risk of any such use. Any damage arising from a breach of this warranty shall be limited to direct damages, and shall lot include consequential commercial damage such as loss of profits.



\*\*\*\*\*

----

-----

infestation. Additional applications should be made as late infestations warrant.

EPA Reg. No. 2459-46

----\*\*\* \*\* ·\* · \*



# **EMULSIFIABLE CONCENTRATE** FOR TERMITE CONTROL **CONTENTS BY WEIGHT**

**ACTIVE INGREDIENTS:** 

Dieldrin	·····	 <b>-</b> -
Petroleum Hydrocarbons	<b></b>	 •••••
INERT INGREDIENTS:	···· <b>···</b> ··	 

\*15.83% Hexachloroepoxyoctahydro-endø-exo-dimet \* 2.79% Related Compounds

# WARNING Keep Out of the Reach of Children

Hazardous if swallowed, inhaled, or absorbed through skin! In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. During commercial or prolonged exposure in spray-mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Department of Agriculture for aldrin protection. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. To protect fish and wildlife, do not contaminate streams, lakes or ponds with this material.

Stevens Industries, Inc., warrants (its liability under any warranty or representation being limited to replacement of the product named on this label) that said product as sold by it consists of the ingredients specified, but makes no warranty or representation of any kind, express or implied, including any warranty or representation regarding the effect or result of this product's use whether or not the product is used in accordance with directions, and accepts no responsibility whatsoever for injury to persons, loss or damage to property, resulting from such use.

### DIRECTIONS

FOR THE CONTROL OF TERMITES: Prepare a 0.3% emulsion by adding 1 gallon of Master Spray 14 to 60 gallons of water and apply at the following rate:

1. Apply 2 gallons per 5 linear feet to critical areas under the house. Treatment should be made along the inside of Foundation walls, around piers, sewer pipes, conduits, etc.

2. Apply 1 gallon per linear feet in a narrow trench, no deeper than the top of the footings, along the outside of foundation walls. Replace the soil and apply another 1 gallon to 5 linear feet to the back tilt and cover the back fill with a layer of soil. If the trench is more than 15 inches in depth, double the rate of application. A trench 30 inches deep is the maximum depth required next to foundations.

> **Manufactured By** STEVENS INDUSTRIES, INC. DAWSON, GEORGIA

3. Apply 1 gallon per 10 square feet of soil surface under attached porches, entrance platforms, utility entrances, concrete slabs on the ground, and under basement flooring.

All trenches along the outside of foundation walts must be filled and buildings with crawl spaces should be guarded to prevent children or animals entering the treated areas.

Mix Master Spray 14 with water by agitation; agitate the mixture while spraying. If allowed to stand, reagitate before use.

# SPRAY 14

1.5 Lbs. Dieldrin Per Gallon

thanonap	TOTAL hthalene	100.00%
·····		8.00%
		<b>73.38%</b>

					. –	
						-
A						] ]
	-	_	•	-	-	

## APR 21 1966

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NOT A- SUBJECT TO ATTACHED COMMENTS.

#### NOTICE

#### MIXING DIRECTIONS

USDA. Reg. No. 2459-68

