## INSIST ON MASTER BRAND PRODUCTS DIRECTIONS

Master Brand Livestock Spray is a quality insecticide that/will provide effective and economical control of HORN FLIES, LICE and TICKS on BEEF CATTLE also LICE of HOGS.

LICE ON HOGS: One gallon per 100 gallons of water. Apply a complete coverage spray to animals, pens and litter. One treatment may be sufficient. Repeat application only as needed. Avoid contamination of feed, v food containers and watering troughs

HORN FLIES ON BEEF CATTLE: Use 1 to 11/2 gallons per 100 gallons of water. Apply a complete coverage of spray Repeat application at 2 week intervals if needed.

LICE ON BEEF CATTLE: Use 1 gallon per 100 gallons of water Apply a complete coverage of spray. One application may be sufficient. Repeat application only as needed.

TICKS ON BEEF CATTLE! Use 1 to 2 gallons per 100 gallons of water. Apply a complete coverage of spray. Repeat application at two week intervals if needed.

DO NOT APPLY SPRAY TO DAIRY CATTLE. DO NOT TREAT CALVES UNDER ONE MONTH OF AGE.

When applying spray, avoid contamination of feed, food containers and watering troughs. BACK RUBBING DEVICES; For reduction of Lice, use two quarts with 1214 gallons of fuel oil. Make devices easily accessible to each 35 to 40 head of cattle.

Repeat every 2 to 3 weeks.

DO NOT USE ON DAIRY ANIMALS.  $\downarrow$ 

#### CAUTION

Harmful if swallowed. Flammable. Avoid prolonged breathing of spray mist. Avoid repeated or prolonged contact with skin. Wash thoroughly after use. Avoid contamination of feed and foodstuffs. Keep out of the reach of children. Keep containers closed and away from heat and flames.

### NOTE TO PHYSICIAN

Malathion use may cause Cholinesterase inhibition. ANTIDOTAL.

U.S.D.A. REG. No. 2459-94

3

1471

### ATROPINE IS



SI

Do not re perforatin

ACTIVE Malatl Xylen INERT IN

\*0, 0-dim

**STEVI** 

## RODUCTS

vill provide effective BEEF CATTLE also

a complete coverage ient. Repeat applicaainers and watering

100 gallons of water. 2 week intervals if water Apply a compeat application only

ns of water. Apply a ntervals if needed.

LE. OF AGE.

tainers and watering vo quarts with  $12\frac{1}{4}$  to 40 head of cattle.


1

of spray mist. Avoid fter use. Avoid conchildren. Keep con-

### ATROPINE IS

# OTICE

Stev cal but to t mal Indi dam dam



# CONTENTS LIVES

## KEFT OUT OF REACH OF CHILDREN. SEE OTHER WARNING ON BACK PANEL.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating and burying in a safe place away from water supplies.

ACTIVE INGREDIENTS Malathion\* Xylene INERT INGREDIENTS:

\*O, O-dimethyl dithiophos

## STEVENS INDUSTRIES, INC., Dawson, Georgia

# Naster

# NTS : GALLON VESTOCK SPRAY

### INSECTS

(R)

## CAUTION

• THIS PA	ACKAGE	CONTAINS:			
•					57.0%
			,		32.0%
			,		11.0%
sphate of c	liethyl mei	TOTAL rcaptosuccinate		-	100.0%

### MANUFACTURED BY